
**Geometrical Product Specifications (GPS) —
Surface texture: Profile method; Surfaces
having stratified functional properties —**

Part 3:

Height characterization using the material
probability curve

*Spécification géométrique des produits (GPS) — État de surface: Méthode
du profil; surfaces ayant des propriétés fonctionnelles différentes suivant
les niveaux —*

*Partie 3: Caractérisation des hauteurs par la courbe de probabilité
de matière*



Contents	Page
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Procedure	2
5 Measurement process requirements	3
6 Drawing indications.....	3
Annex A (normative) Procedures for determining the limits of the linear regions	4
Annex B (informative) Background information	9
Annex C (informative) Determination of UPL and LVL via second derivatives.....	13
Annex D (informative) Normalization of the bounded material probability curve	16
Annex E (informative) Relation to the GPS matrix model	18
Annex F (informative) Bibliography.....	20

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 13565-3 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

ISO 13565 consists of the following parts under the general title *Geometrical product specifications (GPS) — Surface texture: Profile method; Surfaces having stratified functional properties*:

- *Part 1: Filtering and general measurement conditions*
- *Part 2: Height characterization using the linear material ratio curve*
- *Part 3: Height characterization using the material probability curve*

Annex A forms an integral part of this part of ISO 13565. Annexes B to F are for information only.

Introduction

This part of ISO 13565 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO/TR 14638). It influences the chain link 2 of the chains of standards on roughness profile and primary profile.

For more detailed information on the relation of this standard to the GPS matrix model see annex E.

This part of ISO 13565 provides a numerical characterization of surfaces consisting of two vertical random components, namely, a relatively coarse "valley" texture and a finer "plateau" texture. This type of surface is used for lubricated, sliding contact, for example in cylinder liners and fuel injectors. The calculations necessary to determine the parameters R_{pq} , R_{vq} , and R_{mq} (P_{pq} , P_{vq} , and P_{mq}) used to characterize these two components separately involves the generation of the material probability curve, the determination of its linear regions, and the linear regressions through these regions.

The parameters are undefined for surfaces not consisting of two such components.