

BS EN 60063:2015



BSI Standards Publication

Preferred number series for resistors and capacitors

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 60063:2015. It is identical to IEC 60063:2015. It supersedes BS 2488:1966 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EPL/40X, Capacitors and resistors for electronic equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.

Published by BSI Standards Limited 2015

ISBN 978 0 580 84243 6

ICS 31.040.01; 31.060.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60063

May 2015

ICS 31.040; 31.060

English Version

**Preferred number series for resistors and capacitors
(IEC 60063:2015)**

Séries de valeurs normales pour résistances et
condensateurs
(IEC 60063:2015)

Vorzugsreihen für die Nennwerte von Widerständen und
Kondensatoren
(IEC 60063:2015)

This European Standard was approved by CENELEC on 2015-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 40/2340A/FDIS, future edition 3 of IEC 60063, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60063:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-02-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-05-01

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60063:2015 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60062	-	Marking codes for resistors and capacitors	EN 60062	-

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 Number series	5
4.1 Number series with two significant digits.....	5
4.2 Number series with three significant digits	6
5 Application of an E series	8
5.1 Relationship between E series and tolerances	8
5.2 Deduction from the marking and coding of values	9
Bibliography	10
Table 1 – Number series with two significant digits	6
Table 2 – Number series with three significant digits.....	7
Table 3 – Tolerances and recommended E series.....	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PREFERRED NUMBER SERIES FOR RESISTORS AND CAPACITORS**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60063 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This third edition cancels and replaces the second edition published in 1963 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- revision of the information on a relationship between an E Series and the tolerance of a resistance or capacitance value of a respective component;
- introduction of advice on a possible deduction from the marking of a component to an associated E Series and also to an associated tolerance;
- complete editorial revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2340A/FDIS	40/2370/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

PREFERRED NUMBER SERIES FOR RESISTORS AND CAPACITORS

1 Scope

This International Standard provides series of preferred values for the resistance of resistors and for the capacitance of capacitors.

The definition of such series with a defined numeric resolution is a basic prerequisite for the marking and coding of capacitors and resistors with their respective capacitance or resistance values as described in IEC 60062.

NOTE The number series defined in this standard are based on progressive ratios of $\sqrt[r]{10}$, with $r = 3 \cdot 2^i$, and i being a whole number in the range of 0 to 6, hence e.g. of $\sqrt[12]{10}$.

This system of progressive ratios had been established prior to the 1952 release of the first edition of this standard¹ as a consequence of the standardisation of tolerances at $\pm 5\%$, $\pm 10\%$ and $\pm 20\%$ and the related commercial practice. An adoption of the ISO practice, based on a $\sqrt[10]{10}$ system, was never considered achievable.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062, *Marking codes for resistors and capacitors*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

E series

infinite series of numeric values with a given number of elements per decade, rounded or derived from the elements of a geometric series

Note 1 to entry: The number of elements within a decade, r , is given in the designation of the E series, E_r , e.g. E24 for a number series with 24 values per decade.

4 Number series

4.1 Number series with two significant digits

The series E24, E12, E6 and E3 with two significant digits are the decimal multiples and sub-multiples of the respective values given in Table 1.

¹ IEC 60063:1952, *Series of preferred values and their associated tolerances for resistors and capacitors*

Table 1 – Number series with two significant digits

E24	E12	E6	E3
10	10	10	10
11			
12	12		
13			
15	15	15	
16			
18	18		
20			
22	22	22	22
24			
27	27		
30			
33	33	33	
36			
39	39		
43			
47	47	47	47
51			
56	56		
62			
68	68	68	
75			
82	82		
91			

The E24 series is derived from a geometric series composed of values, rounded to two significant digits, of the theoretical numbers

$$v = \left(\sqrt[24]{10} \right)^n$$

where

v is a value of the E24 series, and

n is a whole positive or negative number.

NOTE The values of the E24 series in the range of 27 through 47, and the value 82, divert from the exact mathematical rule. However, a correction of this deviation has never seemed appropriate in light of the historical relevance of this series, having been established prior to the 1952 release of the first edition of this standard.

The E12 series is derived from the E24 series by omitting every second term, and likewise is the E6 series derived from the E12 series and the E3 series derived from the E6 series by omitting every second term thereof.

4.2 Number series with three significant digits

The series E192, E96 and E48 with three significant digits are the decimal multiples and sub-multiples of the respective values given in Table 2.

Table 2 – Number series with three significant digits

E192	E96	E48	E192	E96	E48	E192	E96	E48	E192	E96	E48
100	100	100	178	178	178	316	316	316	562	562	562
101			180			320			569		
102	102		182	182		324	324		576	576	
104			184			328			583		
105	105	105	187	187	187	332	332	332	590	590	590
106			189			336			597		
107	107		191	191		340	340		604	604	
109			193			344			612		
110	110	110	196	196	196	348	348	348	619	619	619
111			198			352			626		
113	113		200	200		357	357		634	634	
114			203			361			642		
115	115	115	205	205	205	365	365	365	649	649	649
117			208			370			657		
118	118		210	210		374	374		665	665	
120			213			379			673		
121	121	121	215	215	215	383	383	383	681	681	681
123			218			388			690		
124	124		221	221		392	392		698	698	
126			223			397			706		
127	127	127	226	226	226	402	402	402	715	715	715
129			229			407			723		
130	130		232	232		412	412		732	732	
132			234			417			741		
133	133	133	237	237	237	422	422	422	750	750	750
135			240			427			759		
137	137		243	243		432	432		768	768	
138			246			437			777		
140	140	140	249	249	249	442	442	442	787	787	787
142			252			448			796		
143	143		255	255		453	453		806	806	
145			258			459			816		
147	147	147	261	261	261	464	464	464	825	825	825
149			264			470			835		
150	150		267	267		475	475		845	845	
152			271			481			856		
154	154	154	274	274	274	487	487	487	866	866	866
156			277			493			876		
158	158		280	280		499	499		887	887	
160			284			505			898		
162	162	162	287	287	287	511	511	511	909	909	909
164			291			517			920		
165	165		294	294		523	523		931	931	
167			298			530			942		
169	169	169	301	301	301	536	536	536	953	953	953
172			305			542			965		
174	174		309	309		549	549		976	976	
176			312			556			988		

The E192 series is a geometric series composed of values, rounded to three significant digits, of the theoretical numbers

$$v = \left(\sqrt[192]{10} \right)^n$$

where

v is a value of the E192 series, and

n is a whole positive or negative number.

The E96 series is derived from the E192 series by omitting every second term, and similarly, the E48 series is derived from the E96 series by omitting every second term thereof.

5 Application of an E series

5.1 Relationship between E series and tolerances

A sequential range of components is usually established in a way that a tolerance range of any given value, i.e. the range defined by that given value minus and plus the given tolerance, does not significantly overlap with the tolerance range of the next succeeding value. This consideration suggests a fixed relationship between the tolerance and the progression ratio of any range of components.

Table 3 gives the recommended assignment of the E series and the tolerance for components with symmetrical tolerances.

Table 3 – Tolerances and recommended E series

Tolerance %	E series
wider than ± 20	E3
± 20	E6
± 10	E12
± 5	E24
± 2	E48
± 1	E96
tighter than ± 1	E192

The relationships shown in Table 3 apply to resistors without restriction.

For capacitors, however, where it is not common to use more than two significant digits for the definition of any capacitance value, the E series like E48 or above are typically not applied, and therefore the tightest customary tolerance of ± 1 % is used with values of the E24 series.

Similar considerations may apply to components with asymmetrical tolerances.

NOTE The use of tolerances much tighter than ± 1 % might suggest the definition of an E series with even more than 192 elements per decade, e.g. a hypothetical series with 384 elements. However, the definition of numeric values with three significant digits does not offer a sufficiently fine resolution for the establishment of such larger series. Furthermore, all established and practical coding and marking systems are limited to a resolution of three significant digits and thus pose a constraint to the use of numeric values with more than three significant digits.

5.2 Deduction from the marking and coding of values

There are marking and coding systems established in IEC 60062 for values with two and with three significant digits. These marking and coding systems also permit the indication of the tolerance.

In many cases however, the space available on a component for application of a marking is not sufficient to permit the additional tolerance information. In such cases it has become common practice to apply the reverse of the relationship shown in Table 3, by concluding from the numerical resolution of a coding to the feasible E series and then to the feasible tolerance, like

- a three-character coding only represents values with two significant digits, hence from an E series up to E24, which in turn is related to a tolerance of not tighter than $\pm 5\%$; or
- a four-character coding only represents values with three significant digits, hence from an E series of E48 or higher, which in turn is related to a tolerance of $\pm 2\%$ or tighter.

It is obvious from this illustration that the conclusion may be ambiguous by itself, and therefore shall not be assumed as a general relationship. It only supports the distinction between pre-defined options, like e.g. E24 and $\pm 5\%$ versus E96 and $\pm 1\%$, and hence depends on a precise and suitable documentation and specification of the respective components.

Bibliography

ISO 3, *Preferred numbers – Series of preferred numbers*

This page deliberately left blank

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK



...making excellence a habit.™