Designations and Chemical Composition Limits for Aluminum Alloys in the Form of Castings and Ingot



1400 Crystal Drive, Arlington, VA 22202 www.aluminum.org

Revised: October 2018

Supersedes: December 2015

© Copyright 2018, The Aluminum Association, Inc. Unauthorized reproduction and sale by photocopy or any other method is illegal.

ISSN: 2377-6722

This is a preview. Click here to purchase the full publication.

Use of the Information

The Aluminum Association has used its best efforts in compiling the information contained in this publication. Although the Association believes that its compilation procedures are reliable, it does not warrant, either expressly or impliedly, the accuracy or completeness of this information. The Aluminum Association assumes no responsibility or liability for the use of the information herein.

All Aluminum Association published standards, data, specifications and other material are reviewed at least every five years and revised, reaffirmed or withdrawn. Users are advised to contact The Aluminum Association to ascertain whether the information in this publication has been superseded in the interim between publication and proposed use.

This is a preview. Click here to purchase the full publication.

CONTENTS

FOREWORD	.i
REGISTERED DESIGNATIONS AND CHEMICAL COMPOSITION LIMITS	
INACTIVE ALLOYS	. 13
REGISTERED CHEMICAL COMPOSITION LIMITS OF INACTIVE ORIGINAL ALLOYS	. 14-15
CROSS REFERENCE OF CURRENT AND FORMER DESIGNATIONS	. 16
RECOMMENDATION Footnotes Appendix A-Use and Assignment of Designations Appendix B-Deactivation of Registered Alloys Appendix C-Requirements for "Sale of Alloy" and "Commercial Quantity" for Purposes of Registering Aluminum Alloys in the Form of	19 20 20
Castings and Ingot	20

FOREWORD

Listed herein are designations and chemical composition limits for aluminum alloys in the form of castings or ingot registered with The Aluminum Association. This list is maintained by the Technical Committee on Product Standards of The Aluminum Association. The designations of these compositions were assigned in conformance with the system adopted by The Aluminum Association in 1954 and approved by the American Standards Association (now American National Standards Institute Incorporated) as an American Standard in 1957 (see American National Standard Alloy and Temper Designation Systems for Aluminum ANSI H35.1/H35.1(M)). Additions may be made as required, and alloys will be deleted when no longer in commercial use (see table of inactive alloys printed on page 14).

This registration record is not intended to address all regulatory requirements that may be imposed by local, national or international governing bodies. Regulatory requirements, which vary by region and end use, can further restrict the chemical composition within the registered limits. When applicable, inclusion of such requirements in the sales agreement is advised.

Effective July/2015, the practice of registering experimental alloys has been discontinued and new experimental alloy designations shall not be granted.

Some of the registered alloys may be the subject of patent or patent applications, and their listing herein is not to be construed in any way as the granting of a license under such patent rights.