
Standard Test Procedure for Aluminum Alloy Grain Refiners 2012

The Aluminum Association (a)



This is a preview. Click here to purchase the full publication.

No warranty or guarantee of any kind, expressed or implied, by the Aluminum Association or its member companies accompanies this information. Accordingly, the Aluminum Association and its member companies assume no responsibility or liability for their use whether based on warranty, contract, negligence, strict liability product liability, or otherwise.
The use by any member or nonmember of this test procedure is purely voluntary. The Association's publication of this test procedure does not in any respect prevent or restrict any member or nonmember from manufacturing or supplying products tested under this or any other test procedure.
All Aluminum Association published standards, data, specifications and other material are reviewed at least every five years and revised, reaffirmed or withdrawn. Users are advised to contact the Aluminum Association to ascertain whether the information in this publication has been superseded in the interim between publication and proposed use.
© Copyright 2012, The Aluminum Association, Inc. Unauthorized reproduction and sale by photocopy or any other method is illegal.

This is a preview. Click here to purchase the full publication.

Foreword

This is the Third Edition of the Standard Test Procedure for Aluminum Alloy Grain Refiners (TP-1). It has been issued after a joint Task Group of The Aluminum Association's Master Alloys and Additives Division and the Technical Committee on Product Standards completed a round robin among 13 laboratories to evaluate the repeatability and reproducibility of TP-1. The detailed findings of that Task Group "Report on the Interpretation of the Precision and Accuracy of the TP-1 Test When Multiple Laboratories Evaluate the Same Grain Refiner" may be found within the literature of The Aluminum Association, and are available on request.

The pictures and sketches in this document have been provided by the members of The Aluminum Association.