



**International Alloy Designations
and
Chemical Composition Limits
for
Wrought Aluminum and
Wrought Aluminum Alloys**

Unified North American and International Registration Records

The Aluminum Association

Incorporated

900 19th Street, N.W., Washington, D.C. 20006

Revised: October 2002

Supersedes: January 2001

Use of the Information

The Aluminum Association has used its best efforts in compiling the information contained in this publication. Although the Association believes that its compilation procedures are reliable, it does not warrant, either expressly or impliedly, the accuracy or completeness of this information. The Aluminum Association assumes no responsibility or liability for the use of the information herein.

All Aluminum Association published standards, data, specifications and other material are reviewed at least every five years and revised, reaffirmed or withdrawn. Users are advised to contact The Aluminum Association to ascertain whether the information in this publication has been superseded in the interim between publication and proposed use.

CONTENTS

	Page
FOREWORD	i
SIGNATORIES TO THE DECLARATION OF ACCORD	ii-iii
REGISTERED DESIGNATIONS AND CHEMICAL COMPOSITION LIMITS	1-9
Footnotes	10
TABLE OF NOMINAL DENSITIES FOR ACTIVE ALLOYS	11-14
TABLE OF INACTIVE ALLOY DESIGNATIONS	15
Table of Chemical Composition Limits for Inactive Original Alloys	16
CROSS REFERENCES OF INTERNATIONAL DESIGNATIONS— DECLARATION OF ACCORD (DOA) TO ISO	17
RECOMMENDATION TO THE DECLARATION OF ACCORD	18
Footnotes	19
Appendix A—Use of Designations	20
Appendix B—Deactivation of Registered Alloys	20
Appendix C—General Guidelines for Determining Compliance with "Sale of Alloy" and "Commercial Quantity" for Purposes of Registering Wrought Aluminum and Wrought Aluminum Alloys	20
DECLARATION OF ACCORD	21

FOREWORD

Listed herein are designations and chemical composition limits for wrought aluminum and wrought aluminum alloys registered with The Aluminum Association. Numerical designations are assigned in accordance with the *Recommendation—International Designation System for Wrought Aluminum and Wrought Aluminum Alloys*, which is printed on pages 18 through 20. Additions may be made in accordance with the rules outlined in the Declaration of Accord printed on page 21, and alloys will be deleted when no longer in commercial use (see table of inactive alloys).

Since the International Designation System for Wrought Aluminum and Wrought Aluminum Alloys is based on USA's national standard "*American National Standard Alloy and Temper Designation System for Aluminum ANSI H35.1*," the system limits introduction of experimental alloy compositions to USA registrations. An experimental alloy registered by USA under this system is indicated by the prefix "X" and is subject to the following rules:

1. A composition shall not be designated as experimental ("X") for more than five years.
2. The "X" is dropped when the alloy is no longer experimental.
3. An experimental composition that is inactivated shall retain the prefix "X" for the duration of its inactive status. If reactivated, the "X" shall be removed.

Some of the registered alloys may be the subject of patent or patent applications, and their listing herein is not to be construed in any way as the granting of a license under such patent right.

A list of the organizations that are signatories to the Declaration of Accord on the Recommendation is printed on pages ii-iii.