

ALUMINUM DESIGN MANUAL 2015



Copyright © 2015, The Aluminum Association, Inc. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form, or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of

The Aluminum Association. Inc.

This is a preview. Click here to purchase the full publication.



This is a preview. Click here to purchase the full publication.

2015 Aluminum Design Manual

Table of Contents

| PART | TITLE |
|------------|---|
| | Foreword |
| I | Specification for Aluminum Structures |
| II | Commentary on the Specification for Aluminum Structures |
| III | Design Guide |
| IV | Material Properties |
| V | Section Properties |
| VI | Design Aids |
| VII | Illustrative Examples |
| VIII | Guidelines for Aluminum Sheet Metal Work in Building Construction |
| Appendix 1 | SI Guide |
| Index | |



FOREWORD

The *Aluminum Design Manual* includes an aluminum structural design specification and accompanying commentary, a supplemental design guide, material properties, properties of common shapes, design aid tables, illustrative design examples, and guidelines for aluminum sheet metal used in construction.

This edition of the *Aluminum Design Manual* is the product of the efforts of the Aluminum Association Engineering and Design Task Force, whose members are listed below.

The Aluminum Association Engineering and Design Task Force

Steve Sunday, Alcoa Inc., Chair
Tony Anderson, ITW Welding North America
Frank Armao, Lincoln Electric Co.
Tanya Dolby, Kawneer Company, Inc.
Randy Kissell, The TGB Partnership
George Olive, Enclos Corporation
Gerald Orrison, CST Covers
Teoman Peköz, Cornell University
Frank Shoup, Alcoa Inc.
Robert W. Walton, Consultant
Ronald D. Ziemian, Bucknell University
John Weritz, The Aluminum Association, Inc.

The *Aluminum Design Manual* is offered as a guideline only and The Aluminum Association, Aluminum Association's Engineering and Design Task Force and members thereof assume no responsibility or liability whatsoever for any information contained herein and make no representation, warranty expressed or implied, or guarantee whatsoever as to the accuracy of the information or the applicability of such information with respect to the design, engineering or construction of any structure. The use of this Manual by members and non-members of The Aluminum Association is voluntary and the issuance or existence of this Manual does not in any respect prevent or restrict any member or non-member from manufacturing, designing, supplying, constructing, or using products not in conformance with this Manual.

Please check www.aluminum.org for postings of 2015 Aluminum Design Manual errata.



Aluminum Design Manual

PART I

Specification for Aluminum Structures





Specification for Aluminum Structures

FOREWORD

The first edition of the *Specification for Aluminum Structures* was published in November, 1967, followed by subsequent editions in 1971, 1976, 1982, 1986, 1994, 2000, 2005, 2010, and 2015. This 10th edition of the *Specification*, developed as a consensus document, includes new or revised provisions concerning

- material specifications (A.3.1)
- modulus of elasticity, compressive yield strength and shear ultimate strength (A.3.1)
- cast alloy strengths (A.3.3)
- effective net area (D.3.2)
- axial compression member buckling strength (E.2)
- alternative methods for determining column and beam elastic strengths (E.2, F.2.1.4)
- flexural strength (F.1, F.2, F.3, F.4)
- shear in webs supported on one edge (G.3)
- shear strengths of rods (G.5)
- shear and torsional strengths (G.1, H.2)
- welded connections (J.2)
- slip-critical connections (J.3.7)
- pins (J.6)
- fabrication of edges (M.2, M.4)
- contact with dissimilar materials (M.7)
- quality control and quality assurance (Chapter N)
- testing (Appendix 1)
- fatigue (Appendix 3)

The Aluminum Association gratefully acknowledges the efforts of the Engineering Advisory Committee in developing the *Specification*.

THE ALUMINUM ASSOCIATION ENGINEERING ADVISORY COMMITTEE

Steve Sunday, Alcoa Inc., Chair

Tony Anderson, ITW Welding North America

Frank Armao, Lincoln Electric Co.

Tanya Dolby, Kawneer Company, Inc.

Randy Kissell, The TGB Partnership

George Olive, Enclos Corp.

Gerald Orrison, CST Covers

Teoman Peköz, Cornell University

Frank Shoup, Alcoa Inc.

Robert W. Walton, Consultant

Ronald D. Ziemian, Bucknell University

John Weritz, The Aluminum Association, Inc.

Robert E. Abendroth, Iowa State University

Joseph Bowman, Hapco American Flag

Terence Cavanagh, TJC and Associates, Inc.

Karen C. Chou, *Northwestern University* Cynthia Ebert, *Larson Engineering, Inc.*

Michael Feldberg, Valmont Industries, Inc.

Andrew J. Hinkle, Wyle

James LaBelle, Computerized Structural Design

LeRoy Lutz, Computerized Structural Design

Ken Walerius, Permasteelisa North America

January 2015 I - 3

Specification for Aluminum Structures

GUIDELINES FOR THE PREPARATION OF TECHNICAL INQUIRIES ON THE SPECIFICATION FOR ALUMINUM STRUCTURES

Technical inquiries to obtain an interpretation or request a revision to the *Specification for Aluminum Structures* should be directed to:

Vice President, Standards and Technology jweritz@aluminum.org The Aluminum Association 1525 Wilson Blvd, Suite 600 Arlington, VA 22209 www.aluminum.org

Comments on other parts of the Aluminum Design Manual are also welcome.

Inquiries should include the inquirer's name, affiliation, and address. Each inquiry should address a single section of the *Specification* unless the inquiry involves two or more interrelated sections. The section and edition of the *Specification* should be identified.

Requests for interpretations should be phrased, where possible, to permit a "yes" or "no" answer and include the necessary background information, including figures where appropriate.

Requests for revisions should include proposed wording for the revision and technical justification.

Inquiries are considered at the first meeting of the Engineering and Design Task Force following receipt of the inquiry.

I - 4 January 2015

Specification for Aluminum Structures

TABLE OF CONTENTS

| Symbols | 11 |
|--|----|
| Glossary | 17 |
| Chapter A General Provisions | 20 |
| A.1 SCOPE | |
| A.2 REFERENCED DOCUMENTS | 20 |
| A.3 MATERIAL | |
| A.3.1 General Provisions | |
| A.3.1.1 Properties at Elevated Temperatures | |
| A.3.1.2 Temperature Limits | |
| A.3.2 Wrought Products | |
| A.3.3 Castings | 29 |
| A.3.4 Filler Metal for Welding | 30 |
| A.3.5 Bolts, Washers, and Nuts | |
| A.3.6 Rivets | |
| A.3.7 Screws | 30 |
| | |
| Chapter B Design Requirements | |
| B.1 SECTION PROPERTIES | |
| B.2 LOADS AND LOAD COMBINATIONS | |
| B.2.1 Building-Type Structures | |
| B.2.2 Bridge-Type Structures | |
| B.2.3 Other Structures | |
| B.3 DESIGN BASIS | |
| B.3.1 Limit States. | |
| B.3.2 Required Strength | |
| B.3.2.1 Design for Strength Using Load and Resistance Factor Design (LRFD) | |
| B.3.2.2 Design for Strength Using Allowable Strength Design (ASD) | |
| B.3.4 Design for Serviceability | |
| B.3.5 Design for Fatigue | |
| B.3.6 Design for Fire Conditions | |
| B.3.7 Design of Braces. | |
| B.4 BUCKLING CONSTANTS | |
| B.5 ELEMENTS | |
| B.5.1 Width of Flat Elements and Stiffeners | |
| B.5.1 Width of Plat Elements and Sufferers B.5.2 Radius of Curved Elements | |
| B.5.3 Thickness of Elements | |
| B.5.4 Strength of Elements in Uniform Compression | |
| B.5.4.1 Flat Elements Supported on One Edge | |
| B.5.4.2 Flat Elements Supported on Both Edges | |
| B.5.4.3 Flat Elements Supported on One Edge and with a Stiffener on the Other Edge | |
| B.5.4.4 Flat Elements Supported on Both Edges and with an Intermediate Stiffener | |
| B.5.4.5 Round Hollow Elements and Curved Elements Supported on Both Edges | |
| B.5.4.6 Direct Strength Method | |
| B.5.5 Strength of Elements in Flexural Compression | |
| B.5.5.1 Flat Elements Supported on Both Edges | |
| B.5.5.2 Flat Elements Supported on Tension Edge, Compression Edge Free | |
| B.5.5.3 Flat Elements Supported on Both Edges and with a Longitudinal Stiffener | 40 |