International Alloy Designations and Chemical Composition Limits for Wrought Aluminum and Wrought Aluminum Alloys



1525 Wilson Boulevard, Arlington, VA 22209 www.aluminum.org

With Support for On-line Access From:

Aluminum Extruders Council Aluminium Federation of South Africa Australian Aluminium Council Ltd. European Aluminium Association Japan Aluminium Association Alro S.A, Romania

Revised: February 2009

Supersedes:

April 2006

© Copyright 2009, The Aluminum Association, Inc. Unauthorized reproduction and sale by photocopy or any other method is illegal.

This is a preview. Click here to purchase the full publication.

Use of the Information

The Aluminum Association has used its best efforts in compiling the information contained in this publication. Although the Association believes that its compilation procedures are reliable, it does not warrant, either expressly or impliedly, the accuracy or completeness of this information. The Aluminum Association assumes no responsibility or liability for the use of the information herein.

All Aluminum Association published standards, data, specifications and other material are reviewed at least every five years and revised, reaffirmed or withdrawn. Users are advised to contact The Aluminum Association to ascertain whether the information in this publication has been superseded in the interim between publication and proposed use.

This is a preview. Click here to purchase the full publication.

CONTENTS

Pag	ge
FOREWORD	. i
SIGNATORIES TO THE DECLARATION OF ACCORD ii	-iii
REGISTERED DESIGNATIONS AND CHEMICAL COMPOSITION LIMITS 1- Footnotes	
TABLE OF NOMINAL DENSITIES FOR ACTIVE ALLOYS 15-2	20
TABLE OF INACTIVE ALLOY DESIGNATIONS 21-2 Table of Chemical Composition Limits for Inactive Original Alloys 2	
CROSS REFERENCES OF INTERNATIONAL DESIGNATIONS— DECLARATION OF ACCORD (DOA) TO ISO	24
RECOMMENDATION TO THE DECLARATION OF ACCORD	26 27 27
DECLARATION OF ACCORD	28

This is a preview. Click here to purchase the full publication.

FOREWORD

Listed herein are designations and chemical composition limits for wrought aluminum and wrought aluminum alloys registered with The Aluminum Association. Numerical designations are assigned in accordance with the *Recommendation—International Designation System for Wrought Aluminum and Wrought Aluminum Alloys*, which is printed on pages 25 through 27. Additions may be made in accordance with the rules outlined in the Declaration of Accord printed on page 28, and alloys will be deleted when no longer in commercial use (see table of inactive alloys printed on pages 21-22).

Since the International Designation System for Wrought Aluminum and Wrought Aluminum Alloys is based on USA's national standard "*American National Standard Alloy and Temper Designation System for Aluminum ANSI H35.1,"* the system limits introduction of experimental alloy compositions to USA registrations. An experimental alloy registered by USA under this system is indicated by the prefix "X" and is subject to the following rules:

- 1. A composition shall not be designated as experimental ("X") for more than five years.
- 2. During its experimental status, the registering organization may request changes in the composition limit of the alloy, provided that it does not invalidate any assigned designation.
- 3. The "X" is dropped when the alloy is no longer experimental.
- 4. An experimental composition that is inactivated shall retain the prefix "X" for the duration of its inactive status. If reactivated, the "X" shall be removed.

Some of the registered alloys may be the subject of patent or patent applications, and their listing herein is not to be construed in any way as the granting of a license under such patent right.

A list of the organizations that are signatories to the Declaration of Accord on the Recommendation is printed on pages ii-iii.