

# STANDARDS AND INFORMATION DOCUMENTS

AES-R16-2016



## **AES project report - PTP parameters for AES67 and SMPTE ST 2059-2 interoperability**

Users of this standard are encouraged to determine if they are using the latest printing incorporating all current amendments and editorial corrections. Information on the latest status, edition, and printing of a standard can be found at:  
<http://www.aes.org/standards>

**AUDIO ENGINEERING SOCIETY, INC.**  
551 Fifth Avenue, New York, NY 10176, US.



The AES Standards Committee is the organization responsible for the standards program of the Audio Engineering Society. It publishes technical standards, information documents and technical reports. Working groups and task groups with a fully international membership are engaged in writing standards covering fields that include topics of specific relevance to professional audio. Membership of any AES standards working group is open to all individuals who are materially and directly affected by the documents that may be issued under the scope of that working group.

Complete information, including working group scopes and project status is available at <http://www.aes.org/standards>. Enquiries may be addressed to [standards@aes.org](mailto:standards@aes.org)

The AES Standards Committee is supported in part by those listed below who, as Standards Sustainers, make significant financial contribution to its operation.



THE TELOS ALLIANCE®



audio-technica



CLAIR



WEISS



This list is current as of 2017/7/25

This is a preview. Click here to purchase the full publication.

# **AES Standards Report - PTP parameters for AES67 and SMPTE ST 2059-2 interoperability**

## **Abstract**

Three profiles for Precision Time Protocol (PTP) might potentially be used in the professional media environment: the Peer-to-Peer Default PTP Profile of IEEE Std 1588-2008, the Media Profile of AES67 and the SMPTE Profile of SMPTE ST 2059-2. This report compares the profiles and identifies features and parameter ranges that should enable interoperability among equipment conforming to the different profiles.

An AES standards project report implies a consensus of those directly and materially affected by its provisions who have approved it as representing the views of their AESSC subcommittee but not of the AES as a whole. It is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an AES report does not in any respect preclude anyone, whether or not he or she has approved the document, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in agreement with the report. Publication does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties using the report. This document is subject to periodic review and users are cautioned to obtain the latest edition.

---

**Audio Engineering Society Inc. 551 Fifth Avenue, New York, NY 10176, US.**  
[www.aes.org/standards](http://www.aes.org/standards) [standards@aes.org](mailto:standards@aes.org)



2016-05-02 printing

This is a preview. [Click here to purchase the full publication.](#)

## Contents

<b>1 Introduction.....</b>	<b>4</b>
<b>2 Interoperability use-case .....</b>	<b>4</b>
<b>3 Relevant PTP profiles .....</b>	<b>4</b>
<b>4 Comparison of PTP profiles .....</b>	<b>5</b>
4.1 Transport.....	5
4.2 Communication model .....	5
4.3 Path delay measurement mechanism.....	5
4.4 Optional features.....	5
4.5 TLV specifications.....	5
4.6 Quality of service .....	6
4.7 Clock physical requirements .....	6
4.7.1 Frequency accuracy .....	6
4.7.2 Frequency adjustment range.....	6
4.8 Attribute values .....	7
4.8.1 Domain number .....	7
4.8.2 Announce interval.....	7
4.8.3 Announce receipt timeout.....	7
4.8.4 Sync interval.....	8
4.8.5 Delay request interval.....	8
4.9 Additional attribute values .....	9
4.9.1 clockClass .....	9
4.9.2 timeSource .....	9
<b>5 Conclusions for interoperability .....</b>	<b>9</b>
5.1 Features.....	9
5.2 Clock physical requirements .....	9
5.3 Proposed attribute values .....	10
5.3.1 Interoperability between Default, AES and SMPTE Profiles .....	10
5.3.2 Interoperability between AES and SMPTE Profiles.....	10

