# Recommended Practice for Ultrasonic and Magnetic Examination of Offshore Structural Fabrication and Guidelines for Qualification of Technicians

API RECOMMENDED PRACTICE 2X FOURTH EDITION, APRIL 2004

REAFFIRMED, SEPTEMBER 2020



American Petroleum Institute

## Recommended Practice for Ultrasonic and Magnetic Examination of Offshore Structural Fabrication and Guidelines for Qualification of Technicians

## **Upstream Segment**

API RECOMMENDED PRACTICE 2X FOURTH EDITION, APRIL 2004

REAFFIRMED, SEPTEMBER 2020



American Petroleum Institute

#### SPECIAL NOTES

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations under local, state, or federal laws.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. Sometimes a one-time extension of up to two years will be added to this review cycle. This publication will no longer be in effect five years after its publication date as an operative API standard or, where an extension has been granted, upon republication. Status of the publication can be ascertained from the API Standards department telephone (202) 682-8000. A catalog of API publications, programs and services is published annually and updated biannually by API, and available through Global Engineering Documents, 15 Inverness Way East, M/S C303B, Englewood, CO 80112-5776.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this standard or comments and questions concerning the procedures under which this standard was developed should be directed in writing to the Director of the Standards department, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should be addressed to the Director, Business Services.

API standards are published to facilitate the broad availability of proven, sound engineering and operating practices. These standards are not intended to obviate the need for applying sound engineering judgment regarding when and where these standards should be utilized. The formulation and publication of API standards is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or other-wise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Copyright © 2004 American Petroleum Institute

#### FOREWORD

This recommended practice is under the jurisdiction of the API subcommittee on Offshore Structures.

Changes between this edition and the 3rd edition have been marked with "change bars" in the margin.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any federal, state, or municipal regulation with which this publication may conflict.

Suggested revisions are invited and should be submitted to API, Standards department, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

## CONTENTS

		Page	
1	SCOPE	1	
2	REFERENCES		
3	DEFINITIONS 1		
4	PLANNING	2	
5	QUALIFICATION OF PERSONNEL         5.1       General         5.2       Examination Prerequisites         5.3       Qualification Examinations         5.4       Reexamination	233	
6	<ul> <li>EXTENT OF NONDESTRUCTIVE EXAMINATION</li></ul>	6 6 6	
7	<ul> <li>TECHNICAL RECOMMENDATIONS FOR UT</li></ul>	7 9 9 10 16 16 21 27 33 41	
8	<ul> <li>TECHNICAL RECOMMENDATIONS FOR MAGNETIC</li> <li>PARTICLE TESTING</li></ul>	42 42 42 43 45 49 50 51 51	
AP	PPENDIX A—EXAMPLE QUESTIONS FOR WRITTEN UT TEST PENDIX B—CONSTRUCTION AND UT EVALUATION OF MOCKUP STRUCTURES	57	
	PPENDIX C—EXAMPLE OF SCORING UT PERSONNEL PERFORMANCE PPENDIX D—EXAMPLES OF UT AND MT REPORT FORMS		

APPENDIX E—GLOSSARY OF NONDESTRUCTIVE EXAMINATION	
TERMINOLOGY	
APPENDIX F—BIBLIOGRAPHY OF BACKGROUND REFERENCES	77
Figures	
1—Weld Profiles Suitable for Preparation of Ultrasonic Test Plates	4
2—Method of Producing Incomplete Fusion "Defects" on Bevel Faces	
3—Significance of Discontinuities	
4—International Institutes of Welding (ITW) Ultrasonic Reference Blocks	
5—Institute of Welding (IOW) Block	
6—Check of Sweep Linearity	
7—IIW Block—Determination of Angle Beam Transducer Index	
8—IIW Block Showing Determination of Transducer Beam Angles	
9—Determination of Beam Spread	
10—Measurement of Beam Profile in the Vertical Plane	
11—Measurement of Beam Spread in the Horizontal Plane	
12—Weld Root Index	
12—Weld Root Marking of Members for Installation Pile Splice Welds	
14—Parameters Associated With Geometry of Pipe Intersection	
15—Weld Root Examination.	
16—Scanning Patterns	
10—Scanning Fatterns	
18—Transfer Correction Determination	
19—Graphical Plotting Cards Example 1	
20—Graphical Plotting Cards Example 2	
20—Graphical Plotting Cards Example 2	
22—Graphical Plotting Cards Example 4	
23—Graphical Plotting Cards Example 5	
24—Graphical Plotting Cards Example 6	
25—Graphical Plotting Cards Example 7	
26—Graphical Plotting Cards Example 8	
27—Circumferential Beam Path Scan	
28—Skip Distance Adjustment for Circumferential Beam Path	
29—Graphical Plotting Card for Circumferential Beam Path	
30—Alternate Method for Determination of Skip Distance on Current Surfaces	
31—Probe Manipulation for Spherical Discontinuity	
32—Probe Manipulation for Planar Discontinuity	
33—Distance Amplitude Correction	
34—Beam Boundary Technique	
35—Beam Boundary Plotting	
36—Maximum Amplitude Technique	
37—Multiple Reflectors	
38—Circumferential Direction Beam Profile	
39—20-Decibel d/B Beam Boundary Method	
40—Length Measurement Comparison	
41—Weld Profile Classifications	
42—Design Curves for Different Weld Profiles Curve X From API RP 2A-WSD.	
43—Reference for Level "A" Examination Block	
44—Level A Acceptance Weld Quality	38
45—Internal Reflectors and All Other Welds	
46—Reference for Level C Examination Block	40
47—Definitions	
48—T, K, and Y Root Defects	
49—Longitudinal Field Produced by Electromagnetic Yoke Setup	43

50—Radial Field Produced by "Single-Leg" Electromagnetic Setup	44			
51—Magnetization Plan Setups	46			
52—Illustration of API-Recommended Magnetic Field Indicator	46			
53—Electromagnetic Yoke Setup for Detection of Longitudinal Discontinuities	47			
54—Electromagnetic Yoke Setup for Detection of Transverse Discontinuities	47			
55—Incorrect and Correct Electromagnetic Yoke Setup for T and Y				
Joint Connections	48			
56—Acceptable Setup for Scanning with "Single-Leg" Electromagnetic				
Method	48			
57—Single-Leg Electromagnetic Setup for Detection of Longitudinal				
Discontinuities	48			
A-1—Question 17 Diagram	54			
A-2—Question 18 Diagram	54			
A-3—Question 19 Diagram	55			
B-1—Technique for Examining Welds Containing Natural Defects	58			
C-1—Example of Key to Placement of Reflectors in Test Plate	60			
C-2—Example of Typical Ultrasonic Technician Report of Test Results	61			
C-3—Graphical Evaluation of Technician's Report	62			
D-1—Ultrasonic Examination Report Rejected Indications	66			

#### Tables

1—Recommended Maximum Time Intervals Between Recalibration and	
Recertification of NDE Equipment	11
2-Recommended Standards and Maximum Performance Check Intervals	
for NDE and Mechanical Measuring Equipment	12
3—Transfer Correction Gain Adjustment	21

## Recommended Practice for Ultrasonic and Magnetic Examination of Offshore Structural Fabrication and Guidelines for Qualification of Technicians

#### 1 Scope

This recommended practice (RP) for nondestructive examination (NDE) of offshore structural fabrication and guidelines for qualification of personnel contains guidance on NDE methods which have evolved from fabrication experience with offshore structures. These methods are commonly used and have found acceptance due to their reliable detection of discontinuities. The five NDE methods routinely used in offshore structural fabrication are visual (VT), penetrant (PT), magnetic particle (MT), radiography (RT), and ultrasonic (UT) examinations. This recommended practice primarily addresses the MT and UT methods. Guidance on VT, PT and RT is incorporated by reference to ANSI/AWS D1.1. Further recommendations are offered for determining the qualifications of personnel using MT and UT techniques. Recommendations are also offered for the integration of these techniques into a general quality control program. The interrelationship between joint design, the significance of defects in welds, and the ability of NDE personnel to detect critical-size defects is also discussed.

THIS DOCUMENT IS NEITHER A CODE NOR A SPEC-IFICATION AND SHOULD NOT BE UTILIZED AS SUCH BY THE OPERATOR.

#### 2 References

A

The applicable editions of non-API standards referenced herein are as follows. Only the latest editions of these standards should be considered applicable, unless otherwise stated. API

RP 2A-LRFD	Recommended Practice for Planning,
	Designing and Constructing Fixed
	Offshore Platforms—Load and
	Resistance Factor Design
RP 2A-WSD	Recommended Practice for Planning,
	Designing and Constructing Fixed
	Offshore Platforms Working
	Stress Design
ANSI <sup>1</sup> /AWS <sup>2</sup>	
A3.0	Standard Welding Terms and Definitions
	-

- D1.1 Structural Welding Code—Steel
- B1.10 Guide for the Nondestructive Inspection of Welds
- B1.11 Guide for the Visual Inspection of Welds

#### ASNT<sup>3</sup>

SNT-TC-1A Recommended Practice for Qualification and Certification of NDE Personnel

ASTM<sup>4</sup>

- A 435/A 435M Straight-Beam Ultrasonic Examination of Steel Plates
- A 578/A 578M Straight-Beam Ultrasonic Examination of Plain and Clad Steel Plates for Special Applications
  - E 587 Standard Practice for Ultrasonic Angle-Beam Examination by the Contact Method
  - E 709 Standard Guide for Magnetic Particle Examination
  - E 1444 Standard Practice for Magnetic Particle Examination

### 3 Definitions

The welding terminology used herein is defined in the American Welding Society publication A3.0. Relevant ultrasonic terminology is defined in the Glossary section, Appendix E, of this document. Other definitions of interest are tabulated in the following. For the purpose of this standard, the following definitions apply:

**3.1** acceptance criteria: Limit of shape, size, and position of discontinuities acceptable within the context of the specific design requirements.

**3.2 agency personnel:** Personnel employed and trained by an independent organization, offered to the Operator on a contract basis, for assisting in the construction inspection.

**3.3 certification:** Written testimony of qualification.

**3.4 designer:** The person, firm, corporation, or other organization employed by the Operator during fabrication and installation with responsibility for examining all details of fabrication to ensure compliance with construction specifications.

**3.5 inspector:** The individual representing the Operator during fabrication and installation with responsibility for examining all details of fabrication to ensure compliance with construction specifications.

**3.6 NDE examination:** An examination of materials and fabrication by qualified personnel responsible to the inspector using equipment for the purpose of locating and sizing discontinuities in materials or welds and reporting

<sup>&</sup>lt;sup>1</sup>America National Standards Institute, 11 West 42nd Street, New York, New York 10036.

<sup>&</sup>lt;sup>2</sup>American Welding Society, 550 N.W. LeJeune Road, Miami, Florida 33135.

<sup>&</sup>lt;sup>3</sup>American Society of Nondestructive Testing, Inc., 1711 Arlington Lane, P.O. Box 28518, Columbus, Ohio 43228-0518, www.asnt.org.

<sup>&</sup>lt;sup>4</sup>ASTM International, 100 Barr Harbor Drive, West Conshohocken, Pennsylvania 19428-2959, www.astm.org.