

# Specification for Valves

API SPECIFICATION 6D  
TWENTY-FIFTH EDITION, NOVEMBER 2021

API MONOGRAM PROGRAM EFFECTIVE DATE: NOVEMBER 2022

ERRATA 1, DECEMBER 2021



This is a preview. [Click here to purchase the full publication.](#)

## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this specification should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

*Copyright © 2021 American Petroleum Institute*

[This is a preview. Click here to purchase the full publication.](#)

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

**Shall:** As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

**Should:** As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

**May:** As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

**Can:** As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001, [standards@api.org](mailto:standards@api.org).



## Contents

	Page
<b>1 Scope</b>	<b>1</b>
<b>2 Normative References</b>	<b>1</b>
<b>3 Terms, Definitions, Acronyms, Abbreviations, Symbols, and Units</b>	<b>4</b>
3.1 Terms and Definitions	4
3.2 Acronyms and Abbreviations	10
3.3 Symbols and Units	12
<b>4 Application, Configuration, and Performance</b>	<b>12</b>
4.1 Valve Types	12
4.2 Conformance and General Performance Requirements	14
4.3 Pressure and Temperature Rating	14
4.4 Valve Bore	15
4.5 Manufacturing Processes	17
<b>5 Design</b>	<b>18</b>
5.1 General	18
5.2 Dimensions	19
5.3 Drive Train	22
5.4 Operations	23
5.5 Cavity Pressure Relief	25
5.6 Body Penetrations	25
5.7 Stem Retention	26
5.8 Antistatic	27
5.9 Lifting	27
5.10 Design Process	27
<b>6 Materials</b>	<b>28</b>
6.1 Metallic Requirements	28
6.2 Nonmetallic Requirements	28
6.3 Composition Limits	29
6.4 Tensile Test Requirements	29
6.5 Impact Test	30
6.6 Sour Service	31
6.7 Body Penetrations	31
6.8 Production Heat-treating Equipment	31
<b>7 Welding</b>	<b>33</b>
7.1 General	33
7.2 Outsourced Welding	33
7.3 Consumables	33
7.4 Qualification	34
7.5 Weld Overlay	34
7.6 Impact Testing	35
7.7 Hardness Testing	37
7.8 Visual Inspection Welds to Pressure-containing Parts	37
7.9 Visual Inspection Pressure-containing and Pipe Pup Welds	37
7.10 NDE Pipe Pup-to-Valve Welds	37
7.11 Manufacturing Repair	38
<b>8 Bolting</b>	<b>39</b>

## Contents

	Page
8.1 Pressure-Boundary Bolting . . . . .	39
8.2 Other Bolting . . . . .	39
9 Quality Control . . . . .	39
9.1 Measuring and Test Equipment Control . . . . .	39
9.2 Pressure-measuring Device . . . . .	39
9.3 Welding Inspectors . . . . .	40
9.4 Visual Inspection . . . . .	40
9.5 Storage for Nonmetallic Seals . . . . .	41
9.6 Valve Assembly . . . . .	41
10 Factory Acceptance Testing . . . . .	42
10.1 Pressure Testing—General . . . . .	42
10.2 Stem Backseat Test . . . . .	43
10.3 Hydrostatic Shell Test . . . . .	44
10.4 Hydrostatic Seat Test . . . . .	45
10.5 Hydrostatic Test-Cavity Relief Valve . . . . .	46
11 Coating/Painting . . . . .	47
12 Marking . . . . .	47
12.1 General . . . . .	47
12.2 Valve Size Marking . . . . .	49
12.3 Nameplate . . . . .	49
12.4 Supplemental Requirements . . . . .	51
13 Draining, Protection, and Preparation for Transport . . . . .	51
13.1 Draining . . . . .	51
13.2 Protection . . . . .	51
13.3 Preparation for Transport . . . . .	52
14 Documentation . . . . .	52
14.1 Minimum Documentation and Retention . . . . .	52
14.2 Documentation Provided with the Valve . . . . .	52

## Contents

Page

Annex A (informative) Repair or Remanufacture of Valves . . . . .	54
Annex B (informative) Examples of Valve Configurations . . . . .	70
Annex C (normative) Valve End-to-end and Face-to-face Dimensions . . . . .	87
Annex D (informative) Guidance for Travel Stops by Valve Type . . . . .	111
Annex E (informative) Isolation Valve Features . . . . .	112
Annex F (informative) Design Validation . . . . .	115
Annex G (normative) External Coating for End Connectors . . . . .	127
Annex H (normative) Heat-treat Equipment Qualification . . . . .	130
Annex I (normative) Quality Specification Level (QSL) and Supplemental Testing . . . . .	132
Annex J (informative) Requirements for Extended Hydrostatic Shell Test Duration and Records Retention for Valves in Jurisdictional Pipeline Systems . . . . .	143
Annex K (normative) Purchaser-specified Customization—Permissible Deviations to Specified Design and Manufacturing Requirements . . . . .	145
Annex L (informative) Specified Customization—Supplemental Options to Specified Design and Manufacturing Requirements . . . . .	148
Bibliography . . . . .	160

## Figures

1 Typical Flange Dimension . . . . .	20
2 Bolt-hole Misalignment of Flange Across Valve . . . . .	21
3 Charpy V-notch Weld Metal Specimen Location . . . . .	36
4 Charpy V-notch Heat-affected Zone Specimen Location . . . . .	36
5 Typical Identification Plate for a Valve with One Seat Unidirectional and One Seat Bidirectional . . . . .	51
B.1 Axial Valve . . . . .	71
B.2 Ball Valve (Floating) . . . . .	72
B.3 Ball Valve (Side-entry Trunnion Mounted) . . . . .	73
B.4 Ball Valve (Top-entry Trunnion Mounted) . . . . .	74
B.5 Ball Valve (Welded-body Trunnion Mounted) . . . . .	75
B.6 Check Valve (Axial Flow) . . . . .	76
B.7 Check Valve (Full-opening Swing) . . . . .	77
B.8 Check Valve (Long Pattern, Single-plate Wafer-type) . . . . .	78
B.9 Check Valve (Long Pattern, Typical Dual-plate Wafer-type) . . . . .	79
B.10 Check Valve (Piston) . . . . .	80
B.11 Swing Check Valve (Reduced-opening) . . . . .	81
B.12 Check Valve (Short Pattern, Single-plate Wafer-type) . . . . .	82
B.13 Gate Valve (Expanding-gate/Rising-stem) . . . . .	83
B.14 Gate Valve (Slab-gate/Through-conduit Rising-stem) . . . . .	84
B.15 Plug Valve . . . . .	85
B.16 Rising Stem Ball Valve . . . . .	86
E.1 Block and Bleed—Type A . . . . .	113
E.2 Block and Bleed—Type B . . . . .	113
E.3 Double Block and Bleed—Type A . . . . .	113
E.4 Double Block and Bleed—Type B . . . . .	114

## Contents

	Page
E.5 Double Isolation and Bleed—Type A . . . . .	114
E.6 Double Isolation and Bleed—Type B . . . . .	114
F.1 Test Procedure for Pressure Temperature Cycle . . . . .	124
G.1 Raised Face . . . . .	127
G.2 Ring Type Joint or Raised-face Ring Type Joint . . . . .	128
G.3 Weld End . . . . .	128
G.4 Pipe Pup Weld Ends . . . . .	129
H.1 Thermocouple Locations—Rectangular Furnace (Working Zone) . . . . .	130
H.2 Thermocouple Locations—Cylindrical Furnace (Working Zone) . . . . .	131
L.1 Pressure Balance Hole for Ball Valve (Typical) . . . . .	157
L.2 Pressure Balance Hole for Gate Valve (Typical) . . . . .	157

## Tables

1 Minimum Bore for Full-opening Valves . . . . .	16
2 Process Control Requirements . . . . .	17
3 Sizes for Drain . . . . .	26
4 Minimum V-notch Impact Requirements for Material other than Duplex and Super Duplex Stainless Steel (Full-size Specimen) . . . . .	30
5 Minimum V-notch Impact Requirements for Duplex and Super Duplex Stainless Steel (Full-size Specimen) . . . . .	30
6 Adjustment Factors for Subsize Impact Specimens . . . . .	31
7 Heat Treatment Thermal Uniformity Survey (TUS) Requirements . . . . .	32
8 Minimum Duration of Stem Backseat Tests . . . . .	43
9 Minimum Duration of Hydrostatic Shell Tests . . . . .	44
10 Minimum Duration of Hydrostatic Seat Tests . . . . .	45
11 Valve Marking on Body . . . . .	48
12 Additional Marking . . . . .	49
13 Valve Marking on Nameplate . . . . .	50
A.1 Initial Inspection . . . . .	56
A.2 Items for Photographic Inspection . . . . .	56
A.3 Disassembly of Ball Valve with Seat Leakage . . . . .	58
A.4 Requirements for Evaluation of Components . . . . .	60
A.5 Requirements for Replacement Parts of Non-OEM Parts . . . . .	65
A.6 Nameplate Marking Requirements . . . . .	68
C.1 Axial Valves—Face-to-face (A) and End-to-end (B and C) Dimensions . . . . .	88
C.2 Ball Valves (Side Entry only)—Face-to-face (A) and End-to-end (B and C) Dimensions . . . . .	91
C.3 Check Valves and Axial Check Valves (Full Opening and Reduced Types)— Face-to-face (A) and End-to-end (B and C) Dimensions . . . . .	96
C.4 Check Valves (Single- and Dual-plate, Long- and Short-pattern, Wafer-type, and Double Flanged)—Face-to-face Dimensions . . . . .	101
C.5 Gate Valves—Face-to-face (A) and End-to-end (B and C) Dimensions . . . . .	103
C.6 Plug Valves—Face-to-face (A) and End-to-end (B and C) Dimensions . . . . .	106
D.1 Valve Travel Stops . . . . .	111
E.1 Isolation Valve Types . . . . .	112
F.1 Design Validation for Valves . . . . .	121
F.2 Minimum Percentage of Pressure During Opening Phase . . . . .	122
I.1 NDE Requirements . . . . .	133
I.2 Extent, Method, and Acceptance Criteria of NDE/Item Examination C134code . . . . .	134
I.3 Production Materials Requirements . . . . .	135



## Contents

	Page
I.4 Testing Sequence for Quality Specification . . . . .	136
I.5 Minimum Duration of Gas Shell Tests. . . . .	140
I.6 Documentation Requirements for Each QSL. . . . .	142
L.1 Stabilization Period Duration . . . . .	154
L.2 Minimum Duration of Gas Shell Tests. . . . .	155

## Introduction

### Changes from the 24<sup>th</sup> to the 25<sup>th</sup> Edition

This specification is the result of updating the requirements from API Specification 6D, 24<sup>th</sup> Edition, including Addendum 1 and Addendum 2. The revision of API 6D, 25<sup>th</sup> Edition, was developed based on input from the API 6D Task Group technical experts globally. The technical revisions have been made to accommodate the needs of industry and address many interpretations to move this specification to a higher level of service to the petroleum and natural gas industry. Highlights of some of the significant changes between the 24<sup>th</sup> edition and 25<sup>th</sup> edition, include:

- changing the title of the specification;
- reorganizing the specification requirements in an order more aligned with the manufacturing process;
- the addition of axial valves to the types of valves covered by this specification;
- the removal of Class 400 as a standard pressure class;
- requiring conformance to API 6DX for valves supplied with actuators;
- identifying allowable adjustments for subsize impact specimens;
- identifying minimum heat treatment requirements;
- identifying minimum bolting requirements;
- revising marking requirements;
- providing updated design validation guidance;
- addition of requirements for repair and remanufacture of valves from API 6DR in new Annex A;
- collecting all purchaser-specified requirements into annexes (Annex K and Annex L);
- combining QSL requirements from the 24<sup>th</sup> edition (Annexes I, J and L into one annex [Annex I]);
- adding guidance through-out the document reference to API 20 series specifications and standards.

### Units of Measurement

In this standard, data are expressed in both U.S. customary (USC) and metric (SI) units.

### Rounding

Except as otherwise required by this specification, to determine conformance with the specified requirements, observed or calculated values are rounded to the nearest unit in the last right-hand place of figures used in expressing the limiting value, in conformance with the rounding method of ASTM E29 or ISO 80000-1, Annex B, Rule A.

# Specification for Valves

## 1 Scope

This specification defines the requirements for the design, manufacturing, materials, welding, quality control, assembly, testing, marking, documentation, and process controls of axial, ball, check, gate, and plug valves for application in the petroleum and natural gas industries.

This specification applies to ASME Class 150, 300, 600, 900, 1500, and 2500.

NOTE ASME Class 400 has been removed from this specification.

API 6DR for repair and remanufacture of valves has been withdrawn and has been replaced by Annex A.

Annexes A, B, D, E, F, J, and L are informative and contain optional requirements used in this specification.

Annexes C, G, H, I, and K are normative and are mandatory in the use of this specification.

Information marked “NOTE” are not requirements but are provided for guidance in understanding or clarifying the associated requirement.

## 2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies, except that new editions may be used on issue and shall become mandatory upon the effective date specified by the publisher or 6 months from the date of the revision (where no effective date is specified).

### AMPP (formerly NACE)<sup>1</sup>

NACE MR0175/ISO15156 (all parts), *Petroleum and natural gas industries—Materials for use in H<sub>2</sub>S-containing environments in oil and gas production*

### API

API Standard 6DX, *Standard for Actuators and Mounting Kits for Valves*

API Specification 6FA, *Specification for Fire Test for Valves*

API Specification 20A, *Carbon Steel, Alloy Steel, Stainless Steel, and Nickel Base Alloy Castings for Use in the Petroleum and Natural Gas Industry*, 2<sup>nd</sup> Edition

API Specification 20B, *Open Die Shaped Forgings for Use in the Petroleum and Natural Gas Industry*, 1<sup>st</sup> Edition

API Specification 20C, *Closed Die Forgings for Use in the Petroleum and Natural Gas Industry*, 3<sup>rd</sup> Edition

---

<sup>1</sup> Association for Material Protection and Performance (formerly NACE International), 1440 South Creek Drive, Houston, Texas 77084-4906, [www.nace.org](http://www.nace.org).