

Australian/New Zealand Standard™

**Industrial scientific and medical (ISM)  
radio-frequency equipment—  
Electromagnetic disturbance  
characteristics—Limits and methods of  
measurement**



#### **AS/NZS CISPR 11:2004**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee TE-003, Electromagnetic Interference. It was approved on behalf of the Council of Standards Australia on 13 October 2004 and on behalf of the Council of Standards New Zealand on 1 October 2004.

This Standard was published on 25 November 2004.

---

The following are represented on Committee TE-003:

Australian Broadcasting Authority  
Australian Broadcasting Corporation  
Australian Chamber of Commerce and Industry  
Australian Communications Authority  
Australian Electrical and Electronic Manufacturers Association  
Australian Information Industry Association  
Commercial Television Australia  
Consumer Electronics Suppliers Association  
Department of Defence (Australia)  
Electrical Compliance Testing Association  
Engineers Australia  
Ministry of Economic Development (New Zealand)  
SingTel Optus  
Society of Automotive Engineers—Australasia  
Telstra Corporation Limited  
University of Western Australia  
Wireless Institute Australia

---

#### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) or Standards New Zealand web site at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

---

*This Standard was issued in draft form for comment as DR 04349.*

**This is a preview. [Click here to purchase the full publication.](#)**

Australian/New Zealand Standard™

**Industrial scientific and medical (ISM)  
radio-frequency equipment—  
Electromagnetic disturbance  
characteristics—Limits and methods of  
measurement**

Originated as part of AS 2064—1977.  
Previous edition AS/NZS CISPR 11:2004.  
Third edition November 2004.

**COPYRIGHT**

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 6352 9

[This is a preview. Click here to purchase the full publication.](#)

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Interference, to supersede AS/NZS CISPR 11:2004.

This Standard is identical with, and has been reproduced from, CISPR 11, Ed.4.1 (2004), *Industrial, scientific and medical (ISM) radio-frequency equipment—Electromagnetic disturbance characteristic—Limits and methods of measurement*.

The objective of this Standard is to identify limits and methods of measurement of electromagnetic disturbance characteristics in ISM radio frequency equipment.

The terms ‘normative’ and ‘informative’ are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

As this Standard is reproduced from an international standard, the following applies:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover.
- (b) In the source text ‘this International Standard’ should read ‘this Australian/New Zealand Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
CISPR		AS/NZS CISPR	
15	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment	15	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
CISPR		AS/NZS	
19	Guidance on the use of the substitution method for measurements of radiation from microwave ovens for frequencies above 1 GHz	4052	Guidance on the use of the substitution method for measurements of radiation from microwave ovens for frequencies above 1 GHz

## CONTENTS

	<i>Page</i>
1 General.....	1
1.1 Scope and object.....	1
1.2 Normative references.....	1
2 Definitions.....	2
3 Frequencies designated for ISM use .....	3
4 Classification of ISM equipment .....	3
4.1 Separation into groups.....	3
4.2 Division into classes .....	4
5 Limits of electromagnetic disturbances.....	4
5.1 Limits of terminal disturbance voltage .....	4
5.1.1 Frequency band 9 kHz to 150 kHz.....	5
5.1.2 Frequency band 150 kHz to 30 MHz.....	5
5.1.3 Frequency band above 30 MHz.....	6
5.2 Limits of electromagnetic radiation disturbance.....	7
5.2.1 Frequency band 9 kHz to 150 kHz.....	7
5.2.2 Frequency band 150 kHz to 1 GHz.....	7
5.2.3 Frequency band 1 GHz to 18 GHz.....	10
5.2.4 Frequency band 18 GHz to 400 GHz .....	12
5.3 Provisions for protection of safety services .....	12
5.4 Provisions for protection of specific sensitive radio services .....	12
6 General measurement requirements .....	12
6.1 Ambient noise .....	13
6.2 Measuring equipment.....	13
6.2.1 Measuring instruments .....	13
6.2.2 Artificial mains network .....	14
6.2.3 Voltage probe .....	14
6.2.4 Antennas.....	14
6.2.5 Artificial hand.....	14
6.3 Frequency measurement.....	14
6.4 Configuration of equipment under test.....	15
6.4.1 Interconnecting cables .....	15
6.4.2 Connection to the electricity supply network on a test site .....	16
6.5 Load conditions of equipment under test.....	17
6.5.1 Medical equipment.....	17
6.5.2 Industrial equipment.....	18
6.5.3 Scientific, laboratory and measuring equipment .....	18
6.5.4 Microwave cooking appliances .....	18
6.5.5 Other equipment in the frequency band 1 GHz to 18 GHz .....	19
6.5.6 Single and multiple-zone induction cooking appliances .....	19
6.5.7 Arc welding equipment.....	19
7 Special provisions for test site measurements (9 kHz to 1 GHz).....	20
7.1 Measurement of mains terminal disturbance voltage .....	20
7.1.1 Handheld equipment which are normally operated without an earth connection .....	20
7.2 Radiation test site for 9 kHz to 1 GHz .....	21

	<i>Page</i>
7.2.1 Validation of the radiation test site (9 kHz to 1 GHz) .....	21
7.2.2 Disposition of equipment under test (9 kHz to 1 GHz) .....	21
7.2.3 Radiation measurements (9 kHz to 1 GHz).....	21
7.3 Alternative radiation test sites for the frequency range 30 MHz to 1 GHz .....	22
8 Radiation measurements: 1 GHz to 18 GHz .....	22
8.1 Test arrangement.....	22
8.2 Receiving antenna .....	22
8.3 Validation and calibration of test site.....	22
8.4 Measuring procedure .....	22
9 Measurement <i>in situ</i> .....	23
10 Safety precautions .....	23
11 Assessment of conformity of equipment .....	23
11.1 Statistical assessment of compliance of series produced equipment .....	23
11.2 Equipment in small-scale production .....	24
11.3 Equipment produced on an individual basis.....	24
Annex A (informative) Examples of equipment classification.....	28
Annex B (informative) Precautions to be taken in the use of a spectrum analyzer (see 6.2.1) .....	29
Annex C (normative) Measurement of electromagnetic radiation disturbance in the presence of signals from radio transmitters .....	31
Annex D (informative) Propagation of interference from industrial r.f. equipment at frequencies between 30 MHz and 300 MHz.....	32
Annex E (informative) Safety related service bands.....	33
Annex F (informative) Sensitive service bands .....	34