

ASME BPE-2022
(Revision of ASME BPE-2019)

Bioprocessing Equipment

AN INTERNATIONAL STANDARD



**The American Society of
Mechanical Engineers**

This is a preview. [Click here to purchase the full publication.](#)

ASME BPE-2022
(Revision of ASME BPE-2019)

Bioprocessing Equipment

AN INTERNATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

This is a preview. [Click here to purchase the full publication.](#)

Date of Issuance: April 29, 2022

The next edition of this Standard is scheduled for publication in 2024. This Standard will become effective 6 months after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically, certain actions of the ASME BPE Committee may be published as Cases. Cases and interpretations are published on the ASME website under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

[This is a preview. Click here to purchase the full publication.](#)

CONTENTS

	Foreword	xiii
	Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising	xv
	Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xv
	Committee Roster	xvi
	Correspondence With the BPE Committee	xxi
	Summary of Changes	xxiii
Chapter 1	Introduction, Scope, and General Requirements	1
Part GR	General Requirements	1
GR-1	Introduction	1
GR-2	Scope of the ASME BPE Standard	1
GR-3	Manufacturer’s Quality Assurance Program	2
GR-4	Examination, Inspection, and Testing	2
GR-5	Documentation	6
GR-6	U.S. Customary and SI Units	8
GR-7	References	8
GR-8	Terms and Definitions	10
GR-9	Nomenclature	19
Chapter 2	Certification	20
Part CR	Certification Requirements	20
CR-1	Purpose and Scope	20
CR-2	General	20
Chapter 3	Materials	23
Part MM	Metallic Materials	23
MM-1	Purpose and Scope	23
MM-2	Alloy Designations	23
MM-3	Uses of Specifications	23
MM-4	Referenced Specifications	27
MM-5	Base Metals and Filler Materials	29
MM-6	Mechanical Properties and Leak Testing	37
MM-7	Positive Material Identification	37
MM-8	Corrosion-Resistance Requirements	37
MM-9	Minimum Requirements for Alloys in Part MM	39
Part PM	Polymeric and Other Nonmetallic Materials	41
PM-1	Purpose and Scope	41
PM-2	Materials	41
PM-3	Properties and Performance	46
PM-4	Applications	48
Chapter 4	Design for Multiuse	52

Part SD	Systems Design for Multiuse	52
SD-1	Purpose and Scope	52
SD-2	General Guidelines	52
SD-3	Process Components and Equipment	56
SD-4	Process Utility Systems	102
SD-5	Process Systems	107
SD-6	Process Support Systems	131
SD-7	Design Conformance Testing	154
Chapter 5	Process Components for Multiuse	156
Part DT	Dimensions and Tolerances for Process Components	156
DT-1	Purpose and Scope	156
DT-2	Pressure Rating	156
DT-3	Wall Thickness	156
DT-4	Dimensions	156
DT-5	Materials	157
DT-6	Tests	157
DT-7	Tolerances	157
DT-8	Weld Ends	157
DT-9	Hygienic Clamp Unions	157
DT-10	Minimum Examination Requirements	158
DT-11	Marking	159
DT-12	Packaging	159
Part PI	Process Instrumentation for Multiuse	194
PI-1	Purpose and Scope	194
PI-2	Process Instrumentation General Requirements	194
PI-3	Instrument Receiving, Handling, and Storage	197
PI-4	Flowmeters	197
PI-5	Level Instruments	202
PI-6	Pressure Instruments	203
PI-7	Temperature Sensors and Associated Components	206
PI-8	Analytical Instruments	211
PI-9	Optical	215
Part MC	Components for Multiuse	219
MC-1	Purpose and Scope	219
MC-2	Sealing Component Types	219
MC-3	Sealing Components General Design Requirements (General Provisions)	237
MC-4	Seal Performance Requirements	243
MC-5	Seal Applications	245
Chapter 6	Fabrication, Assembly, and Erection for Multiuse	248
Part MJ	Materials Joining for Multiuse	248
MJ-1	Purpose and Scope	248
MJ-2	Materials	248
MJ-3	Joint Design and Preparation	249
MJ-4	Joining Processes and Procedures	252
MJ-5	Procedure Qualifications	252

MJ-6	Performance Qualifications	252
MJ-7	Examination, Inspection, and Testing	253
MJ-8	Acceptance Criteria	254
MJ-9	Joining of Polymeric Materials	255
MJ-10	Documentation Requirements	270
MJ-11	Passivation	270
Part SF	Process Contact Surface Finishes for Multiuse	272
SF-1	Purpose and Scope	272
SF-2	Metallic Applications	272
SF-3	Polymeric Applications	275
Chapter 7	Design for Single-Use	277
Part SU	Systems Design for Single-Use	277
SU-1	General	277
SU-2	General Guidelines	277
SU-3	Integrity	277
SU-4	Biocompatibility	277
SU-5	Extractables and Leachables	277
SU-6	Identification	278
SU-7	Certificate of Conformance	278
SU-8	Inspection and Packaging	278
SU-9	Sterilization (Bioburden Control)	278
SU-10	Shelf Life, Storage, and Expiration Date	278
SU-11	Particulates	279
Chapter 8	Process Components for Single-Use	280
Part SC	Components for Single-Use	280
SC-1	Steam-Through and Steam-To Connectors	280
SC-2	Aseptic Connectors	280
SC-3	Flexible Bioprocess Containers (Bags)	280
SC-4	Polymeric Hygienic Unions	281
Chapter 9	Fabrication, Assembly, and Erection for Single-Use	282
Part SJ	Joining Methods for Single-Use	282
SJ-1	General	282
SJ-2	Mechanical Hose Barb Connections	282
SJ-3	Thermal Welding of Thermoplastic Elastomer Tubing	282
 Mandatory Appendices		
I	Submittal of Technical Inquiries to the Bioprocessing Equipment (BPE) Committee	284
II	Standard Units	285
III	Single-Use Components and Assemblies	286
IV	Nomenclature	287
 Nonmandatory Appendices		
A	Commentary: Slag and Oxide Islands	289
B	Material and Weld Examination/Inspection Documentation	290
C	Slope Measurement and Joint Misalignment	294

D	Rouge and Stainless Steel	295
E	Passivation Procedure Qualification	303
F	Corrosion Testing	311
G	Ferrite	314
H	Electropolishing Procedure Qualification	315
J	Vendor Documentation Requirements for New Instruments	317
K	Standard Process Test Conditions (SPTC) for Seal Performance Evaluation	320
L	Standard Test Methods for Polymers	330
M	Spray Device Coverage Testing	333
N	Commentary: UNS S31603 Weld Heat-Affected Zone Discoloration Acceptance Criteria	335
O	Guidance When Choosing Polymeric and Nonmetallic Materials	336
P	General Background/Useful Information for Extractables and Leachables	337
Q	Temperature Sensors and Associated Components	340
R	Instrument Receiving, Handling, and Storage	342
S	Application Data Sheet	343
T	Guidance on Polymer Applications: Chromatography Columns and Filtration	345
U	Guidance for the Use of U.S. Customary and SI Units	348
W	Positive Material Identification	350
Y	Procurement Sources	353
Z	Quality Management System	354
AA	Static Seals Application Guide for Compendial Water Systems	358
BB	Mechanical Seal Face Material Selection for Compendial Water Pumps	361
CC	Examination, Inspection, and Testing Cross-References	363
DD	Conductivity Sensor Selection Guide	366
EE	Vessel Flange, Agitator, and Mechanical Seal Design for Bottom-Mount Agitators	368
FF	Leak Test Methods for Single-Use Components and Assemblies	378
GG	Single-Use Mechanical Hose Barb Design Recommendations	383

Figures

CR-1-1	The ASME Single Certification Mark With the BPE Certification Designator	20
SD-3.1.1-1	Flat Gasket Applications	57
SD-3.1.2.2-1	Accepted Point-of-Use Designs	61
SD-3.1.2.3-1	Double Block-and-Bleed Valve Assembly	62
SD-3.2.1-1	Flexible Hygienic Hose Design	64
SD-3.3.2.2-1	Pump Impeller Configurations	65
SD-3.3.2.2-2	Acceptable Impeller Attachments	66
SD-3.3.2.2-3	Casing Drain Configurations	67
SD-3.3.2.2-4	Casing Drain <i>L/d</i> Ratios	68
SD-3.3.2.4-1	Rotary Lobe Pump Rotor Attachment	69
SD-3.4.2-1	Nozzle Design	70
SD-3.4.2-2	Side and Bottom Connections	71
SD-3.4.2-3	Sidewall Nozzles	72
SD-3.4.2-4	Vessel Design Tangential Nozzles	73
SD-3.4.2-5	Typical Nozzle Detail	73
SD-3.4.3-1	Accepted Nozzle Penetrations	75

SD-3.4.3-2	Internal Components	76
SD-3.4.6-1	Sight Glass Design (Accepted)	77
SD-3.5.1-1	Agitator Mounting Flanges	79
SD-3.5.2-1	Shaft Coupling Construction	80
SD-3.5.2-2	Shaft Coupling Seal Arrangements	81
SD-3.5.2-3	Fastener Seal Arrangements: Alternative Bolting Designs	83
SD-3.5.5-1	Shaft-Steady Bearing	84
SD-3.5.5-2	Magnetically Coupled Mixer (Typical Bottom-Mount)	85
SD-3.6.2-1	Double Tubesheet Heat Exchanger Bonnet Design	86
SD-3.7.1-1	Transfer Panel Looped Headers	88
SD-3.7.2-1	Transfer Panel Tolerances	89
SD-3.7.4-1	Transfer Panel Jumpers	91
SD-3.9.1-1	Dynamic Spray Device: Single Axis	94
SD-3.9.1-2	Two-Axis Dynamic Spray Device	95
SD-3.9.2.1-1	Static Spray Device	96
SD-3.9.2.1-2	Flow Rate Guideline for Vertical Cylindrical Vessels	96
SD-3.9.2.1-3	Flow Rate Guideline for Horizontal Cylindrical Vessels	97
SD-3.9.2.3-1	Impact Pattern Buildup	98
SD-3.12-1	Steam Traps for Clean Steam Systems	99
SD-3.17.1-1	Example Strainer Types	100
SD-4.1.2.1-1	Point-of-Use Piping	103
SD-4.1.2.2-1	Physical Break in Point-of-Use Piping	104
SD-4.2.2-1	Typical Clean Steam System Isometric	105
SD-4.2.2-2	Clean Steam Point-of-Use Design	106
SD-5.1.4.4-1	Gas Sparging Assembly — Lance	108
SD-5.1.4.4-2	Gas Sparging Assembly — Sintered	109
SD-5.1.4.4-3	Gas Sparging Assembly — Ring	110
SD-5.1.4.4-4	Gas Sparging Assembly — Single Orifice	111
SD-5.1.4.7-1	Exhaust Gas Condenser	113
SD-5.1.4.7-2	Exhaust Gas Heater	113
SD-5.1.4.7-3	Electrically Heat Traced Filter Housing	114
SD-5.1.5-1	Fermentor Sterile Envelope	115
SD-5.1.5-2	Bioreactor Sterile Envelope	116
SD-5.2.1-1	Cell Disruptor Process Flow Schematic Diagram	118
SD-5.4.5.1-1	Tank/Vessel Vent Fillers	123
SD-5.6.4-1	Typical Lyophilizer Component Assembly	125
SD-5.6.5-1	Lyophilizer Sterile Boundary	129
SD-6.3.4.1.1-1	Conical Vessel With Reduced Bottom Outlet, or Tulip Tank	137
SD-6.3.4.2-1	CIP Looped Header (Supply or Return)	138
SD-6.3.4.2-2	Zero-Static Chain	139
SD-6.3.4.2-3	Swing Elbow Arrangement	139
SD-6.3.4.2-4	Mix-Proof Valve Array	140
SD-6.4.1.1-1	Example of HTST Process Flow Schematic Diagram	143
SD-6.4.1.1-2	Example of Direct Steam Injection UHT Process Flow Schematic Diagram	144
SD-6.4.4.5-1	Example of Additional Retention Tube Length Required to Account for Axial Mixing	146

SD-6.5.4.2-1	Immersion Tank Side Nozzle Design	149
DT-9.4-1	Clamp Conditions at Installation	192
PI-2.2.1-1	In-Line and At-Line Instrument Installation Examples	195
PI-2.2.2-1	Accepted Insertion Device Installation Examples	196
PI-4.1.3.2-1	Manifold or Flow Splitter for Dual-Tube Construction Flowmeters and Potential for Product Holdup	198
PI-4.1.3.3-1	Concentrically Reducing Process Connection	198
PI-4.1.4.3-1	Vertical Installation	200
PI-4.1.4.4-1	Minimum Angle of Inclination, α	200
PI-4.2.2-1	Typical Turbine Flowmeters	201
PI-5.1.2.1-1	Bulb, Horn, Isolated Horn, and Rod-Style Antenna	203
PI-5.1.3.3-1	Dead Band, Measuring Range, and Mounting Location	204
PI-6.1.2-1	Accepted Orientation and Flow	205
PI-7.3-1	Typical Installation Styles	206
PI-7.3.4-1	Accepted Elbow Orientations and Flow Directions	207
PI-7.3.4-2	Accepted Nonintrusive Orientations and Flow Directions	208
PI-7.3.5-1	Sensor Insertion Lengths for Tee Installations	209
PI-7.3.5-2	Sensor Insertion Lengths for Elbow Installations	210
PI-8.1.2-1	Conductivity Sensor Components	212
PI-8.1.3.2-1	Acceptable Orientations for Conductivity Sensors	213
PI-8.1.3.4-1	Installation Clearance Requirements	213
PI-8.2.2-1	pH Sensor Components	214
PI-8.2.3.3-1	Accepted Mounting Orientations	215
PI-9.1.3.2-1	Vessel Light Glass Design and Mounting	217
PI-9.1.3.4-1	In-Line Insertion Length	218
PI-9.1.3.4-2	Insertion Probe Length	218
MC-2.2.2-1	Hygienic Union per Table DT-7.1-1	220
MC-2.2.2-2	Hygienic Clamp Union per Table DT-7.1-1	220
MC-2.2.2-3	Hygienic Union per DIN 11864	221
MC-2.2.2-4	Hygienic Clamp Union per DIN 11864	221
MC-2.2.2-5	Nonhygienic Connections	222
MC-2.3.1.2-1	Weir Valves	224
MC-2.3.1.2-2	Radial Valves	224
MC-2.3.1.2-3	Weirless Diaphragm Valve	225
MC-2.3.1.2-4	Linear Control Valves	225
MC-2.3.1.2-5	Regulator Valve	226
MC-2.3.1.3-1	Ball Valves	226
MC-2.3.1.4-1	Rising Stem Single, Double-Seat Mix-Proof, and Needle Valves	227
MC-2.3.1.5-1	Butterfly Valve	227
MC-2.3.1.7-1	Back Pressure Control Valve	227
MC-2.3.1.8-1	Pinch Valve	228
MC-2.3.1.9-1	Pressure Relief and Check Valves	229
MC-2.3.1.10-1	Plug Valve	230
MC-2.3.2.2-1	Single Mechanical Seal	231
MC-2.3.2.2-2	Single Seal for Top-Entry Agitator	231

MC-2.3.2.3-1	Dual Mechanical Seal–Pressurized for Pumps	231
MC-2.3.2.3-2	Dual Mechanical Seal–Pressurized for Top-Entry Agitator	231
MC-2.3.2.3-3	Dual Mechanical Seal–Unpressurized for Pumps	232
MC-2.3.2.4-1	Flush Plan 01	233
MC-2.3.2.4-2	Flush Plan 02	233
MC-2.3.2.4-3	Flush Plan 03	233
MC-2.3.2.4-4	Flush Plan 11	234
MC-2.3.2.4-5	Flush Plan 32	234
MC-2.3.2.4-6	Flush Plan 52 for Pump	234
MC-2.3.2.4-7	Flush Plan 52 for Top-Entry Agitator	235
MC-2.3.2.4-8	Flush Plan BPE52 for Pump	235
MC-2.3.2.4-9	Flush Plan 53 for Pump	235
MC-2.3.2.4-10	Flush Plan 53 for Top-Entry Agitator	235
MC-2.3.2.4-11	Flush Plan 54 for Pump	236
MC-2.3.2.4-12	Flush Plan 54 for Top-Entry Agitator	236
MC-2.3.2.4-13	Flush Plan 55 for Pump	236
MC-2.3.2.4-14	Flush Plan 55 for Top-Entry Agitator	236
MC-2.3.2.4-15	Flush Plan 74 for Pump	237
MC-2.3.2.4-16	Flush Plan 74 for Top-Entry Agitator	237
MC-3.3.2.2-1	Examples of Static O-Ring Grooves	239
MC-3.3.2.3-1	Seals for Rising Stem Valves	241
MC-4.2-1	Typical Hygienic Clamp Union: Allowable Gasket Intrusion	244
MJ-3.2-1	Unacceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations	250
MJ-3.2-2	Acceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations	251
MJ-8.4-1	Acceptable and Unacceptable Weld Profiles for Groove Welds on Metallic Tube-to-Tube Butt Joints	262
MJ-8.4-2	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Electropolished UNS S31603 Tubing	263
MJ-8.4-3	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Mechanically Polished UNS S31603 Tubing	264
MJ-8.4-4	Acceptable and Unacceptable Metallic Weld Bead Width and Meander on Non-Process Contact Surfaces of Groove Welds on Tube-to-Tube Butt Joints	265
MJ-8.5-1	Acceptable Weld Profiles for Metallic Tube-Attachment Fillet Welds	268
MJ-9.7.1-1	Acceptable and Unacceptable Weld Profiles for Polymeric Beadless Welds	271
K-1.3.2.1-1	Weir-Style Diaphragm	322
K-1.3.2.1-2	Weir-Style Body	325
K-1.3.2.1-3	Radial-Style Body	325
K-1.3.2.1-4	Manual Bonnet	326
K-1.3.2.1-5	Pneumatic	326
P-4-1	Flowchart of Bioprocessing Equipment/Component Evaluation Related to Extractables and Leachables Characterization	339
BB-1-1	Mechanical Seal Face Material Selection for Compensial Water Pumps	361
DD-2.1.1-1	Conductivity Scale	367
EE-3-1	Direct-Mount Agitator	369
EE-3-2	Pedestal-Mount Agitator	370
EE-3.1-1	Registered Fit to Ensure Concentricity: Seal Housing-to-Drive Pilot	371

EE-3.2-1	Dual Mechanical Seal Assembly	372
EE-3.2-2	Seal Assembly to Flange O-Ring Detail	373
EE-3.3-1	Vessel Flange With Piloted Bore	375
EE-3.3-2	Vessel Flange Tolerance Parameters	376
GG-1.2-1	Typical Polymeric Single-Use Hose Barb Featuring Mono-Barb Design	383

Tables

GR-4.2-1	Quality Inspector’s Delegate Capabilities	3
CR-1-1	Types of ASME BPE Certificates	20
MM-2.1-1	Wrought Stainless Steels: Nominal Compositions (wt. %)	24
MM-2.1-2	Wrought Nickel Alloys: Nominal Compositions (wt. %)	25
MM-2.1-3	Stainless Steel and Nickel Alloy Cast Designations	26
MM-2.1-4	Wrought Copper: Nominal Compositions (wt. %) (Cleaned for Oxygen Service)	27
MM-5.2.1.1-1	Predicted Ferrite Number (FN) Ranges for Various Austenitic Stainless Steel Product Forms and Welds	29
MM-5.2.5-1	Materials for OEM Equipment	30
MM-5.3-1	Filler Metals for Austenitic Stainless Steels	31
MM-5.3-2	Filler Metals for Superaustenitic Stainless Steels	33
MM-5.3-3	Filler Metals for Duplex Stainless Steels	34
MM-5.3-4	Filler Metals for Nickel Alloys	35
MM-5.3.4-1	Brazing Filler Metals for Copper	38
MM-5.3-5	Consumable Inserts for Superaustenitic and Duplex Stainless Steels	36
MM-5.4-1	Solution Anneal Heat Treatment Requirements for Superaustenitic and Duplex Stainless Steels	39
PM-2.1.1-1	Common Thermoplastic Polymers and Applications	42
PM-2.1.2-1	Common Thermoset Polymers and Applications	42
PM-2.1.3-1	Examples of Nonmetallics	43
PM-2.2.1-1	Content Required on the Certificate of Conformance	44
PM-2.2.3.2-1	Change Levels and Minimum Change Notification Requirements	45
PM-4.2.1-1	Size Comparison of Common Thermoplastic Sizing Standards	49
SD-2.4.3.1-1	Slope Designations for Drainable Lines	55
SD-3.1.2.2-1	<i>L/d</i> Dimensions for Flow-Through Tee: Full-Size Standard Straight Tee With Blind Cap	58
SD-3.1.2.2-2	<i>L/d</i> Dimensions for Flow-Through Tee: Short-Outlet Reducing Tee With Blind Cap	59
SD-3.4.3-1	Annular Spacing Recommendations for Hygienic Dip Tubes	74
SD-6.3.5.2.1-1	Flow Rates to Achieve 5 ft/sec (1.5 m/s)	141
DT-2-1	Metallic Fittings: Rated Internal Working Pressure	159
DT-3-1	Final Tolerances for Mechanically Polished Fittings and Process Components, Excluding Tube	160
DT-3-2	Final Tolerances for Electropolished Fittings and Process Components, Excluding Tube	161
DT-4-1	Nominal O.D. Tubing Sizes	161
DT-4.1-1	Tangent Lengths	162
DT-4.1.1-1	Automatic Tube Weld: 90-deg Elbow	162
DT-4.1.1-2	Automatic Tube Weld: Hygienic Clamp Joint, 90-deg Elbow	163
DT-4.1.1-3	Hygienic Clamp Joint: 90-deg Elbow	163
DT-4.1.1-4	Automatic Tube Weld: 45-deg Elbow	164
DT-4.1.1-5	Automatic Tube Weld: Hygienic Clamp Joint, 45-deg Elbow	164