

AWWA Standard

Underground Installation of Polyvinyl Chloride (PVC) and Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe and Fittings

Effective date: May 1, 2021.

First edition approved by Board of Directors Jan. 30, 1994. This edition approved Jan. 25, 2021. Approved by American National Standards Institute Feb. 5, 2021.





AWWA Standard

This document is an American Water Works Association (AWWA) standard. It is not a specification. AWWA standards describe minimum requirements and do not contain all the engineering and administrative information normally contained in the purchase documents. AWWA standards contain options that must be evaluated by the user of the standard. Until each optional feature is defined by the user, the product or service is not fully described. AWWA publication of a standard does not constitute endorsement of any product or product type, nor does AWWA test, certify, or approve any product. The use of AWWA standards is entirely voluntary. This standard does not supersede or take precedence over or displace any applicable law, regulation, or code of any governmental authority. AWWA standards are intended to represent a consensus of the water industry that the product described will provide satisfactory service. When AWWA revises or withdraws this standard, an official notice of action will be placed in the Official Notice section of *Journal AWWA*. The action becomes effective on the first day of the month following the month of *Journal AWWA* publication of the official notice.

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the public. The existence of an American National Standard does not in any respect preclude anyone, whether that person has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review, and users are cautioned to obtain the latest editions. Producers of goods made in conformity with an American National Standard are encouraged to state on their own responsibility in advertising and promotional materials or on tags or labels that the goods are produced in conformity with American National Standards.

CAUTION N : The American National Standards Institute (ANSI) approval date on the front cover of this standard indicates completion of the ANSI approval process. This American National Standard may be revised or withdrawn at any time. ANSI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of ANSI approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036; (212) 642-4900, or e-mailing info@ansi.org.



All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher. Please send any requests or questions to permissions@awwa.org.

ISBN-13, print: 978-1-64717-045-5

ISBN-13, electronic: 978-1-61300-584-2

DOI: http://dx.doi.org/10.12999/AWWA.C605.21

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher.

Copyright © 2021 by American Water Works Association Printed in USA

Committee Personnel

The AWWA Standards Subcommittee on Standard C605, which developed this standard, had the following personnel at the time:

Bob Walker, Chair

General Interest Members

J.P. Castronovo, HDR Engineering Inc., Dallas, Tex.

J.F. Houle, John F. Houle LLC, Livingston, Tex.

J.H. Miller, JHM Enterprises, Mississauga, Ont.

Producer Members

D.L. Eckstein, EBAA Iron Sales Inc., Williamson, S.C.
C.A. Fisher, S&B Technical Products, Fort Worth, Tex.
M. Glasgow, North American Pipe Corporation, Ashland City, Tenn.
M.P. Huynh, JM Eagle, Los Angeles, Calif.
T. Marti, Underground Solutions, Cranberry Township, Pa.
S. Scott, Royal Building Products, Woodridge, Ont.
B. Sukolsky, Specified Fittings, Bellingham, Wash.
R.P. Walker, Underground Solutions Inc., Southlake, Tex.

User Members

K.S. Jeng-Bulloch, City of Houston, Houston, Tex.

The AWWA Standards Committee on PVC Pressure Pipe and Fittings, which reviewed and approved this standard, had the following personnel at the time of approval:

William Whidden, *Chair* Robert P. Walker, *Vice-Chair*

General Interest Members

A. Chastain-Howley (liaison, nonvoting), Atonix Digital, Camden, Maine

A.J. Ciechanowsli, NSF International, Ann Arbor, Mich.

S.J. Cook, Black and Veatch, Virginia Beach, Va.

S. Ferry, PSILab, Inc., Longmont, Colo.

iii

J. Hebenstreit, UL LLC., Northbrook, Ill.

J.F. Houle, John F. Houle LLC, Livingston, Tex.

S.C. Macleod (alternate), UL LLC., Melville, N.Y.

T.J. McCandless (liaison, nonvoting), Standards Engineer Liaison, AWWA, Denver, Colo.

J.R. Paschal, Aquatherm, Sandy, Utah

J.K. Snyder, Snyder Environmental Engineering Associates, Audubon, Pa.

W.R. Whidden, Woolpert, Orlando, Fla.

Producer Members

G. Garcia, JM Eagle, Los Angeles, Calif.

L.J. Gill, IPEX Management Inc., Oakville, Ont.

R. Nichols, Uni-Bell PVC Pipe Association, Irving, Tex.

T. Marti (alternate), Underground Solutions, Inc., Warrendale, Pa.

M. Rennau (alternate), Diamond Plastics Corporation, Grand Island, Neb.

J. Riordan (alternate), HARCO Fittings, Lynchburg, Va.

L.D. Schmidt, Diamond Plastics Corporation, Grand Island, Neb.

S. Scott, Royal Building Products, Woodridge, Ont.

B. Sukolsky, Harco, Bellingham, Wash.

R.P. Walker, Aegion, Inc. Southlake, Tex.

User Members

S.D. Adams, Gwinnett County Dept. of Water Resources, Lawrenceville, Ga.

J.R. Barbier, Denver Water, Denver, Colo.

S. DuChez, Washington Suburban Sanitary Commission, Laurel, Md.

K.S. Jeng-Bullock, City of Houston, Houston, Tex.

A. Korell, City of North Bay, North Bay, Ont.

J. Larson, Marshall Municipal Utilities, Marshall, Minn.

T.E. Layton, Orange County Utilities, Orlando, Fla.

A. Marner, Bureau of Reclamation, Denver, Colo.

V.B. Sandoval, Natural Resources Conservation Service, Boise, Idaho

Contents

All AWWA standards follow the general format indicated subsequently. Some variations from this format may be found in a particular standard.

PAGE Foreword Ι Introduction..... vii I.A Background vii I.B History..... vii I.C Water Quality..... vii Π Use of This Standard viii Purchaser Options and Additions viii II.A II.B Modification to Standard ix III Major Revisions ix IV Comments х

Standard

1	General	
1.1	Scope	1
1.2	Application	2
2	References	2
3	Definitions	3
4	Receiving, Handling, and Storage	
4.1	Receiving	5
4.2	Handling	6
4.3	Storage	6
5	Preliminary Site Information	
5.1	Alignment and Grade	7
5.2	Investigation	7
5.3	Notifications	8

6	Trench Excavation	
6.1	Preparation	8
6.2	Trench Construction	8
6.3	Trenchless Construction	12
7	Pipe Installation	
7.1	Material Inspection	12
7.2	Precautions	12
7.3	Pipe Trench Embedment	12
7.4	Pipe Installation	13
7.5	Pipe Joining	14
7.6	Pipe Bending and Gradual Alignment Change	18
7.7	Thrust Restraint	21
7.8	Backfill	21
8	Appurtenance Placement	
8.1	Examination of Material	22
8.2	Fittings and Valves	22
8.3	Hydrants	22
8.4	Service Connections	23
9	Preparation for Use	
9.1	Potable Water Pipe Cleaning	28
9.2	Filling and Flushing	29
9.3	Hydrostatic Testing	29
9.4	Disinfecting Potable Water Lines	31
9.5	Notice of Nonconformance	32
0 (Affidavit of Compliance	37

PAGE

	PAGE		PAGE
Figures			°S
1 2 3	Trench Construction Terminology4Standard Embedment Types for PVC and PVCO Pipe9Limit of Compaction of Initial Backfill14	1 2 3	Soil Classes for Pipe Embedment 10 Allowable Longitudinal Bending for Gasket-Joined PVC and PVCO Pressure Pipe 20 Allowable Longitudinal Bending for Fused-Joined PVC Pipe 20
4	Measurements in Relation to the Allowable Longitudinal Bending Radius (R_b)	4a 4b	Hydrostatic Test Makeup Water Allowances per 1,000 ft (50 Joints) of PVC Pipe (US gal/h)

vi