ANSI/AWWA C151/A21.51-17 (Revision of ANSI/AWWA C151/A21.51-09)



Dedicated to the World's Most Important Resource®

AWWA Standard

Ductile-Iron Pipe, Centrifugally Cast

Effective date: June 1, 2017. First edition approved by AWWA Board of Directors 1965. This edition approved Jan. 14, 2017. Approved by American National Standards Institute Feb, 14, 2017.





AWWA Standard

This document is an American Water Works Association (AWWA) standard. It is not a specification. AWWA standards describe minimum requirements and do not contain all of the engineering and administrative information normally contained in specifications. The AWWA standards usually contain options that must be evaluated by the user of the standard. Until each optional feature is specified by the user, the product or service is not fully defined. AWWA publication of a standard does not constitute endorsement of any product or product type, nor does AWWA test, certify, or approve any product. The use of AWWA standards is entirely voluntary. This standard does not supersede or take precedence over or displace any applicable law, regulation, or code of any governmental authority. AWWA standards are intended to represent a consensus of the water industry that the product described will provide satisfactory service. When AWWA revises or withdraws this standard, an official notice of action will be placed on the first page of the Official Notice section of Journal – American Water Works Association. The action becomes effective on the first day of the month following the month of Journal – American Water Works Association publication of the official notice.

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether that person has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review, and users are cautioned to obtain the latest editions. Producers of goods made in conformity with an American National Standard are encouraged to state on their own responsibility in advertising and promotional materials or on tags or labels that the goods are produced in conformity with particular American National Standards.

CAUTION NOTICE: The American National Standards Institute (ANSI) approval date on the front cover of this standard indicates completion of the ANSI approval process. This American National Standard may be revised or withdrawn at any time. ANSI procedures require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 West 43rd Street, Fourth Floor, New York, NY 10036; 212.642.4900; or emailing info@ansi.org.



This AWWA content is the product of thousands of hours of work by your fellow water professionals.

Revenue from the sales of this AWWA material supports ongoing product development. Unauthorized distribution, either electronic or photocopied, is illegal and hinders AWWA's mission to support the water community.

ISBN-13, print: 978-1-62576-219-1 elSBN-13, electronic: 978-1-61300-419-7

DOI: http://dx.doi.org/10.12999/AWWA.C151.17

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information or retrieval system, except in the form of brief excerpts or quotations for review purposes, without the written permission of the publisher.

Copyright © 2017 by American Water Works Association Printed in USA

Committee Personnel

Subcommittee 1, Pipe, which reviewed this standard, had the following personnel at the time:

Maury D. Gaston, Chair

General Interest Members

M.B. Horsley, Horsley Engineering LLC, Overland Park, Kan.			
S.M. Passarelli,* Standards Engineer Liaison, AWWA, Denver, Colo.			
J.R. Plattsmier, HDR Engineering Inc., Denver, Colo.	(AWWA)		
P.A. Selig, consultant, Vestavia, Ala.	(DIPRA)		
K.E. Wilson, Atkins, Tampa, Fla.	(AWWA)		
L.C. Yates, McGoodwin, Williams & Yates, Fayetteville, Ark.	(AWWA)		
Producer Members			
L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala.	(AWWA)		
J.H. Eddings, McWane Ductile, Phillipsburg, N.J.	(DIPRA)		
J.A. Fancher,† American Cast Iron Pipe Company, Birmingham, Ala.	(AWWA)		
M.D. Gaston, American Cast Iron Pipe, Birmingham, Ala.	(DIPRA)		
L.G. Horn, Ductile Iron Pipe Research Association, Birmingham, Ala.	(AWWA)		
K.J. Kempf,† Kempf Holdings LLC, Dba Foundry Services Co., Omaha. Neb.	(AWWA)		
H. Kennedy Jr., Harold Kennedy & Associates, Fuquay Varina, N.C.	(AWWA)		
T.J. Muntz, National Association of Pipe Fabricators, Stillwater, Minn.	(AWWA)		
T.B. Wright,† National Association of Pipe Fabricators, Kerrville, Texas	(AWWA)		
User Members			
M.J. Britch, Tualatin Valley Water District, Beaverton, Ore.	(AWWA)		

^{*} Liaison, nonvoting

[†]Alternate

AWWA Standards Committee A21, Ductile-Iron Pipe and Fittings, which reviewed and approved this standard, had the following personnel at the time of approval:

John R. Plattsmier, Chair

General Interest Members

M. Dunn, Crist Engineers Inc., Little Rock, Ark.	(AWWA)			
J. Hebenstreit, Underwriters Laboratories Inc., Northbrook, Ill.	(AWWA)			
M.B. Horsley, Horsley Engineering LLC, Overland Park, Kan.	(AWWA)			
D.H. Kroon, Aegion, Houston, Texas	(AWWA)			
D.D. Lary,* Wright-Pierce, Topsham, Maine	(NEWWA)			
C.R. Laucamp, AECOM, Chicago, Ill.	(AWWA)			
P.J. Mourt, Mott MacDonald, Philadelphia, Pa.	(AWWA)			
S.M. Passarelli, [†] Standards Engineer Liaison, AWWA, Denver, Colo.	(AWWA)			
J.R. Plattsmier, HDR Engineering Inc., Denver, Colo.	(AWWA)			
S. Pool,* HDR Engineering Inc., Denver, Colo.	(AWWA)			
T.M. Stinson, Kleinfelder, Holbrook, Mass.	(NEWWA)			
L.C. Yates, McGoodwin, Williams & Yates, Fayetteville, Ark.	(AWWA)			
Producer Members				
Producer Members				
Producer Members L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala.	(AWWA)			
	(AWWA) (AWWA)			
L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala.	,			
L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala. J.H. Eddings, McWane Ductile, Phillipsburg, N.J.	(AWWA)			
L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala. J.H. Eddings, McWane Ductile, Phillipsburg, N.J. J.A. Fancher,* American Cast Iron Pipe Company, Birmingham, Ala.	(AWWA) (AWWA)			
L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala. J.H. Eddings, McWane Ductile, Phillipsburg, N.J. J.A. Fancher,* American Cast Iron Pipe Company, Birmingham, Ala. M.D. Gaston, American Cast Iron Pipe Company, Birmingham, Ala.	(AWWA) (AWWA) (DIPRA)			
L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala. J.H. Eddings, McWane Ductile, Phillipsburg, N.J. J.A. Fancher,* American Cast Iron Pipe Company, Birmingham, Ala. M.D. Gaston, American Cast Iron Pipe Company, Birmingham, Ala. L.G. Horn, Ductile Iron Pipe Research Association, Birmingham, Ala.	(AWWA) (AWWA) (DIPRA) (DIPRA)			
L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala. J.H. Eddings, McWane Ductile, Phillipsburg, N.J. J.A. Fancher,* American Cast Iron Pipe Company, Birmingham, Ala. M.D. Gaston, American Cast Iron Pipe Company, Birmingham, Ala. L.G. Horn, Ductile Iron Pipe Research Association, Birmingham, Ala. J.C. Jones, RCT, Los Angeles, Calif.	(AWWA) (AWWA) (DIPRA) (DIPRA) (AWWA)			
L.R. Dunn, U.S. Pipe & Foundry Company, Birmingham, Ala. J.H. Eddings, McWane Ductile, Phillipsburg, N.J. J.A. Fancher,* American Cast Iron Pipe Company, Birmingham, Ala. M.D. Gaston, American Cast Iron Pipe Company, Birmingham, Ala. L.G. Horn, Ductile Iron Pipe Research Association, Birmingham, Ala. J.C. Jones, RCT, Los Angeles, Calif. K.J. Kempf,* Kempf Holdings LLC, Dba Foundry Services Co., Omaha. Neb.	(AWWA) (AWWA) (DIPRA) (DIPRA) (AWWA) (AWWA)			

^{*} Alternate

[†]Liaison, nonvoting

User Members

D.T. Bradley, Oak Lodge Water District, Portland, Ore.	(AWWA)			
M.J. Britch, Tualatin Valley Water District, Beaverton, Ore.	(AWWA)			
C.R. Dugan,* Standards Council Liaison, East Lansing–Meridian Water and				
Sewer Authority, East Lansing, Mich.	(AWWA)			
W.C. Duke, Bureau of Reclamation, Denver, Colo.	(AWWA)			
J.M. Kennedy, Tampa Bay Water, Clearwater, Fla.	(AWWA)			
D.D. Montgomery, City of Independence, Independence, Mo.	(AWWA)			
G.M. Page, Cobb County–Marietta Water Authority, Marietta, Ga.	(AWWA)			
C.J. Patla, Connecticut Water Service Inc., Clinton, Conn.	(AWWA)			
T.J. Roode, Denver Water, Denver, Colo.	(AWWA)			
P.A. Shively, Kansas City, Mo.	(AWWA)			
R.L. Worden, COMCD, Norman, Okla.	(AWWA)			

^{*} Liaison, nonvoting

This page intentionally blank.

Contents

All AWWA standards follow the general format indicated subsequently. Some variations from this format may be found in a particular standard.

SEC.	PAGE	SEC.	PAGE
Forei	vord	4.6	Pipe Wall Thickness 6
I	Introduction ix	4.7	Marking Pipe 6
I.A	Background ix	5	Verification
I.B	History ix	5.1	Inspection 6
I.C	Acceptance x	5.2	Test Procedures
II	Special Issues xi	5.3	Additional Control Tests by the
II.A	Advisory Information on Product) . 3	Manufacturer 10
	Application xi	5.4	Foundry Records
III	Use of This Standard xi	5.5	Additional Tests Required by the
III.A	Purchaser Options and		Purchaser 10
111 D	Alternatives xi	5.6	Defective Specimens and Retests 10
	Modification to Standard xii	5.7	Basis for Rejection 10
IV	Major Revisions xii	6	Delivery
V	Comments xii	6.1	Notice of Nonconformance
Stand	dard	6.2	Affidavit of Compliance
1	General		•
1.1	Scope 1	Appe	ndix
1.2	Purpose 1	A	Pipe Thickness Required for
1.3	Application 1		Different Tap Sizes 41
2	References 2	Figur	res
2	Definitions 3	1	Tensile-test specimen
3	Definitions 3	2	Impact-test specimen
4	Requirements	3	Standard laying conditions 36
4.1	Materials 4		
4.2	Permeation	Table	
4.3	General Requirements 4	1	Standard Dimensions Of Push-On-
4.4	Coatings and Linings 5		Joint Ductile-Iron Pipe and Mechanical-Joint Ductile-Iron
4.5	Tolerances or Permitted Variations 5		Pipe 12