

BS EN 515:2017



BSI Standards Publication

Aluminium and aluminium alloys — Wrought products — Temper designations

bsi.

This is a preview. [Click here to purchase the full publication.](#)

National foreword

This British Standard is the UK implementation of EN 515:2017. It supersedes BS EN 515:1993 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee NFE/35, Light metals and their alloys.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017.
Published by BSI Standards Limited 2017

ISBN 978 0 580 91764 6

ICS 01.040.77; 77.120.10; 77.150.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 515

March 2017

ICS 01.040.77; 77.120.10; 77.150.01

Supersedes EN 515:1993

English Version

**Aluminium and aluminium alloys - Wrought products -
Temper designations**

Aluminium et alliages d'aluminium - Produits corroyés
- Désignation des états métallurgiques

Aluminium und Aluminiumlegierungen - Halbzeug -
Bezeichnungen der Werkstoffzustände

This European Standard was approved by CEN on 6 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions	4
4 Basis of codification	6
5 Basic temper designations.....	6
5.1 F – as fabricated	6
5.2 O – Annealed	6
5.3 H – Strain-hardened	6
5.4 W – Solution heat-treated	7
5.5 T – Thermally treated to produce stable tempers other than F, O or H (for heat-treatable alloys only)	7
6 Subdivision of O (annealed) temper designations.....	7
6.1 O1 – High temperature annealed and slow cooled	7
6.2 O2 – Thermo-mechanically processed	7
6.3 O3 – Homogenized	7
7 Subdivision of H (strain-hardened) temper designations	7
8 Subdivision of T (thermally treated to produce stable tempers other than F, O or H) temper designations	10
8.1 First digit after T.....	10
8.2 Additional digits added to designations T1 to T10	12
8.3 Assigned additional digits for stress-relieved T tempers	12
8.3.1 Stress-relieved by stretching	12
8.3.2 Stress-relieved by compressing.....	13
8.3.3 Stress-relieved by combined stretching and compressing.....	13
8.3.4 Assigned additional digits for stress-relieved W tempers.....	13
8.4 Assigned additional digits for variations of T7 type tempers.....	13
8.5 Demonstration of response to heat treatment.....	14
8.5.1 Temper designations for producer/supplier — Laboratory demonstration of response to heat treatment.....	14
8.5.2 Temper designations for producer/supplier — Demonstration of response to temper conversion	14
8.5.3 Temper designations for purchaser/user heat treatment	14
9 Summary	14
Annex A (informative) Recommendations for further T tempers extensions	23
A.1 Numeral 1 as a second digit after T	23
A.2 Numerals 1 and 3 to 9 as a second digit after T3, T8 or T9	23
A.3 Numerals 1 and 3 to 5 as a second digit after T5 or T6	23
A.4 Numeral 6 as a second digit after T5 or T6.....	23
A.5 Summary of possible uses of a second digit after T	23
Bibliography	25