

BSI Standards Publication

Rubber, vulcanized or thermoplastic -Determination of the effect of liquids



BS ISO 1817:2022 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 1817:2022. It supersedes BS ISO 1817:2015, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/22, Testing and analysis of rubber.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022 Published by BSI Standards Limited 2022

ISBN 978 0 539 12037 0

ICS 83.060

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2022.

Amendments/corrigenda issued since publication

Date Text affected

BS ISO 1817:2022

INTERNATIONAL STANDARD

ISO 1817

Seventh edition 2022-06

Rubber, vulcanized or thermoplastic — Determination of the effect of liquids

Caoutchouc vulcanisé ou thermoplastique — Détermination de l'action des liquides



BS ISO 1817:2022 **ISO 1817:2022(E)**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword		
1	Scope	1
2	Normative references	
3	Terms and definitions	
4	Apparatus	
4	4.1 General	
	4.2 Apparatus for method A	
	4.3 Apparatus for method B	
	4.4 Apparatus for method C	
	4.5 Apparatus for method D.	
	4.6 Apparatus for method E	
_	1 1	
5	Calibration	
6	Test liquids	
7	Test pieces	5
	7.1 Preparation	
	7.2 Dimensions	
	7.3 Time interval between vulcanization and testing7.4 Conditioning	
8	Immersion in the test liquid	
· ·	8.1 Temperature	
	8.2 Duration	
9	Procedure	7
	9.1 General	
	9.2 Replacement of test liquid	
	9.3 Change in mass	
	9.4 Change in volume	
	9.5 Change in dimensions	
	9.6 Change in surface area9.7 Change in hardness	
	9.8 Change in tensile stress-strain properties	
	9.9 Testing with liquid on one surface only	
	9.10 Determination of extractable matter	
	9.10.1 General	12
	9.10.2 By weighing the dried test piece	
	9.10.3 By evaporating the test liquid	
10	Precision	12
11	Test report	13
Anne	ex A (normative) Reference liquids	14
Anne	ex B (normative) Calibration schedule	17
Anne	ex C (informative) Precision	19
Biblio	ography	25