

BSI Standards Publication

Metallic materials — Fatigue testing — Axial force-controlled method



BS ISO 1099:2017 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 1099:2017.

The UK participation in its preparation was entrusted to Technical Committee ISE/101/6, Fatigue testing of metals and metal matrix composites.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017 Published by BSI Standards Limited 2017

ISBN 978 0 580 91309 9

ICS 77.040.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2017.

Amendments/corrigenda issued since publication

Date Text affected

BS ISO 1099:2017

INTERNATIONAL STANDARD

ISO 1099

Third edition 2017-06

Metallic materials — Fatigue testing — Axial force-controlled method

Matériaux métalliques — Essais de fatigue — Méthode par force axiale contrôlée



BS ISO 1099:2017 **ISO 1099:2017(E)**



COPYRIGHT PROTECTED DOCUMENT

 $\, @ \,$ ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents			
Fore	word		iv
Intro	oductio	n	v
1	Scop	e	1
2	Normative references		1
3		1	
4	Test plan		3
	4.1	General outline	3
	4.2	Presentation of fatigue results	
		4.2.1 General	
		4.2.2 Wöhler or <i>S-N</i> curve	
5		e and size of specimen	
	5.1 5.2	Form of specimensSpecimen temperature measurement	
	1		
6		netry Bars and flat sheets >5 mm thick	5
	6.1 6.2	Flat sheets	
	0.2	6.2.1 General	_
		6.2.2 Thicknesses between 5 mm and 2,5 mm	
		6.2.3 Thicknesses <2,5 mm	6
	6.3	Preparation of specimens	
		6.3.1 Machining procedure	
		6.3.2 Sampling and marking	
		6.3.4 Dimensional checks	
		6.3.5 Storage and handling	
7	Apparatus		8
	7.1	Test machine	
	7.2	Alignment check	
	7.3	Force transducer	
	7.4	Gripping of specimen	9
8	Instrumentation for test monitoring		
	8.1	Recording systems	
	8.2 Cycle counter		
9		king and verification	
10		nting of specimen	
11		of testing.	
12	Application of force		
13	Recording of temperature and humidity		
14	Criterion of failure and test termination		
	14.1	Criterion of failure	
	14.2	Test termination	
15	•		
RIDI	iograph	1V	23