BS EN 60598-1:2008

Incorporating CENELEC amendment A11

BSI Standards Publication

Luminaires —

Part 1: General requirements and tests

bsi.

...making excellence a habit.™

This is a preview. Click here to purchase the full publication.

National foreword

This British Standard is the UK implementation of EN 60598-1:2008, incorporating A11:2009. It is derived from IEC 60598-1:2008. It supersedes BS EN 60598-1:2004, which will be withdrawn on 12 April 2012.

The CENELEC common modifications have been implemented at the appropriate places in the text. The start and finish of each common modification is indicated in the text by tags 〖C〗 〈C〗.

Where a common modification has been introduced by CENELEC amendment, the tags carry the number of the amendment. For example, the common modifications introduced by CENELEC amendment A11 are indicated by 〖C11〗 〈C11〗.

The UK participation in its preparation was entrusted by Technical Committee CPL/34, Lamps and related equipment, to Subcommittee CPL/34/4, Luminaires.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2009

ISBN 978 0 580 65620 0

ICS 29.140.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2009.

Amendments/corrigenda issued since publication

Date	Text affected
30 November 2009	Implementation of CENELEC amendment A11:2009

This is a preview. Click here to purchase the full publication.

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 60598-1:2008

+A11

May 2009

ICS 29.140.40

Supersedes EN 60598-1:2004 + A1:2006

English version

Luminaires -
Part 1: General requirements and tests
(IEC 60598-1:2008, modified)

Luminaires -
Partie 1: Exigences générales
et essais
(CEI 60598-1:2008, modifiée)

Leuchten -
Teil 1: Allgemeine Anforderungen
und Prüfungen
(IEC 60598-1:2008, modifiziert)

This European Standard was approved by CENELEC on 2008-10-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2008 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Ref. No. EN 60598-1:2008 E

This is a preview. Click here to purchase the full publication.

Foreword

The text of document 34D/889/FDIS, future edition 7 of IEC 60598-1, prepared by SC 34D, Luminaires, of IEC TC 34, Lamps and related equipment, was submitted to the IEC-CENELEC parallel vote.

A draft amendment, prepared by the Technical Committee CENELEC TC 34Z, Luminaires and associated equipment, covering the needed common modifications towards IEC 60598-1:2008 (34D/889/FDIS) was submitted to the formal vote.

The combined texts were approved by CENELEC as EN 60598-1 on 2008-10-21.

This European Standard supersedes EN 60598-1:2004 + A1:2006 + corrigendum August 2007.

The major changes which may affect certification are given in Annex R. Annex R shows where a new text has been included which contains more serious/critical requirements requiring products to be re-tested.

The following dates were fixed:

– latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2009-08-01

– latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2012-04-12

NOTE In this standard, the following print types are used:

– requirements: in roman type;

– *test specifications: in italic type;*

– notes: in small roman type.

Annexes ZA, ZB and ZC have been added by CENELEC.

_____

Endorsement notice

The text of the International Standard IEC 60598-1:2008 was approved by CENELEC as a European Standard with agreed common modifications.

Foreword to amendment A11

This amendment was prepared by the Technical Committee CENELEC TC 34Z, Luminaires and associated equipment.

The text of the draft was submitted to the formal vote and was approved by CENELEC as amendment A11 to EN 60598-1:2008 on 2009-05-01.

The following dates were fixed:

– latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2009-11-01

– latest date by which the national standards conflicting with the amendment have to be withdrawn (dow) 2009-11-01

This is a preview. Click here to purchase the full publication.

CONTENTS

SECTION 0: GENERAL INTRODUCTION

0.1 Scope and object 10
0.2 Normative references 11
0.3 General requirements 14
0.4 General test requirements and verification 14
0.5 Components of luminaires 15
0.6 List of parts of IEC 60598-2 16

SECTION 1: DEFINITIONS

1.1 General 17
1.2 Definitions 17

SECTION 2: CLASSIFICATION OF LUMINAIRES

2.1 General 29
2.2 Classification according to type of protection against electric shock 29
2.3 Classification according to degree of protection against ingress of dust, solid objects and moisture 29
2.4 Classification according to material of supporting surface for which the luminaire is designed 30
2.5 Classification according to the circumstances of use 30

SECTION 3: MARKING

3.1 General 30
3.2 Marking on luminaires 30
3.3 Additional information 34
3.4 Test of marking 36

SECTION 4: CONSTRUCTION

4.1 General 37
4.2 Replaceable components 37
4.3 Wireways 37
4.4 Lampholders 37
4.5 Starter holders 39
4.6 Terminal blocks 39
4.7 Terminals and supply connections 39
4.8 Switches 42
4.9 Insulating linings and sleeves 42
4.10 Double and reinforced insulation 43
4.11 Electrical connections and current-carrying parts 44
4.12 Screws and connections (mechanical) and glands 45
4.13 Mechanical strength 48
4.14 Suspensions and means of adjustment 51
4.15 Flammable materials 54
4.16 Luminaires for mounting on normally flammable surfaces 55
4.17 Drain holes 57

This is a preview. Click here to purchase the full publication.

4.18 Resistance to corrosion 57
4.19 Ignitors 58
4.20 Rough service luminaires – Vibration requirements 58
4.21 Protective shield 58
4.22 Attachments to lamps 59
4.23 Semi-luminaires 59
4.24 UV radiation 59
4.25 Mechanical hazard 59
4.26 Short-circuit protection 59
4.27 Terminal blocks with integrated screwless earthing contacts 60

SECTION 5: EXTERNAL AND INTERNAL WIRING

5.1 General 60
5.2 Supply connection and other external wiring 60
5.3 Internal wiring 65

SECTION 6: Not used

SECTION 7: PROVISION FOR EARTHING

7.1 General 67
7.2 Provision for earthing 67

SECTION 8: PROTECTION AGAINST ELECTRIC SHOCK

8.1 General 69
8.2 Protection against electric shock 69

SECTION 9: RESISTANCE TO DUST, SOLID OBJECTS AND MOISTURE

9.1 General 73
9.2 Tests for ingress of dust, solid objects and moisture 73
9.3 Humidity test 77

SECTION 10: INSULATION RESISTANCE AND ELECTRIC STRENGTH, TOUCH CURRENT AND PROTECTIVE CONDUCTOR CURRENT

10.1 General 77
10.2 Insulation resistance and electric strength 77
10.2.1 Test – Insulation resistance 78
10.2.2 Test – Electric strength 79
10.3 Touch current, protective conductor current and electric burn 81

SECTION 11: CREEPAGE DISTANCES AND CLEARANCES

11.1 General 82
11.2 Creepage distances and clearances 82

SECTION 12: ENDURANCE TEST AND THERMAL TEST

12.1 General 85
12.2 Selection of lamps and ballasts 85
12.3 Endurance test 85
12.3.1 Test 86

This is a preview. Click here to purchase the full publication.

12.3.2 Compliance 87
12.4 Thermal test (normal operation) 87
12.4.1 Test 87
12.4.2 Compliance 89
12.5 Thermal test (abnormal operation) 92
12.5.1 Test 92
12.5.2 Compliance 93
12.6 Thermal test (failed windings in lamp control gear) 96
12.6.1 Test for luminaires without thermal cut-outs 96
12.7 Thermal test in regard to fault conditions in lamp control gear or electronic devices incorporated in thermoplastic luminaires 98
12.7.1 Test for luminaires without temperature sensing controls 98
12.7.2 Test for luminaires with temperature sensing controls internal/external to the ballast or transformer 100

SECTION 13: RESISTANCE TO HEAT, FIRE AND TRACKING

13.1 General 100
13.2 Resistance to heat 101
13.3 Resistance to flame and ignition 101
13.4 Resistance to tracking 102

SECTION 14: SCREW TERMINALS

14.1 General 102
14.2 Definitions 102
14.2.1 Pillar terminal 102
14.2.2 Screw terminal 103
14.2.3 Stud terminal 103
14.2.4 Saddle terminal 103
14.2.5 Lug terminal 103
14.2.6 Mantle terminal 103
14.3 General requirements and basic principles 103
14.4 Mechanical tests 105

SECTION 15: SCREWLESS TERMINALS AND ELECTRICAL CONNECTIONS

15.1 General 109
15.2 Definitions 109
15.2.1 Screwless terminals 109
15.2.2 Permanent connections 109
15.2.3 Non-permanent connections 109
15.2.4 Lead assemblies 109
15.2.5 Non-prepared conductors 109
15.2.6 Test current 109
15.3 General requirements 110
15.4 General instructions on tests 111
15.4.1 Preparation of samples 111
15.4.2 Test conductors 111
15.4.3 Multi-conductor terminals 111
15.4.4 Multi-way terminals 111
15.4.5 Test quantities 111

This is a preview. Click here to purchase the full publication.

15.5 Terminal and connections for internal wiring 111
15.5.1 Mechanical tests 111
15.6 Electrical tests 112
15.6.1 Contact resistance test 113
15.6.2 Heating tests 113
15.7 Terminals and connections for external wiring 114
15.7.1 Conductors 114
15.8 Mechanical tests 114
15.9 Electrical tests 115
15.9.1 Contact resistance test 115
15.9.2 Heating tests 116

Annex A (normative) Test to establish whether a conductive part may cause an electric shock 141
Annex B (normative) Test lamps 142
Annex C (normative) Abnormal circuit conditions 145
Annex D (normative) Draught-proof enclosure 148
Annex E (normative) Determination of winding temperature rises by the increase-in-resistance method 151
Annex F (normative) Test for resistance to stress corrosion of copper and copper alloys 152
Annex G (normative) Measurement of touch current and protective conductor current) 154
Annex H (Void) 158
Annex I (Void) 159
Annex J (informative) Explanation of IP numbers for degrees of protection 160
Annex K (informative) Temperature measurement 161
Annex L (informative) Guide to good practice in luminaire design 165
Annex M (normative) Determination of creepage distances and clearances 170
Annex N (informative) Explanation of marking for luminaires that are not suitable for mounting on normally flammable surfaces and covering with insulation materials 171
Annex O (Void) 175
Annex P (normative) Absorption requirements for the protective shield to be fitted to luminaires designed for metal halide lamps which emit a high level of UV radiation 176
Annex Q (informative) Conformity testing during manufacture 178
Annex R (normative) Schedule of amended subclauses containing more serious/critical requirements which require products to be retested 180
Annex S (normative) Requirements for the identification of a family or range of luminaires for type testing 181
Annex T (informative) Reference to Class 0 182
Annex U (informative) Creepage and clearances distances for luminaires where a higher degree of availability (impulse withstand category III) may be requested 183
Annex V (normative) Additional test requirements for terminal blocks with integrated screwless earthing contact for direct connection to the luminaire housing or to parts of the body 185
Annex W (normative) Alternative thermal test for thermoplastic luminaires 187
Annex ZA (normative) Normative references to international publications with their corresponding European publications 189
Annex ZB (normative) Special national conditions 193
Annex ZC (informative) A-deviations 196
Bibliography 197

This is a preview. Click here to purchase the full publication.

Figure 1 – Symbols 117
Figure 2 – Terminal block arrangement for installation test for luminaires with connecting leads (tails) 119
Figure 3 – *This figure has been withdrawn from the present edition.* 119
Figure 4 – Illustration of the requirements of 4.15 120
Figure 5 – *This figure has been withdrawn from the present edition.* 120
Figure 6 – Apparatus for proving protection against dust 121
Figure 7 – Apparatus for testing protection against rain and splashing 122
Figure 8 – Nozzle for spray test 123
Figure 9 – Relation between winding temperature and mounting surface temperature 124
Figure 10 – Ball-pressure apparatus 125
Figure 11 – Arrangement and dimensions of the electrodes for the tracking test 125
Figure 12 – Pillar terminals 126
Figure 13 – Screw terminals and stud terminals 127
Figure 14 – Saddle terminals 129
Figure 15 – Lug terminals 130
Figure 16 – Mantle terminals 131
Figure 17 – Construction of electrical connections 132
Figure 18 – Examples of spring-type screwless terminals 132
Figure 19 – Further examples of screwless terminals 133
Figure 20 – Illustration of the terms “lopping-in” and “through wiring” 134
Figure 21 – Apparatus for ball impact tests 135
Figure 22 – Examples of self-tapping, thread-cutting and thread-forming screws (from ISO 1891) 135
Figure 23 – *This figure has been withdrawn from the present edition.* 135
Figure 24 – Illustration of creepage and clearance measurements at a supply terminal 136
Figure 25 – Tumbling barrel 136
Figure 26 – Test circuit for safety during insertion 137
Figure 27 – Ignition temperatures of wood as a function of time 137
Figure 28 – Example of permitted degree of soldering 138
Figure 29 – Test chain 138
Figure 30 – Example of a thread forming screw used in a groove of a metallic material 139
Figure 31 – Electro-mechanical contact system with plug/socket connection 140
Figure 32 – Test circuit for luminaires incorporating fluorescent lamp ≤ 70 W 140
Figure C.1 – Circuit for testing rectifying effect (some capacitive starterless ballasts only) ... 146
Figure C.2 – Circuit for testing rectifying effect (ballasts for single pin lamps) 146
Figure C.3 – Circuit for testing rectifying effect of some high pressure sodium and some metal halide lamps 147
Figure D.1 – Example of test recess where a luminaire comprises separate parts 149
Figure D.2 – Correct test box size (insulating ceilings) for an adjustable luminaire 150
Figure G.1 – Test configuration: single-phase equipment on star TN or TT system 156
Figure G.2 – Measuring network, touch current weighted for perception or reaction (for all class II and fixed class I luminaires) 156
Figure G.3 – Measuring network, touch current weighted for let-go (for portable class I luminaires) 156

This is a preview. Click here to purchase the full publication.

Figure G.4 – Measuring network, weighted for high frequency protective conductor currents 157
Figure K.1 – Placing of thermocouples on a typical lampholder 164
Figure V.1 – Arrangement for voltage drop test 186

Table 3.1 – Marking 31
Table 4.1 – Torque tests on screws 46
Table 4.2 – Torque tests on glands 48
Table 4.3 – Impact energy and spring compression ..... 49 Table 4.4 – Test on semi-luminaires ..... 52 Table 4.5 – Test on adjusting devices ..... 53 Table 5.1 – Non detachable flexible cables or cords ..... 61 Table 5.2 – Tests for cord anchorage ..... 63 Table 9.1 – Solid-object-proof luminaire test ..... 75 Table 10.1 – Minimum insulation resistance 78
Table 10.2 – Electric strength 80
Table 10.3 – Limits of touch current or protective conductor current and electric burn 81
Table 11.1 – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages (to be used in conjunction with Annex M) 83
Table 11.2 – Minimum distances for sinusoidal or non-sinusoidal pulse voltages 85
Table 12.1 – Maximum temperatures under the test conditions 12.4.2, for principal parts 90
Table 12.2 – Maximum temperatures under the test conditions of 12.4.2, for common materials used in luminaires 91
Table 12.3 – Maximum temperatures under the test conditions of 12.5.1 94
Table 12.4 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp control gear 95
Table 12.5 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp control gear marked “D6” 95
Table 12.6 – Temperature overshoot time limitation 97
Table 14.1 – Nominal cross-sectional areas of conductors according to terminal sizes 104
Table 14.2 – Nominal cross-sectional areas of conductors according to maximum current 105
Table 14.3 – Composition of conductors 106
Table 14.4 – Torque to be applied to screws and nuts 107
Table 14.5 – Pull to be applied to conductor 108
Table 15.1 – Conductor rating 114
Table 15.2 – Conductor pull force 115
Table F.1 – pH value of the test solution 152
Table G.1 – Position of swtitch e, n and p for the measurements of the different classes of luminaires 155
Table J.1 – Degrees of protection indicated by the first characteristic numeral 160
Table J.2 – Degrees of protection indicated by the second characteristic numeral 161
Table L.1 – Damaging influences 165
Table M.1 – Determination of creepage distances and clearances (see Table 11.1) 170

This is a preview. Click here to purchase the full publication.

Table N.1 – Guidance on when to use the symbol and its explanation on the luminaire or in the manufacturer's instructions provided with the luminaire 171
Table N.2 – Thermal protection operation 173
Table Q.1 – Minimum values for electrical tests 179
Table U.1 – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages Impulse withstand category III 184

This is a preview. Click here to purchase the full publication.