PD ISO/TS 18571:2014



BSI Standards Publication

Road vehicles — Objective rating metric for nonambiguous signals



...making excellence a habit."

This is a preview. Click here to purchase the full publication.

National foreword

This Published Document is the UK implementation of ISO/TS 18571:2014.

The UK participation in its preparation was entrusted to Technical Committee AUE/15, Safety related to vehicles.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 82290 2

ICS 43.040.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 August 2014.

Amendments issued since publication

Date Text affected

This is a preview. Click here to purchase the full publication.

TECHNICAL SPECIFICATION

PD ISO/TS 18571:2014 ISO/TS 18571

First edition 2014-08-01

Road vehicles — Objective rating metric for non-ambiguous signals

Véhicules routiers — Mesures pour l'évaluation objective de signaux non ambigus



Reference number ISO/TS 18571:2014(E)

This is a preview. Click here to purchase the full publication.

© ISO 2014

PD ISO/TS 18571:2014 ISO/TS 18571:2014(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

All rights reserved

PD ISO/TS 18571:2014 ISO/TS 18571:2014(E)

Contents

Foreword			
2	Normative references		
3			
4	Symbols and abbreviated terms		
5	Gene	eneral data requirements	
6	ISO 6.1 6.2 6.3	metric Calculation of the overall ISO rating Corridor score Phase, magnitude, and slope scores	
7	Mea	ning of the overall ISO rating	
8	Pre- 8.1 8.2 8.3 8.4	processing of the data Synchronization of the signals Sampling rate Filtering Interval of evaluation	
9	Limi 9.1 9.2 9.3 9.4	itations Type of signals Metric validation Meaning of the results Multiple responses	
Ann	ex A (in	lformative) Case studies	
Bibliography			

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 10, *Impact test procedures*.

Introduction

Computer-aided engineering (CAE) has become a vital tool for product development in the automobile industry. Various computer programs and models are developed to simulate dynamic systems. To maximize the use of these models, the validity and predictive capabilities of these models need to be assessed quantitatively. Model validation is the process of comparing CAE model outputs with test measurements in order to assess the validity or predictive capabilities of the CAE model for its intended usage. The fundamental concepts and terminology of model validation have been established mainly by standard committees including the American Institute of Aeronautics and Astronautics (AIAA),^[1] the American Society of Mechanical Engineers (ASME) Standards Committees on verification and validation of Computational Solid Mechanics^[2] and Computational Fluid Dynamics and Heat Transfer,^[3] the Defence Modelling and Simulation Office (DMSO) of the United States Department of Defence (DoD),^[4] the United States Department of Energy (DOE),^[5] and various other professional societies.^[19] [20]

One of the critical tasks to achieve quantitative assessments of models is to develop a validation metric that has the desirable metric properties to quantify the discrepancy between functional or time history responses from both physical test and simulation result of a dynamic system.^[6] ^[16] ^[17] Developing quantitative model validation methods has attracted considerable researchers' interest in recent years.^[11] ^[12] ^[13] ^[15] ^[17] ^[18] ^[23] ^[24] ^[25] ^[27] However, the primary consideration in the selection of an effective metric should be based on the application requirements. In general, the validation metric is a quantitative measurement of the degree of agreement between the physical test and simulation result.

This Technical Specification is the essential excerpt of ISO/TR 16250:2013^[10] which provides standardized calculations of the correlation between two signals of dynamic systems, and it is validated against multiple vehicle safety case studies.

PD ISO/TS 18571:2014

This is a preview. Click here to purchase the full publication.

Road vehicles — Objective rating metric for nonambiguous signals

1 Scope

This Technical Specification (TS) provides validation metrics and rating procedures to be used to calculate the level of correlation between two non-ambiguous signals obtained from a physical test and a computational model, and is aimed at vehicle safety applications. The objective comparison of timehistory signals of model and test is validated against various loading cases under different types of physical loads such as forces, moments, and accelerations. However, other applications might be possible too, but are not within the scope of this Technical Specification.

2 Normative references

There are no normative references used in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

filtering

smoothing of signals by using standardized algorithms

3.2

goodness or level of correlation

similarity of two signals

3.3

interval of evaluation

time domain that is used to calculate the correlation between two signals

3.4

rating

rating score calculated value that represents a certain level of correlation (objective rating)

3.5

sampling rate

recording frequency of a signal

3.6

time sample

pair values (e.g. time and amplitude) of a recorded signal

3.7

time-history signal

physical value recorded in a time domain; those signals are non-ambiguous

4 Symbols and abbreviated terms

CAE Computer-aided engineering

© ISO 2014 - All rig