

BS 5656-3:2014



BSI Standards Publication

# **Safety rules for the construction and installation of escalators and moving walks –**

Part 3: Examination and test of new moving walks before putting into service – Specification for means of determining compliance with BS EN 115-1:2008+A1:2010

**bsi.**

...making excellence a habit.™

This is a preview. [Click here to purchase the full publication.](#)

**Publishing and copyright information**

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2014

Published by BSI Standards Limited 2014

ISBN 978 0 580 86163 5

ICS 91.140.90

The following BSI references relate to the work on this document:

Committee reference MHE/4

Draft for comment 14/30298807 DC

**Publication history**

First published July 2014

**Amendments issued since publication**

Date	Text affected
------	---------------

---

## Contents

Foreword *ii*

- 1 Scope 1
- 2 Normative references 1
- 3 Terms and definitions 1
- 4 Examination and test of moving walks and components 1

Bibliography 24

### List of tables

- Table 1 – Result of examination and test for moving walks – Description of installation 2
- Table 2 – Result of examination and test for moving walks – Information 7
- Table 3 – Result of examination and test for moving walks – Physical arrangements 9
- Table 4 – Result of examination and test for moving walks – Lighting, insulation and earthing 11
- Table 5 – Result of examination and test for moving walks – Clearances 12
- Table 6 – Result of examination and test for moving walks – Electric safety devices 13
- Table 7 – Result of examination and test for moving walks – Control devices 16
- Table 8 – Result of examination and test for moving walks – Pallet/belts, handrails, balustrades and surrounds 17
- Table 9 – Result of examination and test for moving walks – Stopping distances 19
- Table 10 – Result of examination and test for moving walks – Motor(s) measurements 20
- Table 11 – Result of examination and test for moving walks – Confirmation of conformity to BS EN 115-1:2008+A1:2010 21
- Table 12 – Result of examination and test for moving walks – Additional requirements for shopping trolleys and baggage carts as specified in BS EN 115-1:2008+A1:2010, Annex I.1 22

### Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 26, an inside back cover and a back cover.

## Foreword

### Publishing information

This part of BS 5656 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 July 2014. It was prepared by Technical Committee MHE/4, *Lifts, hoists and escalators*. A list of organizations represented on this committee can be obtained on request to its secretary.

### Supersession

Together with BS 5656-1:2013, this part of BS 5656 supersedes BS 5656-1:1997, which is withdrawn.

### Relationship with other publications

BS 5656 is published in three parts:

- Part 1: *Examination and test of new escalators before putting into service – Specification for means of determining compliance with BS EN 115-1:2008+A1:2010;*
- Part 2: *Code of practice for the selection, installation and location of new escalators and moving walks;*
- Part 3: *Examination and test of new moving walks before putting into service – Specification for means of determining compliance with BS EN 115-1:2008+A1:2010.*

This part of BS 5656 is intended to be read in conjunction with BS EN 115-1:2008+A1:2010.

### Information about this document

This is a new part of the BS 5656 series. It has been developed to take into account the publication of BS 5656-1:2013, which no longer covers moving walks, and of BS EN 115-1:2008+A1:2010.

The Machinery Directive 2006/42/EC [1] requires the manufacturer of a moving walk to take responsibility for its design and manufacture.

The Directive requires that before putting a moving walk into service it shall have undergone certain procedures including final inspection and test.

The inspection and test procedures in this part of BS 5656 may be undertaken by the supplier or their representative, provided that they have an appropriate quality assurance system and/or can demonstrate the necessary competence to undertake the work.

The level of quality assurance can vary in accordance with which conformity assessment route applies, details of which are given in BS EN ISO 9000.

In order to prove the competence of the persons carrying out the testing of the moving walk it is necessary that they operate in accordance with a quality assurance system monitored by a Notified Body, under the requirements of the Supply of Machinery (Safety) Regulations 2008 [2]. It might be necessary to make available certification of the quality assurance system in order to prove compliance.

This part of BS 5656 specifies a means of determining compliance with BS EN 115-1:2008+A1:2010. It does not cover every clause in BS EN 115-1:2008+A1:2010 as many requirements are covered by the manufacturer's quality control procedures.

This part of BS 5656 covers the tests in BS EN 115-1:2008+A1:2010, 7.3, as well as tests that do not fall within the manufacturer's quality control system; for example, the surroundings of the moving walk to ensure conformity to arrangement drawings.

### Use of this document

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Attention is particularly drawn to the recommendations for safe working practices provided in BS 7801.

BSI permits the reproduction of the tables in this part of BS 5656. This reproduction is only permitted where it is necessary for the user to record findings on the tables during each application of the standard.

The following documents are required for the examination and tests to be carried out:

- general arrangement drawing;
- electrical schematic drawing;
- copies of test certificates;
- Notified Body approvals, certificates of incorporation, certificates of conformity (if applicable);
- risk assessments for deviations from BS EN 115-1:2008+A1:2010 (if any).

This part of BS 5656 is not intended to be used for existing installations, for which the relevant test procedures are those that were applicable at the time of installation. BS 5656-1:1997 may still be used to carry out any examinations or testing required when changes are made to moving walks installed in conformity to BS EN 115:1995, BS EN 115:1995 incorporating Amendment No. 1 (5.1.5.8 pertaining to hand rails) and BS EN 115:1995 incorporating Amendment No. 2 (5.1.5.6.3 pertaining to deflector devices).

Relevant tests from this part of BS 5656 may be applied to existing moving walks that are upgraded in accordance with either BS EN 115-1:2008+A1:2010 or BS EN 115-2, where for example, components are fitted that were not available at the time of installation and which require examination and test, e.g. the installation of deflector devices.

Although this standard specifically addresses conformity with BS EN 115-1:2008+A1:2010, it also includes provision for the testing of other commonly installed features on new moving walks, e.g. comb lighting.

### Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

*Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.*

It is recognized that certain tests/checks can be carried out more effectively before installation, and that others should only be made on site. Answer boxes in this part of BS 5656 that contain a shaded square imply that the test should be carried out on site.