



BSI Standards Publication

Measurement method for the output of electroshock weapons

bsi.

This is a preview. Click here to purchase the full publication.

National foreword

This British Standard is the UK implementation of IEC 62792:2015.

The UK participation in its preparation was entrusted to Technical Committee PEL/85, Measuring equipment for electrical and electromagnetic quantities.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 539 13929 7

ICS 95.020; 17.220.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2020.

Amendments/corrigenda issued since publication

Date	Text affected



INTERNATIONAL STANDARD

NORME INTERNATIONALE

Measurement method for the output of electroshock weapons

Méthode de mesure de la sortie des pistolets à impulsion électrique

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 17.220.20, 95.020

ISBN 978-2-8322-2222-5

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Test measurement system	15
4.1 General	15
4.2 Instrumentation requirements	15
4.2.1 General	15
4.2.2 Minimum performance requirements	16
4.2.3 Measurement system traceability	16
4.2.4 System calibration	17
4.3 Environmental conditions	20
4.4 Electrostatic discharge (ESD)	20
4.5 Current waveform measurements	21
4.5.1 General	21
4.5.2 Measurement set-up	21
4.5.3 Current probe requirements	22
4.5.4 Waveform acquisition	22
4.6 Voltage waveform measurements	22
4.6.1 General	22
4.6.2 Measurement set-up	23
4.6.3 Voltage probe requirements	23
4.6.4 Waveform acquisition	24
5 Waveform parameters	24
5.1 General	24
5.2 Waveform parsing	24
5.3 Initial and final instants	24
5.4 Average level	25
5.5 Average absolute level	25
5.6 Charge, net	25
5.7 Charge, total	26
5.8 Energy, pulse	26
5.9 Impulse amplitude	26
5.10 Peak, maximum (minimum)	26
5.11 Peak-to-peak value	26
5.12 Pulse duration	26
5.13 Pulse separation	27
5.14 Offset	27
5.15 Transition duration	27
5.16 Transition settling duration	27
5.17 Transition settling error	27
5.18 Waveform period	27
Bibliography	28

Figure 1 – Diagram of the ESW measurement system with voltage and current probes in place	15
Figure 2 – Set up for calibrating vertical channel of ESW measurement system	18
Figure 3 – Set up for calibration of the magnitude frequency response of the ESW measurement system	19
Figure 4 – Set up for calibration of time response of ESW measurement system	20
Table 1 – <i>Waveform recorder</i> minimum performance specifications	16
Table 2 – <i>Initial instants</i> and <i>final instants</i> for the <i>waveform sub-epochs</i>	25