



BSI Standards Publication

Fire performance of external cladding systems

Part 1: Test method for non-loadbearing external cladding systems fixed to, and supported by, a masonry substrate

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2020

Published by BSI Standards Limited 2020

ISBN 978 0 539 04607 6

ICS 13.220.50

The following BSI references relate to the work on this document:

Committee reference FSH/21

Draft for comment 19/30394645 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Contents

	Page
Foreword	ii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Test apparatus	3
5.1 General	3
<i>Figure 1 — Schematic of test apparatus</i>	3
5.2 Masonry test wall	4
5.3 Main test apparatus wall (main face)	4
5.4 Return wall (wing)	4
5.5 Combustion chamber	4
5.6 Timber crib heat source	4
5.7 Thermocouples	4
<i>Figure 2 — Location of thermocouples for a cladding test</i>	6
5.8 Early test termination reference line	6
5.9 Data acquisition system	6
5.10 Audio-visual equipment	7
5.11 Environmental test condition monitoring equipment	7
5.12 Timing device	7
6 Test specimen	7
6.1 General	7
6.2 Dimensions and details of the test specimen	7
7 Conditioning	8
8 Procedure	8
8.1 Environmental test conditions	8
8.2 Data acquisition	9
8.3 Fuel source	9
8.4 Test observations	9
8.5 Test duration	9
8.6 Early test termination criteria	9
9 Post-test examination	9
10 Test report	10
Annex A (normative) Timber crib source	12
<i>Figure A.1 — Side elevation and plan of the combustion chamber and position of crib (fire load)</i>	13
Bibliography	14

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 14, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 8414 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 30 April 2020. It was prepared by Technical Committee FSH/21, *Reaction to fire tests*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

BS 8414-1:2020 supersedes BS 8414-1:2015+A1:2017, which is withdrawn.

Relationship with other publications

BS 8414 is published in two parts:

- Part 1: *Test method for non-loadbearing external cladding systems fixed to, and supported by, a masonry substrate*; and
- Part 2: *Test method for non-loadbearing external cladding systems fixed to, and supported by, a structural steel frame*.

Information about this document

This part of BS 8414 was developed from BRE Fire Note 9 [1].

This is a full revision of the standard, and introduces the following principal changes:

- clarification of the scope;
- amendments to [Clause 6](#); and
- expansion and clarification of [Clause 9](#) and [Clause 10](#).

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Hazard warnings

WARNING. This part of BS 8414 calls for the use of substances and/or procedures that might be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage.

Use of this document

It has been assumed in the preparation of this part of BS 8414 that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.