CGA G-4.8-2020 **SAFE USE OF ALUMINUM-STRUCTURED PACKING FOR OXYGEN DISTILLATION FIFTH EDITION**



The Standard For Safety Since 1913

This is a preview. Click here to purchase the full publication.

PREFACE:

As part of a program of harmonization of industry standards, the Compressed Gas Association (CGA) has published CGA G-4.8, *Safe Use of Aluminum-Structured Packing for Oxygen Distillation*, jointly produced by members of the International Harmonization Council.

This publication is intended as an international harmonized standard for the worldwide use and application of all members of the Asia Industrial Gases Association (AIGA), Compressed Gas Association (CGA), European Industrial Gases Association (EIGA), and Japan Industrial and Medical Gases Association (JIMGA). Each association's technical content is identical, except for regional regulatory requirements and minor changes in formatting and spelling.

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 17-053

Atmospheric Gases and Equipment Committee

NOTE—Technical changes from the previous edition are underlined.

FIFTH EDITION: 2020 FOURTH EDITION: 2012 THIRD EDITION: 2005 SECOND EDITION: 2000

© 2020 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 14501 George Carter Way, Suite 103, Chantilly VA 20151. You may not alter or remove any trademark, copyright or other notice from this work.

Со	ontents	Page
1	Introduction	1
2	Scope	1
3	Definitions	1
4	Summary	1
5	Literature survey	2
6	Industry survey on incidents of aluminum/oxygen combustion	
	6.1 General	
	6.2 Survey scope	
	6.3 Survey results	
	6.5 Conclusions from survey	
7	Ignition mechanisms	
	7.1 General	
	7.2 Conditions for ignition of aluminum	
	7.3 Sources of ignition energy	
	7.4 Direct ignition	
	7.5 Indirect ignition (promoted ignition)	
8	Ignition experiments	
	8.1 Ignition promoters for use in experimentation	
	8.2 Lubricating oil	
	8.3 Accumulated hydrocarbons	
	8.4 Mechanical impact	9
9	Experimental work on aluminum/oxygen combustion	
	9.1 Reports of experimentation	
	9.2 Propagation investigations on small samples	
	9.4 Molten aluminum in liquid oxygen	
	9.5 Conclusions from experimental work	
10	Cleanliness	
	10.1 General	
	10.2 Required cleanliness level for residual lubricating oil	
	10.3 Protection of cleaned packing	
	10.4 Quality control	11
11	Design and operational considerations	11
12	References	12
Tal	ble	
Tak	ble 1—Results of industry survey of aluminum/oxygen combustion incidents	4

This page is intentionally blank.

This is a preview. Click here to purchase the full publication.