

# **Design and construction of building structures with fibre-reinforced polymers**



# Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's and/or others' intellectual property and may give rise to a right in CSA and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



This is a preview. [Click here to purchase the full publication.](#)

# ***CSA Standards Update Service***

***S806-12***

***March 2012***

**Title:** *Design and construction of building structures with fibre-reinforced polymers*

**Pagination:** **198 pages** (xi preliminary and 187 text), each dated **March 2012**

To register for e-mail notification about any updates to this publication

- go on-line to **shop.csa.ca**
- click on **E-mail Services** under **MY ACCOUNT**
- click on **CSA Standards Update Service**

The **List ID** that you will need to register for updates to this publication is **2421834**.

If you require assistance, please e-mail [techsupport@csa.ca](mailto:techsupport@csa.ca) or call 416-747-2233.

Visit CSA's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.



*CSA Standard*

*S806-12*

***Design and construction of building  
structures with fibre-reinforced polymers***



**CANADIAN STANDARDS  
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in March 2012 by Canadian Standards Association  
A not-for-profit private sector organization  
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6  
1-800-463-6727 • 416-747-4044*

***Visit our Online Store at [shop.csa.ca](http://shop.csa.ca)***

This is a preview. Click here to purchase the full publication.



*The Canadian Standards Association (CSA) prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.*

*To purchase CSA Standards and related publications, visit CSA's Online Store at **[shop.csa.ca](http://shop.csa.ca)** or call toll-free 1-800-463-6727 or 416-747-4044.*

**ISBN 978-1-55491-931-4**

© Canadian Standards Association — 2012

*All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.*

# Contents

Technical Committee on Design and Construction of Building Structures with Fibre-Reinforced Polymers ix

Preface xi

## **1 Scope 1**

- 1.1 General 1
- 1.2 FRP components 1
- 1.3 FRP reinforced components 1
- 1.4 Exposure to fire and temperature effects 1
- 1.5 Terminology 1

## **2 Reference publications 2**

## **3 Definitions, abbreviations, subscripts and symbols, and units of measurement 8**

- 3.1 Definitions 8
- 3.2 Abbreviations 11
- 3.3 Subscripts and symbols 11
- 3.4 Units of measurement 11

## **4 Drawings and related documents 12**

## **5 General design requirements 12**

- 5.1 Structural design 12
  - 5.1.1 General 12
  - 5.1.2 Alternative design procedures 12
  - 5.1.3 Criteria for component testing 12
- 5.2 Structural integrity 13
- 5.3 Fire performance 13
  - 5.3.1 General 13
  - 5.3.2 Fire resistance 13
  - 5.3.3 Flame spread and smoke development 13
  - 5.3.4 Noncombustibility 13
- 5.4 Durability 14

## **6 Limit states, loading, load combinations, and factored resistance 14**

- 6.1 Symbols 14
- 6.2 Limit states 14
  - 6.2.1 Durability 14
  - 6.2.2 Fire resistance 14
  - 6.2.3 Ultimate limit state 14
  - 6.2.4 Serviceability limit states 14
- 6.3 Loading 15
  - 6.3.1 Loads 15
  - 6.3.2 Loads not listed 15
  - 6.3.3 Imposed deformations 15
- 6.4 Load combinations and load factors 15
  - 6.4.1 Load combinations and factor for ultimate limit state 15
  - 6.4.2 Load combination for serviceability limit states 15
- 6.5 Factored resistance 15
  - 6.5.1 General 15
  - 6.5.2 Factored resistance of FRP components and reinforcing materials 15

- 6.5.3 Factored resistance of concrete 16
- 6.5.4 Steel reinforcement and tendons 16
- 6.5.5 Factored resistance of other structural materials 16

## **7 Properties of FRP components and reinforcing materials 16**

- 7.1 FRP bars, tendons, and grids 16
  - 7.1.1 General 16
  - 7.1.2 Materials and composition 16
  - 7.1.3 Non-prestressed FRP reinforcement 17
  - 7.1.4 FRP prestressing tendons 17
  - 7.1.5 Testing and acceptance 17
  - 7.1.6 Characteristic values for design 18
- 7.2 Surface-bonded and near-surface-mounted FRP reinforcing materials 18
  - 7.2.1 General 18
  - 7.2.2 Materials and composition 18
  - 7.2.3 General properties of surface-bonded and near-surface-mounted FRP composites 19
  - 7.2.4 Testing for materials of the FRP reinforcing systems 19
  - 7.2.5 Physical and mechanical properties of FRP composites 19
  - 7.2.6 Characteristic values for design 19
  - 7.2.7 Resistance factor 19
  - 7.2.8 Other performance tests 19
- 7.3 Fibre-reinforced concrete cladding 19
  - 7.3.1 General 19
  - 7.3.2 Materials and composition of FRC cladding 19
  - 7.3.3 Determination of physical and mechanical properties 20
  - 7.3.4 FRC as an exterior layer added to the surface of a panel 20
- 7.4 FRP cladding 21
  - 7.4.1 General 21
  - 7.4.2 Material composition of FRP 21
  - 7.4.3 Determination of physical and mechanical properties 21

## **8 Design of concrete components with FRP reinforcement 22**

- 8.1 Symbols 22
- 8.2 Design requirements 24
  - 8.2.1 General 24
  - 8.2.2 Failure initiated by FRP rupture 24
  - 8.2.3 Minimum cover 24
  - 8.2.4 Buildings other than parking structures 24
  - 8.2.5 Parking structures 24
- 8.3 Beams and one-way slabs 25
  - 8.3.1 Distribution of flexural reinforcement 25
  - 8.3.2 Deflection under service loads 25
  - 8.3.3 Vibrations 26
- 8.4 Ultimate limit states 26
  - 8.4.1 Flexural strength 26
  - 8.4.2 Minimum reinforcement 27
  - 8.4.3 Members under flexure and axial load 28
  - 8.4.4 Design for shear and torsion in flexural regions 30
  - 8.4.5 Minimum shear reinforcement 32
  - 8.4.6 Maximum spacing of transverse reinforcement 33
  - 8.4.7 Proportioning of longitudinal reinforcement 33
  - 8.4.8 Sections subjected to combined shear and torsion 34
- 8.5 Strut-and-tie model 35
  - 8.5.1 Structural idealization 35



- 8.5.2 Proportioning of strut 35
- 8.5.3 Proportioning of ties 36
- 8.5.4 Proportioning of node regions 36
- 8.5.5 Crack control reinforcement 36
- 8.6 Special provisions for brackets and corbels 36
- 8.7 Punching shear 37
- 8.7.1 General 37
- 8.7.2 Punching shear resistance 37
- 8.7.3 Maximum value of  $f'_c$  37
- 8.7.4 Size effect on punching shear resistance 37

## **9 Development and splices of reinforcement 38**

- 9.1 Symbols 38
- 9.2 Development of reinforcement — General 38
- 9.3 Development length of bars in tension 38
- 9.3.1 General 38
- 9.3.2 Development length 38
- 9.3.3 Modification factors 39
- 9.3.4 Development length of bundled bars 39
- 9.4 Development of grid reinforcement 39
- 9.5 Development length of bent bar 40
- 9.6 Development of flexural reinforcement — General 40
- 9.7 Development of positive moment reinforcement 40
- 9.8 Development of negative moment reinforcement 41
- 9.9 Anchorage of shear reinforcement 41
- 9.10 Splices of reinforcement — General 41
- 9.11 Mechanical anchorage 42

## **10 Design of concrete components prestressed with FRP 42**

- 10.1 Symbols 42
- 10.2 General 44
- 10.3 Design assumptions for flexure and axial load 44
- 10.3.1 Basic assumptions 44
- 10.3.2 Concrete cover 44
- 10.4 Permissible stresses in concrete 45
- 10.4.1 Stresses immediately after prestress transfer 45
- 10.4.2 Stresses after allowance for all prestress losses 45
- 10.5 Permissible stresses in tendons 45
- 10.5.1 Permissible stresses at jacking and transfer 45
- 10.5.2 Anchorage for FRP tendons 45
- 10.5.3 Reinforcement of disturbed regions 45
- 10.6 Losses of prestress 45
- 10.6.1 Effective prestressing force 45
- 10.6.2 Prestress losses 46
- 10.7 Flexural resistance 47
- 10.7.1 Strain compatibility analysis 47
- 10.7.2 Bond reduction coefficient 47
- 10.7.3 Inclusion of reinforcement in flexural resistance 47
- 10.8 Minimum factored flexural resistance 47
- 10.9 Minimum area of bonded non-prestressed reinforcement 48
- 10.10 Shear reinforcement 48
- 10.11 Web crushing 48
- 10.12 Minimum length of bonded reinforcement 48

**11 Strengthening of concrete masonry and steel components with FRP 49**

- 11.1 Symbols 49
- 11.2 General design requirements 50
  - 11.2.1 General 50
  - 11.2.3 Required information 51
  - 11.2.4 Structural design 51
- 11.3 Design requirements for concrete beam strengthening 51
  - 11.3.1 Flexural strength 51
  - 11.3.2 Shear strength 53
- 11.4 Design requirements for concrete column strengthening 54
  - 11.4.1 Flexural strength enhancement 54
  - 11.4.2 Axial load capacity enhancement 55
  - 11.4.3 Shear strength enhancement 56
- 11.5 Design requirements of concrete wall strengthening 56
  - 11.5.1 General 56
  - 11.5.2 Flexural strength 56
  - 11.5.3 Shear strength enhancement 57
- 11.6 Design requirements for masonry beam strengthening 58
  - 11.6.1 Flexural strength 58
  - 11.6.2 Shear strength 59
- 11.7 Design requirements for fully-grouted masonry column strengthening 59
  - 11.7.1 Flexural strength enhancement 59
  - 11.7.2 Axial load capacity enhancement 60
  - 11.7.3 Ductility enhancement 61
  - 11.7.4 Shear strength enhancement 61
- 11.8 Design requirements of masonry wall strengthening 61
  - 11.8.1 Out-of-plane flexural strength 61
  - 11.8.2 In-plane shear strength enhancement 62
- 11.9 Design requirements for steel and composite steel-concrete beam strengthening 62

**12 Provisions for seismic design 63**

- 12.1 Symbols 63
- 12.2 General 64
- 12.3 Applicability 64
- 12.4 Seismic loads 64
  - 12.4.1 Seismic loads for repair and retrofit 64
  - 12.4.2 Seismic loads for new construction 64
- 12.5 Design requirements for column retrofit and rehabilitation 65
  - 12.5.1 General 65
  - 12.5.2 Retrofit for flexural strength enhancement 65
  - 12.5.3 Retrofit for enhancement of concrete confinement 65
  - 12.5.4 Retrofit for lap splice clamping 67
  - 12.5.5 Retrofit for shear strength enhancement 67
- 12.6 Design for shear wall retrofits 67
  - 12.6.1 General 67
  - 12.6.2 Retrofitting reinforced concrete shear walls 68
  - 12.6.3 Retrofitting masonry shear walls 68
- 12.7 Seismic design of FRP reinforced concrete in new construction 69
  - 12.7.1 General 69
  - 12.7.2 Moment resisting frame members with longitudinal steel and transverse FRP reinforcement subjected to predominant flexure 69
  - 12.7.3 Moment resisting frame members with longitudinal steel and transverse FRP reinforcement subjected to significant axial load 70
  - 12.7.4 Moment resisting frame members with longitudinal and transverse FRP reinforcement subjected to predominant flexure 71

- 12.7.5 Moment resisting frame members with longitudinal and transverse FRP reinforcement subjected to significant axial load 72

### **13 Design of FRC/FRP composites cladding 73**

- 13.1 General 73  
 13.2 Design considerations 73  
 13.2.1 General 73  
 13.2.2 Provision for movement 73  
 13.2.3 Anchorages and connections 73  
 13.2.4 Joints 73  
 13.2.5 Handling and transportation 74  
 13.2.6 Drawings 74  
 13.2.7 Surface finishes 74

### **14 Construction 74**

- 14.1 General 74  
 14.1.1 Prior to construction 74  
 14.1.2 During construction 74  
 14.2 Material storage and handling 74  
 14.2.1 General 74  
 14.2.2 Manufactured FRP bars, plates, and laminates 75  
 14.2.3 Dry fibre fabrics and prepreg fabrics 75  
 14.2.4 Resins and adhesives 75  
 14.3 Installation and placement 76  
 14.3.1 General 76  
 14.3.2 Internal FRP reinforcement (new construction) 76  
 14.3.3 External FRP reinforcement (strengthening) 76  
 14.4 Quality control and inspection 77  
 14.4.1 General 77  
 14.4.2 Material properties control 77  
 14.4.3 Field conditions 78

### **Annexes**

- A** (normative) — Determination of cross-sectional area of FRP reinforcement 87  
**B** (normative) — Anchor for testing FRP specimens under monotonic, sustained, and cyclic tension 90  
**C** (normative) — Test method for tensile properties of FRP reinforcements 94  
**D** (normative) — Test method for FRP bent bars and stirrups 98  
**E** (normative) — Test method for direct tension pull-off test 103  
**F** (normative) — Test method for tension test of flat specimens 106  
**G** (informative) — Test method for bond strength of FRP rods by pullout testing 111  
**H** (informative) — Test method for creep of FRP rods 120  
**I** (informative) — Test method for long-term relaxation of FRP rods 124  
**J** (informative) — Test method for tensile fatigue of FRP rods 128  
**K** (informative) — Test method for coefficient of thermal expansion of FRP rods 132  
**L** (informative) — Test method for shear properties of FRP rods 136  
**M** (informative) — Test method for alkali resistance of FRP rods 139  
**N** (informative) — Test methods for bond strength of FRP sheet bonded to concrete 143  
**O** (informative) — Test method for overlap splice tension test 152  
**P** (informative) — Fibre-reinforced concrete cladding 156  
**Q** (informative) — FRP nonstructural components 165  
**R** (informative) — Procedure for the determination of a fire-resistance rating for concrete slabs reinforced with FRP and concrete members strengthened with FRP 170  
**S** (normative) — Test method for determining the bond-dependent coefficient of FRP rods 181