


Welded steel construction



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



This is a preview. [Click here to purchase the full publication.](#)

Revision History

W59-18, Welded steel construction

| Errata — December 2020 | Revision symbol (in margin) |
|--|-----------------------------|
| Clauses 5.2.2.4.1.3 , 5.12.4 , 8.2.10.2 , 8.2.10.2.1 , 12.5.4.5 , P.4.2.3 , U.7.4.2.4.3 , X.2.1 , and X.3.2.2 Annex E Tables 5.3 , 11.1 , 11.2 , 12.1 , and J.5 b) Figures 8.11 , 10.1 , 10.2 , 11.4 , and X.7 | ΔΔ |

Standards Update Service

W59-18

May 2018

Title: *Welded steel construction*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2425392**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

W59-18

Welded steel construction



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in May 2018 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-4883-0861-3

*© 2018 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

This is a preview. [Click here to purchase the full publication.](#)

Contents

Technical Committee on Welding of Bridges, Buildings, and Machinery 7

Offshore Welding Task Group (Annex U) 10

Preface 11

1 Scope 13

2 Reference publications and definitions 14

2.1 Reference publications 14

2.2 Definitions 21

3 General requirements 22

3.1 Qualification requirements 22

3.1.1 Contractor 22

3.1.2 Welding processes 22

3.1.3 Welding procedures — Conditions of prequalification 23

3.1.4 Selection of type of groove and welding procedures 23

3.2 Base metal 23

3.2.1 General 23

3.2.2 CSA G40.21 23

3.2.3 ASTM Standards 24

3.2.4 API Standards 25

3.2.5 ABS Standards 25

3.2.6 IACS Standards 25

3.2.7 Lloyds Standards 25

3.3 Welding terminology 25

3.4 Symbols 25

4 Design of welded connections 25

4.1 General requirements 25

4.1.1 Documents 25

4.1.2 Lamellar tearing 27

4.1.3 Requirements for welds 27

4.2 Design values 29

4.3 Effective weld area, length, throat, and fillet size 29

4.3.1 Groove welds 29

4.3.2 Fillet welds 32

4.3.3 Plug and slot welds 33

4.3.4 Minimum groove depth for partial joint penetration groove welds and minimum length and size of fillet welds 33

4.4 Details of fillet, plug, and slot welds 34

4.4.1 Fillet weld details 34

4.4.2 Plug and slot weld details 34

4.5 Welds in skewed joints 35

4.6 Fillers 36

4.7 Seal welds 36

| | | |
|----------|--|-----------|
| 5 | Electrodes, workmanship, and technique | 45 |
| 5.1 | General | 45 |
| 5.2 | Electrodes | 45 |
| 5.2.1 | General | 45 |
| 5.2.2 | Electrodes for SMAW | 47 |
| 5.2.3 | Electrodes and fluxes for SAW | 48 |
| 5.2.4 | Electrodes and shielding gas for GMAW, GTAW, MCAW, and FCAW | 49 |
| 5.2.5 | Electrodes, fluxes, and gases for electroslag welding and electrogas welding (ESW and EGW) | 50 |
| 5.3 | Preparation of material | 50 |
| 5.3.1 | Surface conditions | 50 |
| 5.3.2 | Joint preparation | 51 |
| 5.3.3 | Roughness requirements | 51 |
| 5.3.4 | Notch limitations | 51 |
| 5.3.5 | Inspection and repair of planar edge discontinuities | 51 |
| 5.3.6 | Re-entrant corners | 52 |
| 5.3.7 | Beam copes and weld access holes | 53 |
| 5.3.8 | Weld access hole dimensions | 53 |
| 5.3.9 | Group 4 and 5 shapes | 53 |
| 5.3.10 | Camber | 53 |
| 5.3.11 | Correction of camber | 53 |
| 5.4 | Assembly | 53 |
| 5.4.1 | Fillet weld assembly | 53 |
| 5.4.2 | Faying surfaces | 54 |
| 5.4.3 | PJP groove weld assembly | 54 |
| 5.4.4 | Groove weld assembly | 54 |
| 5.4.5 | Workmanship tolerances | 54 |
| 5.4.6 | Alignment | 55 |
| 5.4.7 | Tack welds | 55 |
| 5.4.8 | Temporary welds | 55 |
| 5.4.9 | Backing | 55 |
| 5.4.10 | Seal welds | 56 |
| 5.4.11 | Plug and slot welds | 56 |
| 5.5 | Details of welding procedures | 56 |
| 5.5.1 | General | 56 |
| 5.5.2 | Shielded metal arc welding (SMAW) | 57 |
| 5.5.3 | Submerged arc welding (SAW) | 57 |
| 5.5.4 | Gas metal arc welding (GMAW), gas tungsten arc welding (GTAW), metal-cored arc welding (MCAW), and flux-cored arc welding (FCAW) | 59 |
| 5.5.5 | Electroslag welding (ESW) and electrogas welding (EGW) | 59 |
| 5.6 | Control of distortion and shrinkage stresses | 60 |
| 5.7 | Preheat, interpass temperature, and heat input control | 61 |
| 5.7.1 | Preheat and interpass temperatures | 61 |
| 5.7.2 | Reduction of preheat temperatures | 61 |
| 5.8 | Dimensional tolerances | 62 |
| 5.9 | Profile of welds | 63 |
| 5.10 | Corrections | 64 |
| 5.11 | Peening | 65 |
| 5.12 | Stress-relief heat treatment | 65 |

5.13 Cleaning of welds 67

5.14 Arc strikes 67

5.15 Heat shaping 67

6 Stud welding 80

6.1 Scope 80

6.2 General requirements 80

6.3 Stud application qualification requirements 80

6.3.1 Prequalified positions 80

6.3.2 Non-prequalified stud applications 81

6.3.3 Base material for qualification tests 81

6.3.4 Test variables to be recorded 81

6.3.5 Test specimens 81

6.3.6 Bend tests (nonthreaded studs) 81

6.3.7 Bend tests (threaded studs) 81

6.3.8 Torque tests (threaded studs) 81

6.3.9 Acceptance criteria 81

6.3.10 Replacement of end tests (threaded studs) 81

6.3.11 Test data 82

6.4 Technique and workmanship 82

6.5 Procedural controls 84

6.6 Inspection requirements and repair procedures 85

7 Welding inspection 88

7.1 General 88

7.1.1 Contractor's inspector 88

7.1.2 Third-party inspection 88

7.1.3 Availability of documents 89

7.1.4 Notification 89

7.1.5 Access 89

7.1.6 Identification 89

7.2 Inspection of materials 89

7.3 Obligations of the contractor 89

7.4 Nondestructive examination 90

8 Radiographic and ultrasonic examination of welds 91

8.1 Radiographic examination of welds 91

8.1.1 General 91

8.1.2 Extent of examination 92

8.1.3 Radiographic procedure 92

8.1.4 Acceptability of welds 96

8.1.5 Examination, reporting, and disposition of radiographs 96

8.1.6 Alternative radiation imaging systems 96

8.2 Ultrasonic examination of groove welds 98

8.2.1 General 98

8.2.2 Extent of examination 98

8.2.3 Personnel qualification (FA technique) 99

8.2.4 Ultrasonic equipment (FA technique) 99

8.2.5 Calibration standards (FA technique) 100

- 8.2.6 Equipment calibration (FA technique) 100
- 8.2.7 Calibration for examination (FA technique) 101
- 8.2.8 Testing procedure (FA technique) 102
- 8.2.9 Preparation and disposition of reports 104
- 8.2.10 Calibration of the ultrasonic unit with the IIW-Type or other approved calibration blocks 105
- 8.2.11 Scanning patterns for ultrasonic examination 106
- 8.2.12 Alternative ultrasonic systems 106

9 Strengthening and repair of existing structures 122

- 9.1 General 122
- 9.2 Materials 122
- 9.3 Design 123
- 9.4 Workmanship 123
- 9.5 Fatigue life enhancement 124
 - 9.5.1 Methods 124
 - 9.5.2 Stress range increase 124
- 9.6 Quality 124
 - 9.6.1 Visual inspection 124
 - 9.6.2 Nondestructive testing 124

10 Details and welding procedure requirements for prequalified joints 125

- 10.1 General 125
 - 10.1.1 Prequalified complete joint penetration groove welds 125
 - 10.1.2 Prequalified partial joint penetration groove welds 125
 - 10.1.3 Requirements for prequalification of joints 125
 - 10.1.4 Joint and weld designations 126
 - 10.1.5 Postweld heat treatment 127
 - 10.1.6 Filler metals tested in the as-welded condition 127
- 10.2 Shielded metal arc welding (SMAW) 128
 - 10.2.1 Prequalified complete joint penetration groove welds made by SMAW 128
 - 10.2.2 Prequalified partial joint penetration groove welds made by SMAW 128
 - 10.2.3 Procedures for SMAW 128
- 10.3 Submerged arc welding (SAW) 129
 - 10.3.1 Prequalified complete joint penetration groove welds made by SAW 129
 - 10.3.2 Prequalified partial joint penetration groove welds made by SAW 129
 - 10.3.3 Parameter limitations for prequalified complete and partial joint penetration welds 130
 - 10.3.4 Prequalified fillet welds made by submerged arc welding 131
- 10.4 Flux-cored arc and metal-cored arc welding (FCAW, MCAW) 131
 - 10.4.1 Prequalified complete joint penetration groove welds made by FCAW and MCAW 131
 - 10.4.2 Prequalified partial joint penetration groove welds made by FCAW and MCAW 131
 - 10.4.3 Procedures for FCAW and MCAW with single electrodes 132
- 10.5 Gas metal arc welding spray transfer (GMAW-SP) and pulsed transfer (GMAW-P) 132
 - 10.5.1 Prequalified complete joint penetration groove welds made by GMAW 132
 - 10.5.2 Prequalified partial joint penetration groove welds made by GMAW 133
 - 10.5.3 Procedures for GMAW with single electrodes 133
- 10.6 Gas tungsten arc welding (GTAW) 134
 - 10.6.1 Prequalified complete joint penetration groove welds made by GTAW 134
 - 10.6.2 Prequalified partial joint penetration groove welds made by GTAW 135
 - 10.6.3 Procedures for GTAW with single electrodes 135

11 Statically-loaded structures — Design and construction 176

- 11.1 Scope 176
- 11.2 Base metal 177
- 11.3 Design provisions 177
 - 11.3.1 Symbols 177
 - 11.3.2 Design values 178
 - 11.3.3 Base metal and matching electrode classification 178
- 11.4 Structural details 178
 - 11.4.1 General 178
 - 11.4.2 Combination of welds 178
 - 11.4.3 Welds in combination with bolts 178
 - 11.4.4 Strength under temporary loads 179
 - 11.4.5 Eccentricity of connections 179
 - 11.4.6 Fillet weld details 179
 - 11.4.7 Lap joints 179
 - 11.4.8 Transition of thickness or width 180
 - 11.4.9 Beams and girders 180
 - 11.4.10 Splices in compression members 180
 - 11.4.11 Splices in tension members 181
 - 11.4.12 T- and corner joints 181
 - 11.4.13 Connection of components of built-up members 181
- 11.5 Workmanship 182
 - 11.5.1 Termination of groove welds 182
 - 11.5.2 Groove weld backing 182
 - 11.5.3 Dimensional tolerances 182
 - 11.5.4 Quality of welds 182

12 Cyclically-loaded structures — Design and construction 198

- 12.1 Scope 198
- 12.2 Base metal 198
- 12.3 Design provisions 198
 - 12.3.1 Symbols 198
 - 12.3.2 Design values 199
 - 12.3.3 Base metal and matching electrode classification 199
 - 12.3.4 Fatigue stress provisions 199
- 12.4 Structural details 202
 - 12.4.1 General 202
 - 12.4.2 Combination of welds 202
 - 12.4.3 Welds in combination with bolts 202
 - 12.4.4 Strength under temporary loads 203
 - 12.4.5 Eccentricity of connections 203
 - 12.4.6 Fillet weld details 203
 - 12.4.7 Lap joints 203
 - 12.4.8 Transition of thickness or widths 204
 - 12.4.9 Beams and girders 204
 - 12.4.10 Splices in compression members 204
 - 12.4.11 Splices in tension members 204
 - 12.4.12 T- and corner joints 205
 - 12.4.13 Connections of components of built-up members 205

| | | |
|---------|--------------------------------------|-----|
| 12.4.14 | Prohibited types of joints and welds | 205 |
| 12.5 | Workmanship | 206 |
| 12.5.1 | Termination of groove welds | 206 |
| 12.5.2 | Groove weld backing | 206 |
| 12.5.3 | Dimensional tolerances | 207 |
| 12.5.4 | Quality of welds | 208 |
| 12.5.5 | Temporary welds | 209 |

| | | |
|-----------------------|--|-----|
| Annex A (informative) | — Typical prequalified partial joint penetration groove welded joints with SMAW, FCAW, MCAW, and GMAW | 235 |
| Annex B (informative) | — Plug and slot welds | 237 |
| Annex C (informative) | — Prevention of cracks | 238 |
| Annex D (informative) | — Welding symbols | 240 |
| Annex E (informative) | — Welding definitions | 246 |
| Annex F (informative) | — Geometric unsharpness and suggested report forms for examination of welds | 291 |
| Annex G (informative) | — Example of weld quality requirements | 294 |
| Annex H (normative) | — Material requirements for studs and stud base qualification requirements | 295 |
| Annex I (informative) | — Flatness of girder webs — Clause 11 | 303 |
| Annex J (informative) | — Flatness of girder webs — Clause 12 | 307 |
| Annex K (informative) | — Arc spot welds | 318 |
| Annex L (informative) | — Hollow structural section (HSS) connections | 319 |
| Annex M (informative) | — Strength of welds | 324 |
| Annex N (informative) | — Gas metal arc welding (GMAW) | 327 |
| Annex P (informative) | — Guideline and commentary on alternative methods for determining preheat | 334 |
| Annex Q (informative) | — Lamellar tearing | 362 |
| Annex R (informative) | — The fatigue life of structures and postweld methods of fatigue life enhancement | 367 |
| Annex S (informative) | — Allowable Stress Design | 376 |
| Annex T (informative) | — Description and intended use of electrodes for gas metal arc welding | 384 |
| Annex U (normative) | — Welding of fixed steel offshore structures | 386 |
| Annex V (informative) | — Electrode classification cross-reference | 497 |
| Annex W (informative) | — SFRS Seismic welding provisions | 498 |
| Annex X (normative) | — Ultrasonic examinations of groove welds using time-corrected gain technique with conventional angle beam or manual phased array ultrasonic testing | 517 |