



Figure 26
Protective surfacing zone for rotating equipment
 (See Clauses [14.3.1](#) and [14.3.2](#).)



**Rotating equipment with axis of rotation within 45°
 from vertical and diameter ≤ 1 m (39.37 in)**



Protective surfacing zone



**Rotating equipment with axis of rotation within 45°
 from vertical and diameter > 1 m (39.37 in)**





Protective surfacing zone




Overlap allowed with no-encroachment zones or other qualifying protective surfacing zones

Figure 27
Protective surfacing and no-encroachment zones for single axis swings
 (See Clauses [14.4.1.1](#) and [14.4.1.5](#).)



 Protective surfacing zone


 No-encroachment zone


Legend:


Y = the distance from the top of the swing seat to the pivot point

Figure 28
Protective surfacing and no-encroachment zones for single axis swings with enclosed seats

(See Clauses [14.4.1.2](#) and [14.4.1.5](#).)




 Protective surfacing zone

 No-encroachment zone

Legend:

Y = the distance from the top of the swing seat to the pivot point


Figure 29
Protective surfacing and no-encroachment zones for rotating swings
 (See Clauses [14.4.2.1](#) to [14.4.2.4.](#))

**Legend:**

Y = the distance from the top of the swing seat to the pivot point

(Continued)


Figure 29 (Concluded)



Legend:

Y = the distance from the top of the swing seat to the pivot point

Figure 30
Protective surfacing and no-encroachment zones for combination swings
 (See Clause [14.4.3.](#))



= Protective surfacing zone




= No-encroachment zone

Y

= the distance from the top of the swing seat to the pivot point

Figure 31
Protective surfacing zone for independent slides with platform heights of 1.2 m (47.24 in) or less
 (See Clause [14.5](#).)




Plan view



Protective surfacing zone

Figure 32
Protective surfacing and no-encroachment zones for independent slides with platform heights greater than 1.2 m (47.24 in)
 (See Clause [14.5](#).)




Protective surfacing zone






No-encroachment zone

Figure 33
Embankment slide
 (See Clauses 3, 14.6.3, and 15.6.9.)


a) Embankment slide > 1.5 m






Legend:


-  = Slide clearance zone
-  = Protective surfacing zone
-  = No-encroachment zone

(Continued)

Figure 33 (Continued)b) Embankment slide $> 1.2 \text{ m} \leq 1.5 \text{ m}$ **Legend:**

-  = Slide clearance zone
-  = Protective surfacing zone
-  = No-encroachment zone

(Continued)

Figure 33 (Continued)**c) Embankment slide ≤ 1.2 m****Legend:**


= Slide clearance zone




= Protective surfacing zone

Note: At no point shall the embankment slide, excluding the exit section, be greater than 300 mm (11.81 in) above the surrounding ground surface.

Figure 34
Details of a track ride
 (See Clauses [14.7](#), [15.13.2.1](#), [15.13.3.1](#), and [15.13.4.1](#).)



Legend:

 = Protective surfacing zone