# **DIN EN 15635**



ICS 53.080

Steel static storage systems – Application and maintenance of storage equipment English version of DIN EN 15635:2009-08

Ortsfeste Regalsysteme aus Stahl – Anwendung und Wartung von Lagereinrichtungen Englische Fassung DIN EN 15635:2009-08

Document comprises 63 pages



# Start of validity

This standard takes effect on 1 August 2009.

# **National foreword**

This standard includes safety requirements within the meaning of the *Geräte- und Produktsicherheitsgesetz* (GPSG) (German Equipment and Product Safety Act).

This standard has been prepared by Technical Committee CEN/TC 344 "Steel static storage systems" (Secretariat: UNI, Italy).

The responsible German body involved in its preparation was the *Normenausschuss Eisen, Blech-und Metallwaren* (Hardware, Tinware and Metal Products Standards Committee), Technical Committee NA 020-00-17 AA *Statische Regale aus Stahl*.

This standard specifies requirements for the use of storage systems. In Germany, the use of work equipment is governed by the *Betriebssicherheitsverordnung (BetrSichV)* (Ordinance on industrial safety and health), the requirements of which take precedence over the requirements specified in this standard.

As regards subclause 9.7.1, the responsible German committee NA 020-00-17 AA would like to point out that the supplier (manufacturer or distributor, see definition 3.22) is only liable for its own negligent conduct. As a rule this is not the case if the person carrying out repairs incurs damage when carrying out repairs himself or replacing parts without the supplier's approval. In the above-mentioned subclause the standard specifies that repairs to damaged components are not allowed unless approved by the equipment supplier. NA 020-00-17 AA believes that this approval should involve documentation of important criteria such as the nature and scope of repairs, and clarification of the liability of the user and supplier.

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 15635

November 2008

ICS 53.080

## **English Version**

# Steel static storage systems - Application and maintenance of storage equipment

Systèmes de stockage statiques en acier - Utilisation et maintenance de système de stockage

Ortsfeste Regalsysteme aus Stahl - Anwendung und Wartung von Lagereinrichtungen

This European Standard was approved by CEN on 5 October 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2008 CEN

All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 15635:2008: E

#### **Contents** Page Foreword 4 0 Introduction ......5 2 Normative references 6 Terms and definitions .......6 3 Operational requirements ......9 4 4.1 System requirements ......9 4.2 Storage systems planning ......9 Important data of relevance to the user ......9 5 Assembly and installation ......10 6 6.1 Skills required and provision of instructions ......10 6.2 Installation quality and structural design ......10 Aspects of installation work to be observed ......11 6.3 Changes to the storage equipment configuration ......12 7 Use of the storage equipment ......13 8 8.1 Person responsible for storage equipment safety PRSES ......13 8.1.1 Safe load warning notices ......13 8.1.2 Training.......13 8.1.3 8.1.4 8.2 Pallet or load carrying accessories ......13 8.2.1 8.2.2 Pallet requirements.......14 8.2.3 Special load make up accessories and loads......14 8.2.4 Precautions necessary for the use of weak pallets and pallets spanning in the incorrect 8.3 8.3.1 Load stability.......15 8.3.2 8.3.3 Unit load handling.......16 8.4 8.4.1 Placement of loads .......16 8.4.2 Damage to storage equipment ......16 8.4.3 Load make up accessory positioning on supports......16 8.4.4 8.4.5 8.4.6 8.4.7 Handling on raised storage areas or on storage equipment supported floors......17 8.4.8 Placement on adjustable pallet racking ......19 8.5 Placement in drive-in racking.......20 8.6 Placement .......20 8.6.1 Loading and unloading sequence for drive-in-racking......21 8.6.2 8.6.3 Use of drive-through racking access routes by trucks ......22 8.7 Safety of storage equipment in use and evaluation of damaged components......23 9.1

9.2	User's responsibilities	
9.3	Reduction of safety level (margin of safety) due to damage	
9.4	Inspection of storage equipment	
9.4.1	General	
9.4.2	Inspection	
9.4.3	Inspection of automated systems	
9.4.4	Damage investigation	
9.4.5	Damage control procedures	
9.4.6	Inspection for overload damage to beams, cantilevers or shelves	
9.4.7	Inspection of beam connector locks	
9.4.8	Inspection of frame uprights for out of verticality	
9.4.9	Inspection of guidance systems for VNA trucks	
9.5	Rules for the measurement and classification of damage to uprights and bracings	28
9.5.1	Measuring method for upright damage and residual deformation limits, typical for APR	
	systems	
9.5.2	GREEN LEVEL - requiring surveillance only	
9.5.3	AMBER RISK – hazardous damage requiring action as soon as possible	
9.5.4	RED RISK – very serious damage requiring immediate action	
9.6	Rules for the evaluation of damage to pallet rack beams	
9.7	Damage action procedures	
9.7.1	Replacement of damaged components	
9.7.2	Typical damage patterns	
9.7.3	Inspection procedure flowchart, Inspection – Evaluation – Action	30
10	Changes that require a safety review of storage operations	31
Annex	A (informative) Supplier's responsibilities	33
Annex	B (informative) Examples of typical load warning notices	34
B.1	Load warning notices	34
B.2	Load warning notice layout	
B.3	Training	
B.4	Display	
B.5	Checking load warning notice information	
B.6	Equipment inspections	
B.7	Sizes	
Annex	C (informative) Pallet damage	49
Annex	D (informative) Safety of storage equipment in use and evaluation of damaged	
	components	51
D.1	Reduction in margin of safety of damaged racking uprights or bracing members	51
D.2	Storage equipment inspections	
D.2.1	General	53
D.2.2	Inspection schedules	54
D.2.3	Inspection for overloading of beams, cantilevers or shelves	54
Annex E (informative) Use of the storage equipment – Method of placement and orientation		56
E.1	General	
E.2	Placement and asymmetric loading	
E.2 E.3	Unevenly distributed loading on pallets or other media	
E.4	Incorrect placement of unit loads	
E.4 E.5	Correct and incorrect location of unit loads	
_		
Bibliog	Bibliography	

DIN EN 15635:2009-08 EN 15635:2008 (E)

# **Foreword**

This document (EN 15635:2008) has been prepared by Technical Committee CEN/TC 344 "Steel static storage systems", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2009, and conflicting national standards shall be withdrawn at the latest by May 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

DIN EN 15635:2009-08 EN 15635:2008 (E)

#### 0 Introduction

# 0.1 Structural Eurocodes for load-bearing structures and buildings

The Commission of the European Communities (CEC) initiated the work of establishing a set of harmonized technical rules for the design of building and civil engineering works, which would initially serve as an alternative to the different rules in force in the various member states and would ultimately replace them. These technical rules are known as the "Structural Eurocodes".

Because the determination of the safe load-bearing capacity of static storage systems is a structural engineering task, the Eurocodes are relevant, particularly EN 1993-1-1 and EN 1993-1-3, as far as the design is concerned. The codes and guidelines produced by CEN/TC 344 are intended to amplify and clarify the requirements of the Eurocodes since they particularly apply to design while specification, installation and application and maintenance are considered as special requirements for racking and shelving products. This European Standard considers application and maintenance.

# 0.2 Additional European Standards for racking and shelving

Due to the differences in the shape of structural components, detailing and connection types, additional technical information to the Eurocodes is required in order to provide state of the art guidance. This guidance is for the client or consultant specifying the requirement, the designer producing a sound structural design, the installer building the structure and the user who operates and maintains the structure in accordance with the design specification.

This together with the need to provide harmonized design rules, is the reason that the European Racking Federation (ERF) has taken the initiative to support this development of a range of European Standards for specific types of racking and shelving used in specific applications (see bibliography).

#### 0.3 Additional information specific to EN 15635

This European Standard gives additional information to that in Eurocodes EN 1990 and EN 1991, to be used in the structural design of storage systems (see also prEN 15512) and is intended for use by:

- a) committees drafting design related product, testing and execution standards;
- b) clients (e.g. for the formulation of their specific requirements);
- c) specifiers, designers, suppliers, installers and end users of the product;
- d) relevant building control authorities.

Expertise in the technical properties of racking components and knowledge of the specific methods of calculation to determine the safe load carrying capacity data for the products shall be available normally from the manufacturer of that product. These standardized products can have infinite variation in their configuration. Structural engineering in steel requires special attention for the cold formed sections normally in use and for flexural and (overall) frame instability. Users should refer to prEN 15512 for more information on these aspects.

Users of storage equipment should refer to EN 15629 to ensure that the specified layout and configuration is not in conflict with the methods of operation, ensuring safe operating conditions in the workplace.

This European Standard deals with these user-defined aspects. A clear user specification for the provision of a safe storage equipment design is an essential basis to provide and complement safe working conditions.

This European Standard is also relevant to specifiers and suppliers.

# 1 Scope

This European Standard gives guidelines for operational aspects relevant to structural safety of storage systems. Such systems operate with heavy mechanical handling equipment working in close proximity to static storage equipment. This European Standard minimizes the risk and consequences of unsafe operation or damage to the structure. Some other forms of storage equipment are only partially covered and further consideration, beyond the scope of this European Standard, can be required.

This European Standard gives guidance in conjunction with prEN 15512, EN 15620, and EN 15629 to ensure that the specifier, user and designer are aware of the constraints in each other's area to allow a safe design to be produced.

This European Standard specifically excludes storage equipment manufactured form materials other than steel (except for certain accessories) and equipment intended to be used for domestic storage purposes

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15629, Steel static storage systems — The specification of storage equipment

EN 15620, Steel static storage systems — Adjustable pallet racking — Tolerances, deformations and clearances

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

#### adjustable pallet racking

#### **APR**

steelwork structure consisting of frames and beams adjustable in height, specifically designed to support load make up accessories and unit loads

#### 3.2

#### allowable loading

beam, frame or shelf safe load capacity indicated by the storage equipment supplier to the user on the safe load warning notices based upon the data supplied by the specifier

#### 3.3

# bay load

total allowable weight of all the unit loads in a bay of racking not including any unit loads that can be stored on the floor of the bay

## 3.4

#### clearance

nominal dimension between items

#### 3.5

#### compartment load

load, which can be loaded into one compartment of a rack or shelving structure from one side