

DIN EN 484



ICS 97.040.20

Supersedes  
DIN EN 484:1998-12

**Specification for dedicated liquefied petroleum gas appliances –  
Independent stoves, including those incorporating a grill for outdoor use;  
English version EN 484:2019+AC:2020,  
English translation of DIN EN 484:2020-06**

Festlegungen für Flüssiggasgeräte –  
Flüssiggasbetriebene Kochgeräte einschließlich solcher mit Grillteilen zur Verwendung im  
Freien;

Englische Fassung EN 484:2019+AC:2020,  
Englische Übersetzung von DIN EN 484:2020-06

Spécifications pour les appareils fonctionnant exclusivement aux gaz de pétrole liquéfiés –  
Réchauds indépendants, équipés ou non d'un grilloir, utilisés en plein air;

Version anglaise EN 484:2019+AC:2020,  
Traduction anglaise de DIN EN 484:2020-06

This standard has been included in the body of DVGW Technical Rules.

Document comprises 56 pages

Translation by DIN-Sprachendienst.

In case of doubt, the German-language original shall be considered authoritative.

*A comma is used as the decimal marker.*

## **National foreword**

This standard includes safety requirements in Clauses 5 and 6.

This document (EN 484:2019+AC:2020) has been prepared by Technical Committee CEN/TC 181 “Appliances and leisure vehicle installations using liquefied petroleum gas and appliances using natural gas for outdoor use” (Secretariat: AFNOR, France).

The responsible German body involved in its preparation was *DIN-Normenausschuss Gastechnik* (DIN Standards Committee Gas Technology), Working Committee NA 032-03-04 AA “Liquefied petroleum gas”.

DIN EN 498 applies for barbecue appliances. Cooking appliances with unregulated input pressure fall under the Scope of DIN EN 521.

Installation and operation of the appliance for private use is laid down in the German technical rule DVGW G 612 “Operation of portable liquefied petroleum gas appliances for leisure for outdoor use”. For commercial use, DGUV (German Statutory Accident Insurance Association) Regulation 79 “Use of liquefied petroleum gas” applies.

This standard has been included in the body of technical rules and standards for gas issued by the *DVGW Deutscher Verein des Gas- und Wasserfaches e.V.* (German Technical and Scientific Association for Gas and Water).

For current information on this standard, please go to DIN’s website ([www.din.de](http://www.din.de)) and search for the document number in question.

### **Amendments**

This standard differs from DIN EN 484:1998-12 as follows:

- a) inconsistencies with the Regulation on appliances burning gaseous fuels issued by the European Commission have been addressed;
- b) differences in the English and French version with regard to test pressures have been removed;
- c) the Scope has been amended to reflect the fact that control devices are not part of this standard;
- d) the term “hotplate” (not suitable for appliances as laid down in EN 484) has been replaced by “stove”;
- e) term 3.9 “auxiliary equipment” has been replaced by “fitting”, as used in the Regulation on appliances burning gaseous fuels;
- f) the compliance of the taps with EN 1106 or EN 126 has been added;
- g) subclause 7.2 referring to the type of test (visual or mechanical) has been reworded;
- h) a pan with a diameter of 300 mm and the corresponding sampling of combustion products have been added.

### **Previous editions**

DIN 3360-3: 1973-10, 1987-12  
DIN EN 484: 1998-12

EUROPEAN STANDARD

**EN 484:2019+AC**

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2020

ICS 25.220.50

Supersedes EN 484:1997

English Version

## Specification for dedicated liquefied petroleum gas appliances - Independent stoves, including those incorporating a grill for outdoor use

Spécifications pour les appareils fonctionnant  
exclusivement aux gaz de pétrole liquéfiés -  
Réchauds indépendants, équipés ou non d'un grilloir,  
utilisés en plein air

Festlegungen für Flüssiggasgeräte -  
Flüssiggasbetriebene Kochgeräte einschließlich solcher  
mit Grillteilen zur Verwendung im Freien

This European Standard was approved by CEN on 15 February 2019 and includes the Corrigendum issued by CEN on 22 April 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

© 2019 CEN All rights of exploitation in any form and by any means reserved  
worldwide for CEN national Members.

Ref. No. EN 484:2019 E

This is a preview. [Click here to purchase the full publication.](#)

## Contents

Page

European foreword.....	5
<b>1</b> <b>Scope</b> .....	<b>6</b>
<b>2</b> <b>Normative references</b> .....	<b>6</b>
<b>3</b> <b>Terms and definitions</b> .....	<b>7</b>
<b>4</b> <b>Classification</b> .....	<b>12</b>
<b>4.1</b> <b>Classification of gases used</b> .....	<b>12</b>
<b>4.2</b> <b>Classification of appliances</b> .....	<b>13</b>
<b>5</b> <b>Constructional characteristics</b> .....	<b>13</b>
<b>5.1</b> <b>Operating with different gases</b> .....	<b>13</b>
<b>5.2</b> <b>Materials</b> .....	<b>14</b>
<b>5.3</b> <b>Ease of cleaning and maintenance</b> .....	<b>14</b>
<b>5.4</b> <b>Manipulation of grills</b> .....	<b>14</b>
<b>5.4.1</b> <b>Griddles</b> .....	<b>14</b>
<b>5.4.2</b> <b>Radiant grills</b> .....	<b>14</b>
<b>5.5</b> <b>Strength</b> .....	<b>14</b>
<b>5.6</b> <b>Assembly</b> .....	<b>15</b>
<b>5.7</b> <b>Stability</b> .....	<b>15</b>
<b>5.7.1</b> <b>Stability of the appliance on a horizontal plane</b> .....	<b>15</b>
<b>5.7.2</b> <b>Stability of the appliance placed on a slope</b> .....	<b>15</b>
<b>5.7.3</b> <b>Vessel stability</b> .....	<b>15</b>
<b>5.8</b> <b>Construction of the gas circuit assembly</b> .....	<b>15</b>
<b>5.9</b> <b>Connections</b> .....	<b>16</b>
<b>5.10</b> <b>Locking of wheels and castors</b> .....	<b>16</b>
<b>5.11</b> <b>Taps</b> .....	<b>16</b>
<b>5.12</b> <b>Control handles</b> .....	<b>17</b>
<b>5.12.1</b> <b>Construction</b> .....	<b>17</b>
<b>5.12.2</b> <b>Marking</b> .....	<b>17</b>
<b>5.13</b> <b>Injectors</b> .....	<b>18</b>
<b>5.14</b> <b>Ignition devices</b> .....	<b>18</b>
<b>5.15</b> <b>Flame supervision devices</b> .....	<b>18</b>
<b>5.16</b> <b>Burners</b> .....	<b>18</b>
<b>5.17</b> <b>Appliance incorporating a gas container</b> .....	<b>19</b>
<b>5.18</b> <b>Durability of markings</b> .....	<b>19</b>
<b>5.19</b> <b>Auxiliary energy</b> .....	<b>19</b>
<b>5.20</b> <b>Resistance to liquid spillage</b> .....	<b>19</b>
<b>6</b> <b>Performance characteristics</b> .....	<b>20</b>
<b>6.1</b> <b>Soundness</b> .....	<b>20</b>
<b>6.2</b> <b>Verification of the nominal heat input</b> .....	<b>20</b>
<b>6.3</b> <b>Flame supervision devices</b> .....	<b>20</b>
<b>6.4</b> <b>Safety of operation</b> .....	<b>20</b>
<b>6.4.1</b> <b>Ignition, crosslighting</b> .....	<b>20</b>
<b>6.4.2</b> <b>Flame stability</b> .....	<b>20</b>
<b>6.4.3</b> <b>Resistance to draught</b> .....	<b>20</b>
<b>6.4.4</b> <b>Resistance to overheating</b> .....	<b>20</b>
<b>6.4.5</b> <b>Soundness of burner parts</b> .....	<b>20</b>

6.5	Temperatures.....	20
6.6	Overheating of the gas container .....	22
6.7	Combustion .....	22
6.8	Sooting .....	22
6.9	Rational use of energy: Performance of the burners .....	22
6.9.1	Open burners.....	22
6.9.2	Covered burners.....	22
6.10	Resistance to liquid spillage .....	22
7	Test methods .....	23
7.1	General.....	23
7.1.1	Test gases.....	23
7.1.2	Test pressures.....	24
7.1.3	Test procedures.....	24
7.2	Verification of the constructional characteristics.....	24
7.2.1	Conversion to different gases .....	24
7.2.2	Materials .....	24
7.2.3	Ease of cleaning and maintenance.....	24
7.2.4	Manipulation of grills .....	24
7.2.5	Strength .....	25
7.2.6	Assembly .....	25
7.2.7	Stability of the appliance.....	25
7.2.8	Soundness of the gas circuit assembly .....	26
7.2.9	Connections.....	26
7.2.10	Locking of wheels and castors.....	26
7.2.11	Taps.....	26
7.2.12	Control handles.....	26
7.2.13	Injectors.....	26
7.2.14	Ignition devices.....	26
7.2.15	Flame supervision devices.....	26
7.2.16	Burners.....	26
7.2.17	Appliances incorporating a gas container .....	26
7.3	Verification of the performance characteristics.....	26
7.3.1	Soundness.....	26
7.3.2	Verification of the nominal heat input .....	27
7.3.3	Flame supervision device.....	27
7.3.4	Safety of operation.....	27
7.3.5	Temperatures.....	29
7.3.6	Overheating of the gas container .....	30
7.3.7	Combustion .....	30
7.3.8	Sooting .....	31
7.3.9	Rational use of energy .....	31
7.3.10	Durability of the marking .....	34
8	Marking.....	34
8.1	Appliance marking .....	34
8.2	Packaging marking.....	34
8.3	Instructions for assembly, use and maintenance.....	35
Annex A	(normative) National situations.....	41
A.1	General.....	41
A.2	Categories marketed in the various countries and corresponding pressures .....	41
A.3	Types of connection used in various countries.....	43

<b>A.4</b>	<b>Connection of appliances</b> .....	<b>44</b>
<b>Annex B</b>	<b>(normative) Method of calculation of the nominal heat input</b> .....	<b>48</b>
<b>B.1</b>	<b>Nominal heat input</b> .....	<b>48</b>
<b>B.2</b>	<b>Corrected mass rate</b> .....	<b>48</b>
<b>B.3</b>	<b>Use of a wet meter</b> .....	<b>49</b>
<b>B.4</b>	<b>Correction of the measured volume</b> .....	<b>50</b>
<b>Annex C</b>	<b>(normative) Composition of test gases</b> .....	<b>51</b>
<b>C.1</b>	<b>General</b> .....	<b>51</b>
<b>C.2</b>	<b>Wobbe index</b> .....	<b>51</b>
<b>C.3</b>	<b>Purity</b> .....	<b>51</b>
<b>Annex D</b>	<b>(normative) Surface temperature probe</b> .....	<b>52</b>
<b>D.1</b>	<b>Design</b> .....	<b>52</b>
<b>D.2</b>	<b>Validation test</b> .....	<b>52</b>
<b>D.2.1</b>	<b>Principle</b> .....	<b>52</b>
<b>D.2.2</b>	<b>Procedure</b> .....	<b>52</b>
<b>D.2.3</b>	<b>Validation</b> .....	<b>52</b>
	<b>Bibliography</b> .....	<b>54</b>

## European foreword

This document (EN 484:2019) has been prepared by Technical Committee CEN/TC 181 “Appliances and leisure vehicle installations using liquefied petroleum gas and appliances using natural gas for outdoor use”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2019, and conflicting national standards shall be withdrawn at the latest by October 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 484:1997.

The following main technical changes have been made compared to EN 484:1997:

- inconsistencies raised by the European Commission against gas appliance Regulation have been addressed;
- differences on test pressures between French and English versions have been addressed;
- the scope has been specified to indicate that regulators are not covered by this standard;
- the wording “hotplate” (not adapted for appliances covered by EN 484) has been replaced by “stove”;
- the definition 3.9 “auxiliary equipment” has been replaced by “fitting” in the sense of the gas appliance Directive;
- compliance to EN 1106 or EN 126 for the taps has been added;
- paragraphs 7.2.X regarding to the type of examination (visual and/or mechanical) have been reworded;
- a 300 mm diameter pan and the corresponding sampling of product of combustion has been added.

This document includes the corrigendum EN 484:2019/AC:2020 which corrects Figures 3 and A1.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags **[AC]** **[AC]**.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.