

ANSI/EIA-60384-4-2017 Approved: October 11, 2017

## EIA STANDARD

Fixed Capacitors for Use in Electronic Equipment - Part 4: Sectional Specification – Fixed Aluminium Electrolytic Capacitors with Solid (MnO<sub>2</sub>) and Non-solid Electrolyte

EIA-60384-4

(IEC 60384-4:2016, IDT)

October 2017



Electronic Components Industry Association

## NOTICE

EIA Engineering Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or nonmember of ECIA from manufacturing or selling products not conforming to such Standards and Publications, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than ECIA members, whether the standard is to be used either domestically or internationally.

Standards and Publications are adopted by ECIA in accordance with the American National Standards Institute (ANSI) patent policy. By such action, ECIA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard or Publication.

This EIA Standard is identical (IDT) with the International Standard IEC Publication 60384-4:2016 Edition 5: Fixed Capacitors for Use in Electronic Equipment - Part 4: Sectional Specification – Fixed Aluminium Electrolytic Capacitors with Solid (MnO2) and Non-solid Electrolyte.

This document is the EIA Standard EIA-60384-4-2017: Fixed Capacitors for Use in Electronic Equipment - Part 4: Sectional Specification — Fixed Aluminium Electrolytic Capacitors with Solid (MnO2) and Non-solid Electrolyte.

The text, figures and tables of IEC 60384-4:2016 are used in this Standard with the consent of the IEC and the American National Standards Institute (ANSI). The IEC copyrighted material has been reproduced with permission from ANSI. The IEC Foreword and Introduction are not part of the requirements of this standard but are included for information purposes only.

This Standard does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this Standard to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

(From Standards Proposal No. 5390.02, formulated under the cognizance of the Steering Committee for Passive Electronic Components Standards (S-1)).

Published by

©Electronic Components Industry Association 2017
Engineering Department
2214 Rock Hill Road, Suite 265
Herndon, VA 20170

This is a preview. Click here to purchase the full publication.

## PLEASE! DON'T VIOLATE THE LAW!

This document is copyrighted by the ECIA and may not be reproduced without permission.

Organizations may obtain permission to reproduce a limited number of copies through entering into a license agreement. For information, contact:

IHS Markit 15 Inverness Way East Englewood, CO 80112-5704 or call USA and Canada (1-877-413-5186), International (303-397-7956)

## CONTENTS

FC	DREWO	)RD	5
1	Gene	eral	1
	1.1	Scope	1
	1.2	Object	
	1.3	Normative references	
	1.4	Information to be given in a detail specification	
	1.4.1	·	
	1.4.2		
	1.4.3	•	
	1.4.4	-	
	1.4.5	5 Marking	3
	1.5	Terms and definitions	
	1.6	Marking	3
	1.6.1	General	3
	1.6.2	Information for marking	3
	1.6.3	Marking on capacitors	4
	1.6.4	Marking on packaging	4
2	Prefe	erred ratings and characteristics	4
	2.1	Preferred characteristics	4
	2.2	Preferred values of ratings	4
	2.2.1	Nominal capacitance $(C_{N})$	4
	2.2.2	Tolerance on nominal capacitance	5
	2.2.3	Rated voltage $(U_{R})$	5
	2.2.4	Category voltage $(U_{\mathbf{C}})$	5
	2.2.5	Ripple voltage	5
	2.2.6	Reverse voltage	5
	2.2.7	Surge voltage ratio	5
	2.2.8	Rated ripple current	5
3	Qual	lity assessment procedures	6
	3.1	Primary stage of manufacture	6
	3.2	Structurally similar components	6
	3.3	Certified test records of released lots	6
	3.4	Qualification approval (QA) procedures	6
	3.4.1	General	6
	3.4.2	Qualification approval on the basis of the fixed sample size procedure	6
	3.4.3	B Tests	7
	3.5	Quality conformance inspection	. 19
	3.5.1	Formation of inspection lots	. 19
	3.5.2	2 Test schedule	. 19
	3.5.3	B Delayed delivery	. 19
	3.5.4		
4	Test	and measurement procedures	. 20
	4.1	Pre-conditioning (for non-solid electrolyte capacitors only)	. 20
	4.2	Visual examination and check of dimensions	. 21
	4.2.1	General	. 21
	4.2.2	Visual examination and check of dimensions	. 21

4.2.3	Requirements	21
4.3 E	lectrical tests	21
4.3.1	Leakage current	21
4.3.2	Capacitance	21
4.3.3	Tangent of loss angle (tan $\delta$ ) or equivalent series resistance (ESR)	22
4.3.4	Impedance (if required)	22
4.3.5	Insulation resistance of the external insulation (if required)	23
4.3.6	Voltage proof of the external insulation (if required)	23
4.4 F	Robustness of terminations	24
4.4.1	General	24
4.4.2	Initial inspection	24
4.4.3	Final inspection	24
4.5 F	Resistance to soldering heat	24
4.5.1	General	24
4.5.2	Test conditions	24
4.5.3	Recovery	24
4.5.4	Final inspection and requirements	24
4.6 S	olderability	24
4.6.1	General	24
4.6.2	Test conditions	24
4.6.3	Final inspection	25
4.7 F	Rapid change of temperature	25
4.7.1	General	25
4.7.2	Initial inspection	25
4.7.3	Test conditions	25
4.7.4	Recovery	25
4.7.5	Final inspections and requirements	25
4.8 V	'ibration	25
4.8.1	General	25
4.8.2	Test conditions	25
4.8.3	Final inspections and requirements	26
4.9 E	Sump (if required)	26
4.9.1	General	26
4.9.2	Test conditions	26
4.9.3	Final inspections and requirements	26
4.10 S	shock (if required)	26
4.10.1	General	26
4.10.2	Test conditions	26
4.10.3	Final inspections and requirements	27
4.11 C	Climatic sequence	27
4.11.1	General	27
4.11.2	Initial inspection	27
4.11.3	Dry heat	27
4.11.4	Damp heat, cyclic, test Db, first cycle	
4.11.5	Cold	
4.11.6	Low air pressure (if required)	27
4.11.7	Damp heat, cyclic, test Db, remaining cycles	28
4.11.8	Sealing (if required)	28
4 11 9		28

4.12 Dai	np heat, steady state	28
4.12.1	General	28
4.12.2	Initial inspection	28
4.12.3	Test conditions	28
4.12.4	Recovery	28
4.12.5	Final inspections and requirements	28
4.13 End	durancedurance	29
4.13.1	General	29
4.13.2	Initial inspection	29
4.13.3	Test conditions	29
4.13.4	Recovery	29
4.13.5	Final inspections and requirements	29
4.14 Sur	ge voltage	29
4.14.1	General	29
4.14.2	Initial inspection	29
4.14.3	Test conditions	30
4.14.4	Recovery	30
4.14.5	Final inspections and requirements	30
4.15 Rev	verse voltage (if required)	
4.15.1	Initial inspection	30
4.15.2	Test conditions	
4.15.3	Recovery	31
4.15.4	Final inspections and requirements	
	ssure relief (if required)	
	rage at high temperature	
4.17.1	General	
4.17.2	Initial inspection	
4.17.3	Test conditions	
4.17.4	Recovery	
4.17.5	Final inspections and requirements	
4.18 Sto	rage at low temperature (if required)	
4.18.1	General	
4.18.2	Initial inspection	
4.18.3	Test conditions	
4.18.4	Recovery	
4.18.5	Final inspections and requirements	
	aracteristics at high and low temperature	
4.19.1	General	
4.19.2	Inspections and requirements	
4.20 Cha	arge and discharge (if required)	
4.20.1	General	
4.20.2	Initial inspection	
4.20.3	Test conditions	
4.20.4	Final inspections and requirements	
	h surge current (if required)	
4.21.1	General	
4.21.2	Final inspections and requirements	
	tage transient overload (if required)	
	iade italistetti ovendad di redulted)	