

# Factory stairways, ladders and handrails

Including access platforms and ramps

PUBLICATION 105

Edition 8

RELEASED BY IHS. NOT FOR RESALE

This is a preview. [Click here to purchase the full publication.](#)



THE ENGINEERING EQUIPMENT AND MATERIALS USERS ASSOCIATION

# Factory stairways, ladders and handrails

Including access platforms and ramps

PUBLICATION 105

Edition 8

Copyright © 2014 The Engineering Equipment and Materials Users Association.  
A company limited by guarantee. Registered in England. Company number 477838.

ISBN 978 0 85931 200 4  
Imprint reference 01-2014

Registered and Trading Address  
63 Mark Lane London EC3R 7NQ  
Telephone: +44 (0)20 7488 0801  
Fax: +44 (0)20 7488 3499  
E-mail: [sales@eemua.org](mailto:sales@eemua.org)  
Website: [www.eemua.org](http://www.eemua.org)



[This is a preview. Click here to purchase the full publication.](#)

## ENGINEERING EQUIPMENT AND MATERIALS USERS ASSOCIATION

### About EEMUA

The Engineering Equipment and Materials Users Association is usually known by its initials, EEMUA. EEMUA is an Association established by the owners and operators of industrial assets. Any organisation that is a substantial user or substantial purchaser of engineering products is eligible to apply to become a member of EEMUA. Membership is subject to the approval of Council.

### EEMUA Aims

EEMUA aims to improve the safety, environmental and operating performance of industrial facilities in the most cost-effective way, pursuing and promoting leadership in industrial asset management by sharing engineering experiences and expertise, and by the active, enlightened promotion of the distinct interests of users of engineering products. These aims are achieved by various means, including:

- Providing the organisation within which networking, information sharing and collaboration among users on non-competitive technical matters can take place
- Influencing the way written regulations are interpreted and applied in practice
- Promoting and presenting members' views, and encouraging the application of good sound engineering practices
- Developing user guides, specifications, training and competency schemes
- Facilitating members' participation in national and international standards making
- Influencing relevant national and European legislation and regulation.

The income and resources of EEMUA are applied solely towards the promotion of the aims of the Association. No profit is transferred by way of dividend, bonus or otherwise to members. The work of the Association is mainly carried out by members' representatives on EEMUA Technical Committees, Working Groups, and Forums, supported by EEMUA staff.

### Incorporation, Membership and Other Information

For the purposes of conducting its business, EEMUA is incorporated in England and Wales as a company, limited by guarantee, not having share capital. All usual aspects of company management and business administration are dealt with through the EEMUA Chief Executive, including policy implementation and leadership of the Executive team (the staff).

A list of EEMUA publications for sale is given at the end of this Publication. The full list is also on the Association's website, including details of on-line shopping facilities.

To enquire about corporate Membership, write to [enquiries@eemua.org](mailto:enquiries@eemua.org) or call + 44 (0)20 7488 0801.

## ABOUT THIS PUBLICATION

### Legal Aspects

All rights, title and interest in this Publication belong to EEMUA. All rights are reserved. No part of this Publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means: electronic, mechanical, photocopying, recording or other, without the express prior written agreement of the EEMUA Chief Executive. Infringement of copyright is illegal and also reduces the Association's income thereby jeopardising its ability to fund the production of future publications.

It has been assumed in the preparation of this Publication that: the user ensures selection of those parts of its contents appropriate to the intended application; and that such selection and application is correctly carried out by appropriately qualified and competent persons for whose guidance this Publication has been prepared. EEMUA and the individual members of the Work Group that prepared this EEMUA Publication do not, and indeed cannot, make any representation or give any warranty or guarantee in connection with material contained herein. EEMUA and the individual members of the Work Group that prepared this EEMUA Publication expressly disclaim any liability or responsibility for damage or loss resulting from the use or reliance on this Publication. Any recommendations contained herein are based on the most authoritative information available at the time of writing and on current good engineering practice, but it is essential for the user to take account of pertinent subsequent developments and/or legislation.

Any person who encounters an inaccuracy or ambiguity when making use of this Publication is asked to notify EEMUA without delay so that the matter may be investigated and appropriate action taken.

### Consultation and Feedback

EEMUA encourages constructive comments on this Publication from both Members of the Association and others.

Comments should be sent on the standard feedback form, a copy of which is provided towards the end of this Publication. An electronic version of the feedback form is available from EEMUA - e-mail your request for a copy to [enquiries@eemua.org](mailto:enquiries@eemua.org), telephone your request to +44 (0)20 7488 0801, or download the form from the EEMUA website at [www.eemua.org](http://www.eemua.org). Submit comments by e-mail (preferred) or post.

Comments are considered by the relevant EEMUA Technical Committees and may be incorporated in future editions of this Publication. New editions are publicised on the EEMUA website



## Contents

1 Scope .....	3
2 Legislation, standards and codes.....	5
2.1 Legislation .....	5
2.1.1 The Health and Safety at Work Act 1974.....	5
2.1.2 The Management of HASAW Regulations 1999.....	5
2.1.3 The Work at Height Regulations 2005 .....	5
2.1.4 The Building Regulations 2010 .....	6
2.1.5 The Building &c.(Amendment) (Wales) Regulations 2013 .....	6
2.1.6 The Building (Scotland) Regulations 2004 .....	7
2.1.7 The Building Regulations (Northern Ireland) 2012 .....	7
2.1.8 The Regulatory Reform (Fire Safety) Order 2005 .....	7
2.1.9 The Fire Safety (Scotland) Regulations 2006 .....	7
2.1.10 The Fire Safety Regulations (Northern Ireland) 2010 .....	7
2.2 Standards and codes.....	7
3 Hazards associated with access installations .....	11
3.1 Falling .....	11
3.2 Tripping/slipping.....	12
3.3 Entrapment in case of fire.....	12
3.4 Hazards arising from proximity to plant .....	13
3.5 Exhaustion.....	13
3.6 Objects falling onto personnel below .....	13
4 Access design .....	15
4.1 Decision making between permanent and temporary access .....	15
4.1.1 The required frequency of access .....	15
4.1.2 Suitability for permanent access installation .....	15
4.1.3 Evaluation of permanent versus temporary access .....	16
4.2 Basic design.....	16
4.3 Design method for factory stairs.....	18
4.4 Steel stairs .....	19
4.5 Concrete stairs.....	19
4.6 Timber stairs.....	20
4.7 Stairways subject to differential movement.....	20
4.8 Loading .....	21
4.8.1 Loading for stairs, platforms and walkways .....	21
4.8.2 Horizontal loads on parapets and handrails.....	21
5 Factory stairways .....	23
5.1 General .....	23
5.2 Clear width .....	23
5.3 Pitch .....	23
5.4 Steps .....	23
5.5 Treads.....	24
5.6 Risers.....	25
5.7 Stringers .....	25
5.8 Landings.....	25
5.9 Gates and doors opening on to stairways.....	26
5.10 Toe or kicking plates .....	26
5.11 Balustrades and handrails .....	26
5.12 Headroom .....	26
5.13 Design.....	26
5.13.1 Stresses.....	26
5.13.2 Spiral stairways .....	27
5.13.3 Exposed stairways.....	27

6 Fixed ladders .....	29
6.1 General .....	29
6.2 Self-closing landing safety gates .....	29
6.3 Width .....	29
6.4 Pitch .....	29
6.5 Stiles .....	30
6.6 Rungs .....	30
6.7 Clearances .....	31
6.8 Safety equipment .....	31
7 Steel companion-way ladders .....	33
7.1 General .....	33
7.2 Height .....	33
7.3 Width .....	33
7.4 Pitch .....	33
7.5 Stringers .....	33
7.6 Treads .....	33
7.7 Handrails .....	33
7.8 Clearance .....	34
7.9 Safety gates .....	34
8 Ramps .....	35
8.1 General .....	35
8.2 Fork lift trucks .....	35
8.3 Kerbs and guardrails .....	35
8.4 Surfacing .....	35
8.5 Steel ramps .....	35
8.6 Stepped ramps .....	36
9 Platforms and walkways .....	37
9.1 General .....	37
9.2 Width .....	37
9.3 Headroom .....	37
9.4 Toe plates (kicking plates) .....	37
9.5 Flooring .....	38
9.6 Handrails .....	38
9.7 Fixings .....	38
9.8 Vertical loads and deflections .....	38
10 Fire escapes .....	41
10.1 General .....	41
10.2 Statutory requirements .....	41
11 Handrails and balustrades and barriers .....	43
11.1 General .....	43
11.2 Loading .....	44
11.3 Handrail standards .....	44
11.4 Handrails .....	46
11.5 Balustrades and panic barriers .....	47
11.6 Materials and finishes .....	47
11.7 Self-closing safety gates .....	47
12 Ladders for access to high structures .....	49
12.1 General .....	49
12.2 Materials .....	49
12.2.1 General .....	49
12.2.2 Connections .....	50
12.3 Stiles .....	50
12.3.1 Steel .....	50
12.3.2 Materials other than Steel and ladder Loading .....	50

12.3.3 Width between stiles.....	50
12.3.4 Stile Extensions .....	50
12.3.5 Jointing of stiles .....	50
12.3.6 Stile Fixing .....	51
12.4 Rungs.....	51
12.4.1 Spacing.....	51
12.4.2 Fixing to stiles .....	51
12.4.3 Loading.....	51
12.4.4 Rung Material .....	51
12.5 Hoops and fall arrest systems.....	52
12.6 Platforms .....	52
12.6.1 Spacing or height between platforms.....	52
12.6.2 Rest platforms .....	52
12.6.3 Work platforms .....	52
12.6.4 Obstructions at head of ladder .....	52
12.6.5 Ladder line .....	52
12.7 Finish .....	53
12.7.1 General.....	53
12.7.2 Protection.....	53
13 Inspection and maintenance .....	55
13.1 Inadequate initial design/installation .....	55
13.2 Deterioration and physical damage .....	55
13.3 Int. removal of components for operational/maintenance purposes .....	56
13.4 Changes to premises upon which the original assessments were made ....	57
Appendix A .....	59
Appendix B .....	63
Figures .....	65
References .....	91
EEMUA Publications Catalogue .....	97

## Figures

Figure 1 Pitch range of the various means of access between levels.....	65
Figure 2 Pitch and proportions for ladders, companion-way ladders, stairways and ramps .....	66
Figure 3 Concrete stairs .....	67
Figure 4 General arrangement of steel stairway with straight landing.....	68
Figure 5 General arrangement of steel stairway with 180° landing .....	69
Figure 6 Study of feet positions to determine various stair details .....	70
Figure 7 Tread set out .....	71
Figure 8 Tread types.....	71
Figure 9 Landing and stringer details .....	72
Figure 10 Stringer base details .....	73
Figure 11 Flat toe plate details.....	73
Figure 12 Stairs, ladders and companion-way ladders (EEMUA 105 Recommendations) .....	74
Figure 13 Hoop dimensions .....	75
Figure 14 General arrangement of ladder fitted with safety hoops .....	76
Figure 15 Ladder details.....	77
Figure 16 Top rung alternatives .....	79
Figure 17 Ladder access to platform through floor .....	79
Figure 18 Raised handrail or three quarter cage for narrow landings.....	80
Figure 19 General arrangement of steel companion-way ladder .....	81
Figure 20 Ramps.....	82
Figure 21 Typical fire escape staircase .....	83
Figure 22 Handrail layout .....	84
Figure 23 Handrails - basic dimensions and jointing details.....	85
Figure 24 Handrail standards .....	86
Figure 25 Attachment of handrail standards.....	87
Figure 26 Balustrade arrangements .....	88
Figure 27 Safety gate .....	89

## Tables

Table 1 Factors affecting choice of means of access or escape .....	17
Table 2 Structural materials .....	18
Table 3 Medium duty handrail standards 0.36 kN/m, minimum base width 65 mm, minimum bolt size 16 mm .....	46
Table 4 Heavy duty handrail standards 0.74 kN/m, minimum base width 75 mm, minimum bolt size 20 mm, three or four bolts preferred .....	46
Table 5 Aluminium alloys .....	50
Table 6 Slip resistance of floor and tread finishes .....	59
Table 7 Optimum dimensions for stairways incorporating Building Regulations Document K:2013 .....	60

## Notes for Users of this Publication

This Publication refers throughout to British and European Standards and relevant United Kingdom of Great Britain and Northern Ireland legislation. Standards are prepared to ensure that only proven techniques are used and that materials employed are suitable for the purpose. Through the adoption and use of standards, the requirements for essential safety should be met. The use of standards is not a requirement in UK law, unlike in some other countries in Europe. However it is stressed that, where a contract is placed which states that manufacture is to be in accordance with specified standards, then this may be determined as a legal requirement. Manufacturers or suppliers of equipment may offer equipment not conforming to standards but in such cases they should have to be able to prove that all legislation concerning essential safety has been complied with. This could be a time consuming and expensive task.

Designers may from time to time find difficulty in designing stairways and associated landings to fit into existing buildings. Minor deviations from the standards may be unavoidable in such cases. Any such deviations should be documented and approved by the Health and Safety Inspector prior to manufacture.

With continual improvement in materials and rationalisation of product ranges, it may not always be possible to obtain a type or quality of material that was available when this Publication was revised. Occasionally, revisions to standards, particularly for steels, may amend the range of qualities available. Manufacturers or stockists should be consulted for the appropriate or acceptable alternative. This is of particular importance where steel is to be fabricated or welded.

Users of this Publication should satisfy themselves that the parts they are using are relevant to the application being considered, that they are correctly applied, and that no legislative changes have taken place affecting this Publication's content subsequent to the date of publication.

The recommendations contained in this edition do not necessarily follow exactly any particular British Standard referred to. However, none of the recommendations fall outside the values given in the British Standards, i.e. minimum values are always equal or higher and maximum values equal to or lower than those in the British Standards.

Other than in Chapter 2, the Building Regulations referred to in this Publication are "The Building Regulations 2010", and the Approved Documents are Approved Document B Volume 2 2006 Edition Incorporating 2007, 2010 & 2013 amendments and Approved Document K 2013 Edition. Users should ensure that they work to documents relevant to the location of the installation in question.