90/10 Copper nickel alloy piping for offshore applications Specification (Incorporating EEMUA 144, 145 and 146)

Publication 234

Edition 1

Copyright © 2015 The Engineering Equipment and Materials Users Association. A company limited by guarantee. Registered in England. Company number 477838.

All rights reserved. ISBN 978 0 85931 211 0 First published 11-2015 Imprint reference 03-2016

Registered and Trading Address: 63 Mark Lane, London, EC3R 7NQ Telephone: +44 (0)20 7488 0801 Fax: +44 (0)20 7488 3499

Email: sales@eemua.org Website: www.eemua.org



Engineering Equipment and Materials Users Association

About EEMUA

The Engineering Equipment and Materials Users Association is usually known by its initials, EEMUA. EEMUA is an Association established by the owners and operators of industrial assets. Any organisation that is a substantial user or substantial Purchaser of engineering products may apply to become a member of EEMUA. Membership is subject to the approval of Council.

EEMUA aims

EEMUA aims to improve the safety, environmental and operating performance of industrial facilities in the most cost-effective way, pursuing and promoting leadership in industrial asset management by sharing engineering experiences and expertise, and by the active, enlightened promotion of the distinct interests of users of engineering products. These aims are achieved by various means, including:

- Providing the organisation within which networking, information sharing and collaboration among users on noncompetitive technical matters can take place.
- Influencing the way written regulations are interpreted and applied in practice.
- Promoting and presenting members' views, and encouraging the application of good sound engineering practices.
- Developing user guides, Specifications, training and competency schemes.
- Facilitating members' participation in national and international standards making.
- Influencing relevant national and European legislation and regulation.

The income and resources of EEMUA are applied solely towards the promotion of the aims of the Association. No profit is transferred by way of dividend, bonus or otherwise to members. The work of the Association is mainly carried out by members' representatives on EEMUA Technical Committees, Working Groups, and Forums, supported by EEMUA staff.

Incorporation, membership and other information

For the purposes of conducting its business, EEMUA is incorporated in England and Wales as a company, limited by guarantee, not having share capital. All usual aspects of company management and business administration are dealt with through the EEMUA Chief Executive, including policy implementation and leadership of the Executive team (the staff).

A list of EEMUA Publications for sale is given at the end of this Publication. The full list is also on the Association's website, including details of on-line shopping facilities.

To enquire about corporate Membership, write to ask@eemua.org or call +44 (0)20 7488 0801.

About this Publication

Legal aspects

All rights, title and interest in this Publication belong to EEMUA. All rights are reserved. No part of this Publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means: electronic, mechanical, photocopying, recording or other, without the express prior written agreement of the EEMUA Chief Executive. Infringement of copyright is illegal and also reduces the Association's income thereby jeopardising its ability to fund the production of future Publications.

It has been assumed in the preparation of this Publication that: the user ensures selection of those parts of its contents appropriate to the intended application; and that such selection and application is correctly carried out by appropriately qualified and competent persons for whose guidance this Publication has been prepared. EEMUA and the individual members of the Work Group that prepared this EEMUA Publication do not, and indeed cannot, make any representation or give any warranty or quarantee in connection with material contained herein. EEMUA and the individual members of the Work Group that prepared this EEMUA Publication expressly disclaim any liability or responsibility for damage or loss resulting from the use or reliance on this Publication. Any recommendations contained herein are based on the most authoritative information available at the time of writing and on current good engineering practice, but it is essential for the user to take account of pertinent subsequent developments and/or legislation.

Any person who encounters an inaccuracy or ambiguity when making use of this Publication is asked to notify EEMUA without delay so that the matter may be investigated and appropriate action taken.

Consultation and feedback

EEMUA encourages constructive comments on this Publication from both Members of the Association and others.

Comments should be sent on the standard feedback form, a copy of which is provided towards the end of this Publication. An electronic version of the feedback form is available from EEMUA - e-mail your request for a copy to ask@eemua.org, telephone your request to +44 (0)20 7488 0801, or download the form from the EEMUA website at www.eemua.org. Submit comments by e-mail (preferred) or post.

Comments are considered by the relevant EEMUA Technical Committees and may be incorporated in future editions of this Publication. New editions are publicised on the EEMUA website.

Contents

١.	Seamless tubes1		
	1.1 Scope and design basis	1	
	1.2 Information to be supplied by the Purchaser	1	
	1.3 Freedom from defects	2	
	1.4 Materials and manufacture		
	1.5 Dimensions and tolerances	2	
	1.5.1 Outside diameter	2	
	1.5.2 Inside diameter	2	
	1.5.3 Ovality	2	
	1.5.4 Thickness	2	
	1.5.5 Length	2	
	1.5.7 Straightness	3	
	1.6 Selection of test samples	3	
	1.7 Mechanical tests	3	
	1.7.1 Mandatory tests	3	
	1.7.2 Supplementary tests	[∠]	
	1.8 Retests		
	1.9 Hydraulic or eddy current tests (mandatory tests)		
	1.9.1 Hydraulic test		
	1.9.2 Eddy current test		
	1.10 Marking		
	1.11 Certification	6	
2.	Seam-welded tubes	11	
	2.1 Scope and design basis	. 11	
	2.2 Information to be supplied by the Purchaser		
	2.3 Freedom from defects	. 12	
	2.4 Materials and manufacture	. 12	
	2.5 Welding	. 12	
	2.5.1 Consumables	. 12	
	2.5.2 Welding procedure qualification	. 12	
	2.5.3 Welder qualification		
	2.6 Dimensions and tolerances		
	2.6.1 Outside diameter		
	2.6.2 Inside diameter		
	2.6.3 Ovality	12	

2.6.4 Circularity (permissible deviation from circularity)12
2.6.5 Thickness	13
2.6.6 Length	13
2.6.7 Squareness of ends	14
2.6.8 Straightness	14
2.7 Selection of test samples	14
2.8 Non-destructive testing	14
2.8.1 Liquid dye penetrant test	14
2.8.2 Radiography	14
2.9 Repairs to weld seams	14
2.10 Retest of repairs	14
2.11 Hydraulic test	14
2.12 Marking	15
2.13 Certification	15
3. Composite weld neck flanges	
3.1 Scope and design basis	19
3.2 Pressure/temperature ratings	20
3.3.1 Flanges	20
3.3.2 Gaskets	20
3.4 Weld neck stub ends	20
3.4.1 Manufacture	20
3.4.2 Information to be supplied by the Purchaser	20
3.4.3 Freedom from defects	21
3.4.4 Joint facings and surface finish	21
3.4.5 Selection of test samples	21
3.4.6 Marking	21
3.4.7 Inspection and testing	22
3.4.8 Certification	22
3.5 Weld neck backing flanges	22
3.5.1 Manufacture	22
3.5.2 Information to be supplied by the Purchaser	22
3.5.3 Drilling	23
3.5.4 Facings and surface finish	23
3.5.5 Selection of test samples	23
3.5.7 Inspection and testing	23
3.5.8 Certification	24
3.5.9 Temporary corrosion protection	24
4. Composite slip-on flanges	31
4.1 Scope and design basis	31

4.2 Pressure/temperature ratings	
4.3 Materials	32
4.3.1 Flanges	32
4.3.2 Gaskets	32
4.3.3 Bolting (stud bolts)	32
4.4 Slip-on stub ends	32
4.4.1 Manufacture	32
4.4.2 Information to be supplied by the Purchaser	32
4.4.3 Freedom from defects	32
4.4.4 Joint facings and surface finish	32
4.4.5 Selection of test samples	33
4.4.6 Marking	33
4.4.7 Inspection and testing	
4.4.8 Certification	
4.5. Slip-on backing flanges	
4.5.1 Manufacture	
4.5.2 Information to be supplied by the Purchaser	
4.5.3 Drilling	
4.5.4 Facings and surface finish	
4.5.5 Selection of test samples	
4.5.6 Marking	
4.5.7 Inspection and testing	
4.5.8 Certification	
4.5.9 Temporary corrosion protection	35
5. Solid 90/10 copper nickel weld neck flanges	
5.1 Scope and design basis	39
5.2 Pressure/temperature ratings	39
5.3 Materials	39
5.3.1 Flanges	39
5.3.2 Gaskets	39
5.3.3 Bolting	40
5.4 Manufacture	
5.5 Information to be supplied by the Purchaser	40
5.6 Freedom from defects	40
5.7 Joint facings and surface finish	40
5.8 Selection of test samples	40
5.9 Marking	41
5.10 Inspection and testing	41
5.11 Certification	41

6. Solid	90/10 copper nickel slip-on flanges	47
6.1	Scope and design basis	47
6.2	Pressure/temperature ratings	47
6.3	Materials	47
6.	.3.1 Flanges	47
6.	.3.2 Gaskets	47
6.	3.3 Bolting	47
6.4	Manufacture	48
6.5	Information to be supplied by the Purchaser	48
6.6	Freedom from defects	48
6.7	Joint facings and surface finish	48
6.8	Selection of test samples	48
6.9	Marking	48
6.10	Inspection and testing	49
6.11	Certification	49
7. 90/10	Cu Ni butt welding fittings	53
7.1	Scope and design basis	53
7.2	Information to be supplied by the Purchaser	53
7.3	Freedom from defects	53
7.4	Materials and manufacture	53
7.5	Welding	54
7.	.5.1 Consumables	54
7.	.5.2 Welding procedure qualification	54
7.	.5.3 Welder qualification	54
7.6	Selection of test samples	54
7.7	Non-destructive testing	54
7.	.7.1 liquid dye penetrant test	54
7.	.7.2 Radiography	54
7.8	Repairs to welded seams	54
7.9	Retests of repairs	54
7.10	Marking	55
7.11	Inspection and testing	55
7.12	Certification	56
8. 90/10	Cu Ni socket welding fittings	71
8.1	Scope and design basis	71
8.2	Information to be supplied by the Purchaser	71
8.3	Freedom from defects	71
8.4	Materials and manufacture	71

0.5	rioor tests for adequacy of socket welding dilion type fittings (prototype test)	/ ∠
8.6	Marking	73
8.7	Inspection and testing	73
8.8	Certification	73
9. Cop	per alloy capillary brazing fittings	75
9.1	Scope and design basis	75
9.2	Information to be supplied by the Purchaser	75
9.3	Freedom from defects	75
9.4	Materials and manufacture	76
9.5	Proof tests for adequacy of capillary brazing union type fittings (prototype test)	76
9.6	Marking	77
9.7	Inspection and testing	77
9.8	Certification	77
10. Co	pper alloy flareless non-manipulative type compression fittings	79
10.	1 Scope and design basis	79
10.2	2 Information to be supplied by the Purchaser	79
10.3	3 Freedom from defects	79
10.4	4 Materials and manufacture	80
10.5	5 Proof test for adequacy of compression fittings (prototype test)	80
10.6	6 Marking	81
10.7	7 Inspection and testing	81
10.8	8 Certification	81
11. Co	pper alloy threaded fittings	83
11.	1 Scope and design basis	83
11.2	2 Information to be supplied by the Purchaser	83
11.3	3 Freedom from defects	84
11.4	4 Materials and manufacture	84
11.5	5 Marking	84
11.6	6 Inspection and testing	85
11.7	7 Certification	85
12. 90	/10 Cu Ni self-reinforced branch connection fittings	89
12.1	1 Scope and design basis	89
	2 Information to be supplied by the Purchaser	
	3 Pressure/temperature ratings	
	4 Freedom from defects	
	5 Materials and manufacture	
	6 Marking	90

12.7 Inspection and testing	90
12.8 Certification	91
13. 90/10 Cu Ni saddle pieces	95
13.1 Scope and design basis	95
13.2 Information to be supplied by the Purchaser	95
13.3 Pressure/temperature ratings	95
13.4 Freedom from defects	95
13.5 Materials and manufacture	95
13.6 Welding	96
13.6.1 Consumables	96
13.6.2 Welding procedure qualification	96
13.6.3 Welder qualification	96
13.7 Selection of test samples	96
13.8 Non-destructive testing	96
13.8.1 Liquid dye penetrant test	96
13.8.2 Radiography	
13.9 Repairs to weld seams	
13.10 Retest of repairs	
13.11 Marking	
13.12 Inspection and testing	
13.13 Certification	97
14. Discretionary contractual clauses	105
14.1 Inspection	105
14.1.1 General	105
14.1.2 Seamless tubes	105
14.1.3 Flanges	105
14.1.4 Fittings	
14.2 Facilities for testing	105
Appendix A	107
Appendix B	109
Appendix C	111
Appendix D	113
Appendix E	115
References	117
FFMUA Publication: feedback form	119

	EEMUA F	Publications Catalogue	120
	Asset an	d integrity management	120
	Automat	ion and electrical equipment	120
	Pressure	equipment	121
	Process	pipework, valves and machinery	122
	Storage a	and containment systems	122
ij	gures		
	Figure 1	Flattening test	4
	_	Double-bend test	
	9	Drifting test	
	_	Dimensions of welding ends on butt welding components	
	_	Guidance for the design of tees	
	_	Welding dimensions required for socket welding fittings	
		Dimensions of welding ends on butt welding saddle pieces	
	Figure 8	Saddle pieces - seamless	98
	Figure 9	Saddle pieces - seam welded	102
a	bles		
	Table 1	Minimum random lengths for seamless tubes	2
	Table 2	Tolerances on lengths for seamless tubes	3
	Table 3	Dimensions of seamless 90/10 Cu/Ni tubes: 16 bar rating	7
	Table 4	Dimensions of seamless 90/10 Cu/Ni tubes 20 bar rating	8
	Table 5	Chemical composition and mechanical properties of seamless 90/10 copper/nickel tubes	9
	Table 6	Minimum random lengths for seam-welded tubes	13
	Table 7	Tolerances on lengths for seam-welded tubes	13
	Table 8	Dimensions of seam-welded 90/10 Cu Ni tubes: 16 bar rating	16
	Table 9	Dimensions of seam-welded 90/10 Cu Ni tubes: 20 bar rating	17
	Table 10	Chemical composition and mechanical properties of seam-welded 90/10 Cu Ni tubes	18
	Table 11	Surface finish (weld neck stub ends)	21
	Table 12	Weld neck 90/10 Cu Ni stub ends: 16 bar rating	25
	Table 13	Weld neck 90/10 Cu Ni stub ends: 20 bar rating	26
	Table 14	Weld neck blanking flanges: Class 150	27
	Table 15	Tolerances: weld neck stub ends	28
	Table 16	Tolerances: backing flanges	29
	Table 17	Chemical composition and mechanical properties for wrought 90/10 Cu Ni weld-neck	
	stub end	S	30
	Table 18	Chemical composition and mechanical properties for carbon steel backing flangesflands	30
		Surface finish (Slip-on stub ends)	33
	Table 20	Slin-on 90/10 Cu Ni stuh ends 20 har	36

Table 21	Steel backing flanges for use with 90/10 Cu Ni slip-on stub-ends: Class 150	.37
Table 22	Tolerances: slip-on stub ends	37
Table 23	Tolerances: steel backing flanges	.38
Table 24	Chemical composition and mechanical properties for wrought 90/10 Cu Ni slip on stub-ends	.38
Table 25	Chemical composition and mechanical properties for carbon steel backing flanges	.38
Table 26	Surface finish (solid weld neck flanges)	.40
	Solid 90/10 Cu Ni weld neck flanges: 16 bar	
Table 28	Solid 90/10 Cu Ni weld neck flanges: 20 bar	.43
	Tolerances: solid 90/10 Cu Ni weld neck flanges	. 44
Table 30	Chemical composition and mechanical properties for solid wrought 90/10 Cu Ni weld neck	
flanges		. 45
Table 31	Surface finish (solid slip-on flanges)	.48
	Solid 90/10 Cu Ni slip-on flanges	
	Tolerances: solid 90/10 Cu Ni slip-on flanges	.51
Table 34	Chemical composition and mechanical properties for solid wrought 90/10 Cu Ni slip-on	
flanges		. 51
Table 35	Dimensions of welding ends for all butt welding components	. 58
	Dimensions of welding ends for all butt welding components	
	Tolerances – fittings	
	Dimensions of long radius elbows	
	Intrados thickness of long radius elbows	
	Dimensions of straight (equal) tees	
	Dimensions of reducing outlet tees - sizes up to 159 x 159 x 108	
Table 42	Dimensions of reducing outlet tees	. 65
	Dimensions of reducing outlet tees	
	Dimensions of end caps	
	Dimensions of butt welding reducers	
	Dimensions of butt welding reducers	
	Dimensions of butt welding reducers	
	Basis for hydraulic proof pressure test of assembled union joints	
	Dimensions of socket welding fittings	
	Basis for hydraulic proof pressure test of assembled union joints	
	Dimensions of capillary brazing fittings	
Table 52	Basis for hydraulic proof pressure test of assembled non-manipulative compression joints	. 80
	Dimensions of flareless non-manipulative compression fittings	
	Dimensions of copper alloy threaded plugs and bushings	
	Dimension of copper alloy threaded couplings. half couplings and caps	
	Dimensions of 90/10 Cu Ni alloy tubes suitable for screwing NPT to ASME B1.20.1-2013*	. 88
Table 57	Solf rainforced branch connection fittings (butt wolding type)	00