

Calculation of Gross Heating Value, Relative Density, Compressibility and Theoretical Hydrocarbon Liquid Content for Natural Gas Mixtures for Custody Transfer

API Manual of Petroleum Measurement Standards Chapter 14.5

Adopted as a Standard 1976 Reaffirmed 2019

GPA Midstream AssociationSixty Sixty American Plaza, Suite 700
Tulsa, Oklahoma 74135

American Petroleum Institute 1220 L Street, NW Washington, DC 20005

DISCLAIMER

GPA Midstream Association publications necessarily address problems of a general nature and may be used by anyone desiring to do so. Every effort has been made by GPA Midstream to assure accuracy and reliability of the information contained in this publication. Each person who uses or refers to this publication will need to make their own decisions based on consideration of their own internal best practices, recommendations, and engineering judgment. GPA Midstream and its members do not guarantee the accuracy, completeness, efficacy, timeliness, or correct sequencing of such information, including without limitation, the reference material and information of the various other industry associations that may be provided herein. Use of the information provided in this publication is voluntary, and reliance on it should only be undertaken after an independent review of its accuracy, completeness, efficacy, timeliness, and consideration of the applicability of any local, state, and federal laws and regulations.

It is not the intent of GPA Midstream to assume the duties of employers, manufacturers, or suppliers to warn and properly train employees, or others exposed, concerning health and safety risks or precautions. Reference herein to any specific commercial product, process, or service by trade name, trademark, service mark, manufacturer, or otherwise does not constitute or imply endorsement, recommendation, or favoring by GPA Midstream.

GPA Midstream makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any federal, state or municipal regulation with which this publication may conflict, or for any infringement of letters of patent regarding apparatus, equipment, or method so covered.

"Copyright[©] 2019 by GPA Midstream Association. All rights reserved. No part of this Report may be reproduced without the written consent of GPA Midstream Association."

This is a preview. Click here to purchase the full publication.

Contents

		Page
1	Scope	1
2	Normative References	1
3	Terms and Definitions	1
4	Symbols and Abbreviated Terms	3
5 5.1 5.2 5.3 5.4	Background Heating Value Relative Density Compressibility Factor Theoretical Hydrocarbon Liquid Content	4 4
6	Summary of Method	5
7 7.1 7.2 7.3 7.4	Equations for Custody Transfer Calculations Gross Heating Value (Volumetric Basis). Relative Density. Compressibility Factor Theoretical Hydrocarbon Liquid Content.	5 6 7
8	Example Calculations	. 11
9	Application Notes and Cautions	. 11
10	Precision and Uncertainty	. 12
Anne	ex A (informative) Details of Calculation Methods and Treatment of Water	. 13
Anne	ex B (informative) Calculation of Gas Properties	. 20
Anne	ex C (informative) Water Content Example Calculations	. 33
Anne	ex D (informative) Calculation of NGL Energy Content from Volume	. 38
Anne	ex E (informative) Determination of Gas Energy Content per Unit Mass	. 41
B.1 B.2 B.3 B.4	U.S. Multipliers Temperature Multipliers Second Virial Coefficients Assumed Composition of Air. Calculation of Gas Properties at 60 °F and 14.696 psia for a Dry Gas Calculation of Gas Properties at 60 °F and 14.65 psia for a Dry Gas	619202122
	Flowing Conditions of 76 °F and 28 psia	. 25
B.7	Calculation of Gas Properties at 60 °F and 14.696 psia for a Measured and Partially Water Saturated Gas	. 26
B.8		
	Mater Valurated Vas	. 41

B.9	Calculation of Gas Properties at 15 °C and 101.325 kPa for a Water Saturated Gas	28
B.10	Calculation for Determining the C ₆ + Gas Properties Using Two Commonly Used Methods	29
B.11	Calculation for Compressibility Using the Rigorous Procedure	30
	Conversion Factors	
C.2	Mole Volume of Water Vapor at 60 °F	35
C.3	Values of Constants A and B	37
D.1	Calculate Energy Content from Liquid Mass	39
D.2	Calculate Energy Content from Liquid Volume	39
D.3	Calculate Energy Content from Equivalent Gas Volume	40
E.1	Calculations for Btu per Pound for Water Saturated Gas at Base Conditions	41

Introduction

This standard supersedes previous editions of GPA Standard 2172/API MPMS Chapter 14.5, Calculation of Gross Heating Value, Specific Gravity and Compressibility Factor for Natural Gas Mixtures from Compositional Analysis and it incorporates and supersedes GPA Reference Bulletin 181, Tentative Reference Bulletin Heating Value as a Basis for Custody Transfer of Natural Gas. This standard also supersedes the GPM calculations in GPA Standard 2261, Analysis for Natural Gas and Similar Gaseous Mixtures by Gas Chromatography and GPA Standard 2286, Tentative Method of Extended Analysis for Natural Gas and Similar Gaseous Mixtures by Temperature Programmed Gas Chromatography as well as Table IV of GPA Standard 2261.

This standard is for the use of those involved in custody transfer of natural gas. Unless fixed by statute, it is the responsibility of the parties to contracts to agree on procedures for determining volumes, heating values and standard conditions for custody transfer.

This standard is similar to ISO 6976, Natural gas—Calculation of calorific values, density, relative density and Wobbe index from composition, and to AGA Report No. 5, Natural Gas Energy Measurement.

Calculation of Gross Heating Value, Relative Density, Compressibility and Theoretical Hydrocarbon Liquid Content for Natural Gas Mixtures for Custody Transfer

1 Scope

This standard presents procedures for calculating, at base conditions from composition, the following properties of natural gas mixtures: gross heating value, relative density (real and ideal), compressibility factor and theoretical hydrocarbon liquid content which in the U.S. is typically expressed as GPM, the abbreviation for gallons of liquid per thousand cubic feet of gas.

Rigorous calculation of the effect of water upon these calculations is complicated. Because this document relates primarily to custody transfer, the water effect included is an acceptable contractual calculation. Annex A of this standard contains a detailed investigation of the effect of water and detailed derivations of the equations presented in the standard.

2 Normative References

The following documents contain provisions, which through reference in this text constitute provisions of this standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. For undated references, the latest edition of the normative document referred to applies.

API Manual of Petroleum Measurement Standards (MPMS) Chapter 14.1, Collecting and Handling of Natural Gas Samples for Custody Transfer

AGA Report No. 5 1, Fuel Gas Energy Metering

AGA Report No. 8, Compressibility Factor of Natural Gas and Related Hydrocarbon Gases

GPA Standard 2145 ², Table of Physical Properties for Hydrocarbons and Other Compounds of Interest to the Natural Gas Industry

GPA Standard 2166, Obtaining Natural Gas Samples for Analysis by Gas Chromatography

GPA Standard 2261, Analysis for Natural Gas and Similar Gaseous Mixtures by Gas Chromatography

GPA Standard 2286, Tentative Method of Extended Analysis for Natural Gas and Similar Gaseous Mixtures by Temperature Programmed Gas Chromatography

GPA Standard 2377, Test for Hydrogen Sulfide and Carbon Dioxide in Natural Gas Using Length of Stain Tubes

GPA Standard 8173, Method for Converting Mass of Natural Gas Liquids and Vapors to Equivalent Liquid Volumes

GPA TP-17, Table of Physical Properties of Hydrocarbons for Extended Analysis of Natural Gases

IGT Research Bulletin No. 8 ³, Equilibrium Moisture Content of Natural Gases

3 Terms and Definitions

For purposes of this standard, the following terms and definitions apply.

3.1

adjusted heating value

The quantity Hv^{id} / Z (adjusted heating value) is energy transferred as heat per real gas volume. When multiplied by the

__1

American Gas Association, 400 N. Capitol St., N.W., Suite 450, Washington, D.C. 20001, www.aga.org.

² Gas Processors Association, 6060 American Plaza, Suite 700, Tulsa, Oklahoma 74135, www.GPAGlobal.org.

Institute of Gas Technology, 1700 S. Mount Prospect Road Des Plaines, Illinois 60018, www.gastechnology.org.