



ANSI/ICEA S-76-474-2020
Standard for Neutral Supported Power
Cable Assemblies with Weather
Resistant Extruded Insulation Rated

©2020 by INSULATED CABLE ENGINEERS ASSOCIATION, Inc.

This is a preview. Click here to purchase the full publication.



Approved as an American National Standard

ANSI Approval Date: 09/02/2020

ANSI/ICEA S-76-474-2020

Standard for Neutral Supported Power Cable Assemblies with Weather Resistant Extruded Insulation Rated 600 Volts

Published by

Insulated Cable Engineers Association, Inc.

www.icea.net

Approved 12/03/2018 by Insulated Cable Engineers Association, Inc.

© Copyright 2020 by the Insulated Cable Engineers Association, Inc. All rights including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the international and Pan American Copyright Conventions.

This is a preview. Click here to purchase the full publication.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The Insulated Cable Engineers Association, Inc. (ICEA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together persons who have an interest in the topic covered by this publication. While ICEA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

ICEA disclaims liability for personal injury, property, or other damages of any nature whatsoever, whether special, indirect consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. ICEA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. ICEA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, ICEA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is ICEA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

ICEA has no power, nor does it undertake to police or enforce compliance with the contents of this document. ICEA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to ICEA and is solely the responsibility of the certifier or maker of the statement.

Contents

Forewo	ord		vii	
Section 1	GENERAL			
1.1	SCOPE			
1.2	CONSTRUCTIONS			
1.3	DESIGN OPTIONS			
	1.3.1	Conductors	1	
	1.3.2	Insulation	1	
	1.3.3	Neutral	2	
	1.3.4	Assembly	2	
1.4	OPERATING CONDITIONS		2	
	1.4.1	Normal Operation Temperature	2	
	1.4.2	Emergency Overload Temperature	2	
	1.4.3	Short Circuit Temperature	3	
	1.4.4	Rated Voltage	3	
1.5	QUALIFICATION			
1.6	TESTING		3	
1.7	TEST METHODS			
1.8	STANDARI	DS AND SPECIFICATIONS	3	
Section 2	2 CONDUCTOR			
2.0	GENERAL		4	
2.1	PHYSICAL	AND ELECTRICAL PROPERTIES	4	
	2.1.1	Copper Conductors	4	
	2.1.2	Aluminum Conductors	4	
2.2	PHASE CONDUCTORS		4	
	2.2.1	Aluminum Phase Conductors	5	
	2.2.2	Copper Phase Conductors	5	
2.3	NEUTRAL	CONDUCTORS	5	
	2.3.1	Design Options	5	
	2.3.2	Strength of Neutral Conductors	6	
	2.3.3	Completed Assembly Neutral Conductors Strength Tests	6	
2.4	CONDUCT	OR SIZE UNITS	6	
2.5	NEUTRAL CONDUCTOR SIZE DETERMINATION			
2.6	CONDUCTOR DIAMETER			
2.7	CONDUCT	OR DC RESISTANCE PER UNIT LENGTH	7	
	2.7.1	Direct Measurement of dc Resistance per Unit Length	7	
	2.7.2	Calculation of dc Resistance per Unit Length	7	
2.8	BINDERS/L	_ASHING	7	
	2.8.1	Binder Options	7	

Section 3	INS	SULATION		
3.1	INSULATION			
	3.1.1	75 °C Normal Service Operation Insulation	14	
	3.1.2	90 °C Normal Service Operation Insulation	14	
	3.1.3	Alternate Insulation	14	
3.2	NEUTRA	NEUTRAL COVERING		
3.3	BINDER COVERING			
3.4	ELECTRICAL REQUIREMENTS			
	3.4.1	Insulation Resistance	15	
	3.4.2	Voltage Withstand Test	15	
3.5	THICKNESS REQUIREMENTS		15	
	3.5.1	Insulation Thickness	15	
	3.5.2	Neutral Covering Thickness	15	
	3.5.3	Binder Covering Thickness	15	
3.6	PHYSICA	AL REQUIREMENTS	16	
	3.6.1	Insulation Physical Requirements	16	
	3.6.2	Neutral Covering Physical Requirements	16	
	3.6.3	Binder Covering Physical Requirements	16	
Section 4	AS	SEMBLIES AND IDENTIFICATION		
4.1	ASSEMBLIES			
	4.1.1	Twisted Assemblies	18	
	4.1.2	Parallel Assemblies	18	
	4.1.3	S-Z Assemblies (Reverse Twisted)	18	
4.2	IDENTIFICATION			
	4.2.1	Conductor Identification (Optional)	18	
Section 5	5 TEST METHODS			
5.1	TEST TE	MPERATURES	19	
5.2	METHODS FOR MEASURING INSULATION PHYSICAL PROPERTIES		19	
5.3	METHOD FOR MEASURING INSULATION HOT CREEP AND HOT SET		19	
5.4	METHOD FOR MEASURING THE ABSORPTION COEFFICIENT OF BLACK OUTER LAYER MATERIAL (THERMOPLASTIC MATERIALS 75 °C RATED)			
5.5	METHOD MATERIA	FOR MEASURING INSULATION HEAT DEFORMATION (DISTORTION) (THERMOPLASTIC ALS 75 °C RATED)	19	
Section 6	QUALIFICATION TESTS			
6.1	ENVIRONMENTAL STRESS CRACKING TEST			
	6.1.1	Test Specimens	20	
	6.1.2	Test Procedures	20	
6.2	THERMAL STRESS CRACKING TEST		20	
6.3	SUNLIGHT RESISTANCE OF INSULATION MATERIALS			
	6.3.1	Qualification	20	
	6.3.2	Sunlight Resistance	20	