

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 2: Equipment protection by pressurized enclosure "p"**

**Atmosphères explosives –
Partie 2: Protection du matériel par enveloppe à surpression interne "p"**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 2: Equipment protection by pressurized enclosure "p"**

**Atmosphères explosives –
Partie 2: Protection du matériel par enveloppe à surpression interne "p"**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XB

ICS 29.260.20

ISBN 978-2-8322-1746-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	14
1 Scope.....	15
2 Normative references	15
3 Terms and definitions	16
4 Protection levels	18
5 Constructional requirements for pressurized enclosures	21
5.1 Enclosure	21
5.2 Materials.....	21
5.3 Doors and covers.....	21
5.3.1 Group I pressurized enclosures	21
5.3.2 Group I pressurized enclosures with static pressurization	21
5.3.3 Group II and Group III pressurized enclosures	21
5.3.4 Group II and Group III pressurized enclosures with static pressurization.....	22
5.3.5 Group II and Group III Level of Protection “pxb”	22
5.3.6 Group II and Group III Door and Cover warning	22
5.4 Mechanical strength.....	22
5.5 Group I and Group II Apertures, partitions, compartments and internal components	22
5.6 Apertures for Static Pressurization.....	23
5.7 Insulating materials for Group I equipment.....	23
5.8 Sealing	23
5.9 Spark and particle barriers	23
5.10 Cells and batteries	24
6 Temperature limits.....	24
6.1 General.....	24
6.2 For Level of Protection “pxb” or Level of Protection “pyb”	24
6.3 For Level of Protection “pzc”	24
7 Safety provisions and safety devices (except for static pressurization)	24
7.1 Suitability of safety devices for hazardous area	24
7.2 Integrity of safety devices	24
7.3 Provider of safety devices	25
7.4 Pressurization System evaluated as associated equipment.....	25
7.4.1 Pressurization systems for Level of Protection “pzc”	25
7.4.2 Pressurization systems for Level of Protection “pyb”	26
7.4.3 Pressurization systems for Level of Protection “pxb”	26
7.5 Sequence diagram for Level of Protection “pxb”	26
7.6 Ratings for safety devices	26
7.7 Group I and Group II Purging automated for Level of Protection “pxb”	26
7.8 Group I or Group II – Purging criteria	27
7.9 Group III – Cleaning.....	27
7.10 Requirements when a minimum flow rate required	27
7.11 Safety devices to detect minimum overpressure.....	27
7.12 Value of minimum overpressure	28
7.13 Pressurizing multiple enclosures.....	29
7.14 Safety devices on doors and covers.....	29

7.15	Equipment that may remain energized	29
7.16	Equipment permitted within Level of Protection “pyb”	29
8	Safety provisions and safety devices for static pressurization	30
8.1	Suitability of safety devices for hazardous area	30
8.2	Protective gas	30
8.3	Internal sources of release	30
8.4	Group I and Group II Filling procedure	30
8.5	Group III Filling Procedure	30
8.6	Safety devices	30
8.7	Equipment that may remain energized	30
8.8	Overpressure	30
9	Supply of protective gas	31
9.1	Backup supply	31
9.2	Independent supplies	31
9.3	Type of gas	31
9.4	Temperature	31
10	Pressurized equipment with an internal source of release	31
11	Release conditions	31
11.1	No release	31
11.2	Limited release of a gas or vapour	32
11.3	Limited release of a liquid	32
12	Design requirements for the containment system	32
12.1	General design requirements	32
12.2	Infallible containment system	32
12.3	Containment system with a limited release	33
13	Protective gas and pressurizing techniques when there is an internal source of release	33
13.1	General	33
13.2	Pressurization with leakage compensation	34
13.2.1	No release	34
13.2.2	Limited release of a gas or liquid	34
13.3	Pressurization with dilution	34
13.3.1	General	34
13.3.2	No release	34
13.3.3	Limited release of a gas or vapour	35
13.3.4	Limited release of a liquid	35
14	Ignition-capable equipment	35
15	Internal hot surfaces	35
16	Type verification and tests	36
16.1	Determining the maximum overpressure rating	36
16.2	Maximum overpressure test	36
16.3	Leakage test	36
16.3.1	Other than static pressurization	36
16.3.2	Static pressurization	36
16.4	Purging test for pressurized enclosures with no internal source of release and filling procedure test for static pressurization	37
16.4.1	General	37
16.4.2	Pressurized enclosure where the protective gas is air	37

16.4.3	Pressurized enclosure where the protective gas is inert.....	37
16.4.4	Pressurized enclosure where the protective gas may be either air or an inert gas with a density equal to air ± 10 %	37
16.4.5	Filling procedure test for a pressurized enclosure protected by static pressurization	37
16.5	Purging and dilution tests for a pressurized enclosure with an internal source of release.....	37
16.5.1	Test gas	37
16.5.2	Pressurized enclosure where the flammable substance has less than 2 % (V/V) oxygen and the protective gas is inert.....	38
16.5.3	Pressurized enclosure with pressurization by continuous flow, containment system with less than 21 % (V/V) oxygen and the protective gas is inert	38
16.5.4	Pressurized enclosure where the flammable substance is not a liquid, pressurization by continuous flow and the protective gas is air	39
16.6	Verification of minimum overpressure	39
16.7	Tests for an infallible containment system.....	40
16.7.1	Overpressure test	40
16.7.2	Infallibility test	40
16.8	Overpressure test for a containment system with a limited release.....	40
17	Routine tests	40
17.1	Functional test	40
17.2	Leakage test	40
17.3	Tests for an infallible containment system.....	40
17.4	Test for a containment system with a limited release	40
18	Marking	40
18.1	General.....	40
18.2	Identifying as pressurized	41
18.3	Supplementary marking	41
18.4	Internal source of release	41
18.5	Static pressurization	41
18.6	Pressurization systems	41
18.7	Warnings required in other clauses	42
18.8	Overpressure limited by user	42
18.9	Inert gas	42
19	Instructions.....	43
Annex A (normative)	Purging and dilution tests	44
A.1	General.....	44
A.2	Criteria for compliance where the protective gas is air	44
A.3	Criteria for compliance where the protective gas is inert	44
Annex B (informative)	Examples of functional sequence diagram.....	45
Annex C (informative)	Examples of the changes in pressure in ducts and enclosures	47
Annex D (informative)	Information to be provided to the user	52
D.1	General.....	52
D.2	Ducting of protective gas	52
D.2.1	Location of inlet	52
D.2.2	Ducting between pressurized enclosure and inlet	52
D.2.3	Outlets for protective gas.....	52
D.2.4	Additional purge time to account for ducting	53

D.2.5	Temperature of protective gas at the inlet.....	53
D.3	Power for protective gas supply	53
D.4	Static pressurization	53
D.5	Enclosures with a containment system.....	53
D.6	Enclosure maximum overpressure	53
Annex E (normative)	Classification of the type of release within enclosures	54
E.1	General.....	54
E.2	No normal release, no abnormal release	54
E.3	No normal release, limited abnormal release.....	54
E.4	Limited normal release.....	54
Annex F (informative)	Examples for the use of the dilution area concept.....	55
Annex G (normative)	Internal Cells and Batteries for Level of Protection “pxb” and Level of Protection “pyb”.....	57
G.1	General Requirements	57
G.1.1	General	57
G.1.2	Accepted Electrochemical Systems	57
G.1.3	Secondary cells and secondary batteries	57
G.1.4	Mechanical Protection	57
G.2	Electrical Protection by energy limiting circuits.....	58
G.2.1	Assessing as energy limited	58
G.2.2	Protective Components.....	58
G.2.3	Preventing excessive gas pressure.....	58
G.3	Additional requirements for Primary batteries.....	59
G.3.1	Prevention of reverse charging.	59
G.3.2	Prevention of accidental charging of primary batteries	59
G.4	Additional requirements for secondary batteries.....	60
G.4.1	Charging of secondary batteries inside the pressurized housing	60
G.5	Specific requirements for Inherently Safe (IhS) cells and batteries	60
G.6	Equipment located inside a pressurized enclosure connected to a battery which is also located inside the pressurized enclosure and not disconnected in the event of loss of pressurization	61
G.6.1	General	61
G.6.2	Circuit Isolation.....	61
G.6.3	Intrinsically safe battery or inherently safe battery used with “Ex” equipment.....	61
G.6.4	Intrinsically Safe or Inherently Safe battery with non-“Ex” equipment.....	61
G.7	Supplementary marking and constructional requirements for pressurized enclosures containing one or more cells or batteries	63
G.7.1	General	63
G.7.2	Battery removal warning	63
G.7.3	Batteries requiring routine maintenance.....	63
G.8	Type tests	63
G.8.1	Voltage	63
G.8.2	Short circuit test for an Inherently Safe Cell or Battery.....	63
G.8.3	Full load test for other than Inherently safe batteries	63
Annex H (normative)	Internal Cells and Batteries for Level of Protection “pzc”	64
H.1	General Requirements	64
H.1.1	General	64
H.1.2	Accepted Electrochemical Systems	64

H.1.3	Secondary cells and secondary batteries	64
H.1.4	Mechanical Protection	64
H.2	Equipment located inside a pressurized enclosure connected to a battery which is also located inside the pressurized enclosure and is not disconnected when power is removed from the enclosure.	65
H.3	Supplementary marking and constructional requirements for pressurized enclosures containing one or more cells or batteries	65
H.3.1	General	65
H.3.2	Battery removal warning	65
H.3.3	Batteries requiring routine maintenance.....	65
	Bibliography.....	66
	Figure B.1 – State diagram of a leakage-compensation purge control system	45
	Figure C.1 – Protective gas outlet.....	48
	Figure C.2 – Pressurized enclosures with leakage compensation, enclosures without moving parts	49
	Figure C.3 – Pressurized enclosures with leakage compensation, rotating electrical machine with an internal cooling fan	50
	Figure C.4 – Pressurized enclosure with a leakage compensation, rotating electrical machine with an external cooling fan	51
	Figure F.1 – Diagram showing the use of the dilution area concept to simplify the purge and dilution test requirements	55
	Figure F.2 – Diagram showing the use of the infallible containment system concept to simplify the purging and dilution requirements around ICE.....	56
	Figure F.3 – Diagram showing the use of internal partitions around the potential source of release to simplify the purging and dilution requirements around ICE located outside the partitions.....	56
	Figure G.1 – Reverse charging protection	59
	Figure G.2 – Accidental charging protection.....	59
	Table 1 – Determination of protection level	19
	Table 2 – Design criteria based upon level of protection	20
	Table 3 – Safety devices based upon Level of Protection.....	25
	Table 4 – Protective gas requirements for a pressurized enclosure with a containment system.....	34
	Table 5 – Equipment Protection Levels permitted within the dilution area based upon the Level of Protection of the pressurized enclosure	35
	Table 6 – Text of warning markings	42
	Table B.1 – Truth table of a leakage-compensation purge control system	45

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –**Part 2: Equipment protection by pressurized enclosure "p"**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-2 has been prepared by technical committee 31: Explosive atmospheres.

This sixth edition cancels and replaces the fifth edition published in 2007. This sixth edition cancels and replaces the first edition of IEC 61241-4 published in 2001. This sixth edition constitutes a technical revision.

The significance of changes between IEC 60079-2, Edition 6.0, 2014 and IEC 60079-2, Edition 5.0, 2007 are as listed below:

Changes	Clause	Type		
		Minor and Editorial Changes	Extension	Major Technical Changes
Scope Expanded to include combustible dust	1		X	
Protective Gas Replaced “apparatus” with “equipment”	3			
Protective Gas Revised to show that purging is not required for explosive dust atmospheres	3.16	X		
Level of Protection “pxb” Term and definitions revised to reflect EPL and level of protection	3.21	X		
Level of Protection “pyb” Term and definitions revised to reflect EPL and level of protection	3.22	X		
Level of Protection “pzc” Term and definitions revised to reflect EPL and level of protection	3.23	X		
Lower Flammable Limit Term and definition revised to agree with 60079-0	3.26	X		
Upper Flammable Limit Term and definition revised to agree with 60079-0	3.27	X		
Table 1 – Determination of protection level Revised to use EPL terminology	Table 1	X		
Table 2 – Design Criteria based upon level of protection Revised to use EPL terminology	Table 2	X		
Enclosure Requirements relaxed for specific designs	5.1		X	
Group II and Group III pressurized enclosures Text revised to use EPL terminology	5.3.3	X		
Group II and Group III Level of Protection “pxb” Added that warning also applies for explosive dust atmospheres	5.3.5		X	
Group II and Group III door and cover warning Added that warning also applies for explosive dust atmospheres	5.3.6		X	
Group II and Group III door and cover warning Revised warning from atmosphere “may be present” to “is present”	5.3.6	X		
Mechanical Strength Removed reference to 60079-0 by clause number for “X” condition	5.4	X		
Spark and particle barriers Removed reference to 60079-0 by clause number for “X” condition	5.9	X		
Cells and batteries Added requirements for cells and batteries	5.10			C1
For Level of Protection “pxb” or Level of Protection “pyb” Revised Table to use terminology consistent with EPLs	6.2	X		

Changes	Clause	Type		
		Minor and Editorial Changes	Extension	Major Technical Changes
Suitability of safety devices for hazardous area Word “explosion” changed to “ignition” to reflect UFL/LFL terms	7.1	X		
Integrity of safety devices Added requirement for detecting fan failure	7.2			C2
Table 3 – Safety devices based upon Level of Protection Revised column labels to use Level of Protection terminology	Table 3	X		
Provider of safety devices Remove reference to 60079-0 by clause number for “X” condition	7.3	X		
Pressurization System evaluated as associated equipment Added requirements for pressurization systems	7.4			C3
Sequence diagram for Level of Protection “pxb” Revised text to use Level of Protection terminology	7.5	X		
Group I and Group II purging automated for Level of Protection “pxb” Revised text to use Level of Protection terminology	7.7	X		
Group I and Group II purging automated for Level of Protection “pxb” Added text specifying that for “pxb”, control must be automated	7.7			C4
Group I or Group II – purging criteria Revised text to use Level of Protection terminology	7.8	X		
Group III – cleaning Added text for cleaning enclosures used in explosive dust atmospheres	7.9		X	
Safety devices to detect minimum overpressure Add word “minimum” to clause title to be consistent with text	7.11	X		
Safety devices to detect minimum overpressure Revised text to use Level of Protection terminology	7.11 d)	X		
Value of minimum overpressure Added word “minimum” to clause title to be consistent with text	7.12	X		
Value of minimum overpressure Revised text to use Level of Protection terminology	7.12	X		
Value of minimum overpressure Added text to reflect a note in Annex C	7.12		X	
Pressurizing multiple enclosures Revised text to use Level of Protection terminology	7.13	X		
Safety devices on doors and covers Revised text to use Level of Protection terminology	7.14	X		
Equipment that may remain energized Revised text to use EPL and level of protection terminology	7.15	X		
Equipment permitted within Level of Protection “pyb” Revised text to use EPL and level of protection terminology	7.16	X		
Group I and Group II Filling procedure Allow filling in a hazardous location if tested as non-hazardous	8.4		X	