

# PUBLICLY AVAILABLE SPECIFICATION

## PRE-STANDARD

---

**Connectors for electrical and electronic equipment – Product requirements –  
Part 2-010: Circular connectors – Detail specification for push-pull connectors  
with locking mechanism, based on mating interfaces according to  
IEC 61076-2-101, IEC 61076-2-109, IEC 61076-2-111 and IEC 61076-2-113**

This is a preview. [Click here to purchase the full publication.](#)



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

# PUBLICLY AVAILABLE SPECIFICATION

## PRE-STANDARD

---

**Connectors for electrical and electronic equipment – Product requirements –  
Part 2-010: Circular connectors – Detail specification for push-pull connectors  
with locking mechanism, based on mating interfaces according to  
IEC 61076-2-101, IEC 61076-2-109, IEC 61076-2-111 and IEC 61076-2-113**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 31.220.10

ISBN 978-2-8322-8549-7

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms and definitions .....	10
4 Technical information .....	10
4.1 System of levels.....	10
4.1.1 Performance levels .....	10
4.1.2 Compatibility levels, according to IEC 61076-1 .....	10
4.2 Classification into climatic categories.....	11
4.3 Contact terminations .....	11
4.4 Available connector codings.....	11
4.5 Ratings .....	12
4.6 Marking.....	12
4.7 Safety aspects .....	12
5 Dimensional information .....	12
5.1 General.....	12
5.2 Survey of styles and variants .....	12
5.2.1 General .....	12
5.2.2 Fixed connectors .....	12
5.2.3 Free connectors.....	19
5.3 Interface dimension .....	28
5.3.1 Outer push-pull locking: male fixed connector side view .....	28
5.3.2 Outer push-pull locking: female fixed connector side view with details and engage-plane definition for male free cable connectors type 1 and 2 .....	28
5.3.3 Inner push-pull locking: female fixed connector side view and male free connector side view with details for both.....	31
5.4 Gauges .....	33
6 Characteristics .....	34
6.1 Classification into climatic category .....	34
6.2 Electrical characteristics .....	34
6.2.1 Voltage proof.....	34
6.2.2 Rated voltage – Rated impulse voltage – Pollution degree.....	34
6.2.3 Current-carrying capacity.....	34
6.2.4 Contact resistance .....	34
6.2.5 Insulation resistance.....	35
6.2.6 Transmission performance.....	35
6.3 Mechanical characteristics .....	35
6.3.1 Mating interface.....	35
6.3.2 Push-pull locking mechanism.....	36
6.4 Other characteristics .....	37
6.4.1 Vibration (sinusoidal) .....	37
6.4.2 Shock .....	37
6.4.3 Degree of protection provided by enclosures (IP-code).....	37
7 Test schedule .....	37
7.1 General.....	37
7.2 Test schedule .....	38

7.2.1	Test group P – Preliminary .....	38
7.2.2	Test group AP – Dynamic/climatic .....	38
7.2.3	Test group BP – Mechanical endurance .....	38
7.2.4	Test group CP – Electrical load .....	39
7.2.5	Test group DP – Chemical resistivity .....	39
7.2.6	Test group EP – Connection method tests .....	39
7.2.7	Test group FP – Electrical transmission requirements .....	39
Annex A (informative) Diameter of the female connector body .....		40
Bibliography .....		41

Figure 1 – Tube insert, male contacts, mounting without thread (thread on tube) and without outer push-pull locking .....	13
Figure 2 – Fixed connector, male contacts, mounting with thread M12 × 1 and outer push-pull locking, square flange front mounting .....	14
Figure 3 – Fixed connector, male contacts, mounting with thread M12 × 1 and outer push-pull locking, with wire ends, single hole front mounting thread M16 × 1,5 .....	14
Figure 4 – Fixed connector, male contacts, mounting with thread M12 × 1 and outer push-pull locking, with wire ends, single hole front mounting thread M20 × 1,5 .....	15
Figure 5 – Fixed connector, female contacts, mounting with thread M12 × 1 and outer push-pull locking, with wire ends, single hole front mounting thread M16 × 1,5 .....	15
Figure 6 – Fixed connector, female contacts, mounting with thread M12 × 1 and outer push-pull locking, with wire ends, single hole front mounting thread M20 × 1,5 .....	16
Figure 7 – Fixed connector, female contacts, mounting with thread M12 × 1 and outer push-pull locking, with wire ends, single hole front mounting thread M16 × 1,5 and mounting orientation .....	16
Figure 8 – Fixed connector, female contacts, mounting with thread M12 × 1 and outer push-pull locking, with wire ends, single hole rear mounting thread M16 × 1,5 .....	17
Figure 9 – Fixed connector, female contacts, mounting with thread M12 × 1 and inner push-pull locking, with wire ends, single hole front mounting thread M16 × 1,5 .....	17
Figure 10 – Fixed connector, female contacts, mounting with thread M12 × 1 and inner push-pull locking, with wire ends, single hole front mounting thread M20 × 1,5 .....	18
Figure 11 – Fixed connector, female contacts, mounting with thread M12 × 1 and inner push-pull locking, with wire ends, single hole front mounting thread M16 × 1,5 and mounting orientation .....	18
Figure 12 – Fixed connector, female contacts, mounting with thread M12 × 1 and inner push-pull locking, with wire ends, single hole rear mounting thread M16 × 1,5 .....	19
Figure 13 – Rewireable connector, male contacts, straight version, with outer push-pull locking .....	20
Figure 14 – Rewireable connector, male contacts, angled version, with outer push-pull locking .....	20
Figure 15 – Non-rewireable connector, male contacts, straight version, with outer push-pull locking .....	21
Figure 16 – Non-rewireable connector, male contacts, angled version, with outer push-pull locking .....	22
Figure 17 – Rewireable connector, female contacts, straight version, with outer push-pull locking .....	22
Figure 18 – Rewireable connector, female contacts, angled version, with outer push-pull locking .....	23
Figure 19 – Non-rewireable connector, female contacts, straight version, with outer push-pull locking .....	24

Figure 20 – Non-rewireable connector, female contacts, angled version, with outer push-pull locking.....	25
Figure 21 – Rewireable connector, male contacts, straight version, with inner push-pull locking.....	25
Figure 22 – Rewireable connector, male contacts, angled version, with inner push-pull locking.....	26
Figure 23 – Non-rewireable connector, male contacts, straight version, with inner push-pull locking.....	27
Figure 24 – Non-rewireable connector, male contacts, angled version, with inner push-pull locking.....	27
Figure 25 – Outer push-pull locking: male fixed connector side view.....	28
Figure 26 – Outer push-pull locking: female fixed connector side view with details and engage-plane definition for male free cable connector.....	30
Figure 27 – Inner push-pull-locking: female fixed connector side view and male free connector side view with details for both.....	32
Figure A.1 – Diameter of the female connector body.....	40
Table 1 – Available connector codings.....	11
Table 2 – Styles of fixed connectors.....	13
Table 3 – Styles of free connectors.....	19
Table 4 – Dimensions of style JM-OP, Figure 13.....	20
Table 5 – Dimensions of style KM-OP, Figure 14.....	21
Table 6 – Dimensions of style LM-OP, Figure 15.....	21
Table 7 – Dimensions of style MM-OP, Figure 16.....	22
Table 8 – Dimensions of style JF-OP, Figure 17.....	23
Table 9 – Dimensions of style KF-OP, Figure 18.....	23
Table 10 – Dimensions of style LF-OP, Figure 19.....	24
Table 11 – Dimensions of style MF-OP, Figure 20.....	25
Table 12 – Dimensions of style JM-IP, Figure 21.....	26
Table 13 – Dimensions of style KM-IP, Figure 22.....	26
Table 14 – Dimensions of style LM-IP, Figure 23.....	27
Table 15 – Dimensions of style MM-OP, Figure 24.....	27
Table 16 – Dimensions of fixed connector with push-pull housing and male contacts.....	28
Table 17 – Dimensions for Figure 17.....	30
Table 18 – Dimensions for Figure 27.....	33
Table 19 – Climatic category.....	34
Table 20 – Insertion and withdrawal forces for the locking mechanism.....	36
Table 21 – Number of test specimens.....	38
Table 22 – Test group BP.....	39
Table A.1 – Diameter of the female connector body, dimension X.....	40