

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –
Part 5-1: Control circuit devices and switching elements – Electromechanical
control circuit devices**

**Appareillage à basse tension –
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –
Appareils électromécaniques pour circuits de commande**



This is a preview. Click here to purchase the full publication.



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

This is a preview. Click here to purchase the full publication.



IEC 60947-5-1

Edition 4.0 2016-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –
Part 5-1: Control circuit devices and switching elements – Electromechanical
control circuit devices**

**Appareillage à basse tension –
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –
Appareils électromécaniques pour circuits de commande**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.40; 29.130.20

ISBN 978-2-8322-3325-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

® Registered trademark of
Marque déposée de la C

This is a preview. Click [here](#) to purchase the full publication.

CONTENTS

FOREWORD.....	9
1 General	11
1.1 Scope and object	11
1.2 Normative references	12
2 Terms and definitions	14
2.1 Basic terms and definitions.....	16
2.2 Control switches.....	17
2.3 Parts of control switches	20
2.4 Operation of control switches	22
2.4.1 Operation of contactor relays	22
2.4.2 Operation of pilot switches	22
2.4.3 Operation of rotary switches.....	23
2.4.4 Operation of mechanically operated control switches	24
3 Classification.....	25
3.1 Contact elements	25
3.2 Control switches.....	25
3.3 Control circuit devices	25
3.4 Time delay switching elements	25
3.5 Control switch mounting	25
4 Characteristics	25
4.1 Summary of characteristics	25
4.1.1 General	25
4.1.2 Operation of a control switch	26
4.2 Type of control circuit device or switching element.....	26
4.2.1 Kind of control circuit device.....	26
4.2.2 Kind of switching elements	26
4.2.3 Number of poles.....	26
4.2.4 Kind of current	26
4.2.5 Interrupting medium	27
4.2.6 Operating conditions	27
4.3 Rated and limiting values for switching elements	27
4.3.1 General	27
4.3.2 Rated voltages (of a switching element).....	27
4.3.3 Currents	28
4.3.4 Rated frequency.....	28
4.3.5 Vacant	28
4.3.6 Normal and abnormal load characteristics	28
4.3.7 Short-circuit characteristics	28
4.4 Utilization categories for switching elements	28
4.5 Vacant	29
4.6 Vacant	29
4.7 Vacant	29
4.8 Vacant	29
4.9 Vacant	29
4.10 Electrically separated contact elements	29
4.11 Actuating quantities for pilot switches	29

4.12 Pilot switches having two or more contact elements	29
5 Product information	29
5.1 Nature of information.....	29
5.2 Marking.....	30
5.2.1 General	30
5.2.2 Terminal identification and marking	30
5.2.3 Functional markings	31
5.2.4 Emergency stop	31
5.2.5 Operating diagram	31
5.2.6 Time delay markings	31
5.3 Instructions for installation, operation and maintenance	31
5.4 Additional information.....	32
6 Normal service, mounting and transport conditions.....	32
6.3.1 Mounting of single hole mounted devices.....	32
7 Constructional and performance requirements.....	33
7.1 Constructional requirements	33
7.1.1 General	33
7.1.2 Materials.....	33
7.1.3 Current-carrying parts and their connections.....	34
7.1.4 Clearances and creepage distances	34
7.1.7 Conditions for control switches suitable for isolation	35
7.1.8 Terminals.....	35
7.1.14 Class II control circuit devices	35
7.1.15 Requirements for control devices with integrally connected cables	35
7.2 Performance requirements	35
7.2.3 Dielectric properties	35
7.2.4 Ability to make and break under normal and abnormal load conditions	35
7.2.5 Conditional short-circuit current.....	36
7.2.6 Vacant.....	36
7.2.7 Additional requirements for control switches suitable for isolation.....	36
7.2.8 Maximum recovery time	36
7.3 Electromagnetic compatibility (EMC).....	36
7.3.1 General	36
7.3.2 Immunity.....	37
7.3.3 Emission.....	38
8 Tests.....	43
8.1 Kinds of test.....	43
8.1.1 General	43
8.1.2 Type tests.....	43
8.1.3 Routine tests	43
8.1.4 Sampling tests	44
8.1.5 Special tests	44
8.2 Compliance with constructional requirements.....	44
8.2.1 Materials.....	44
8.2.2 Equipment	44
8.2.3 Enclosures for equipment.....	45
8.2.4 Mechanical and electrical properties of terminals	45
8.2.5 Verification of actuating force (or moment).....	46

8.2.6	Verification of limitation of rotation (of a rotary switch)	46
8.2.7	Conduit pull-out test, torque test and bending test with metallic conduits	46
8.3	Performance	46
8.3.1	Test sequences.....	46
8.3.2	General test conditions	47
8.3.3	Performance under no-load, normal load and abnormal load conditions.....	48
8.3.4	Performance under conditional short-circuit current	51
8.4	Tests for EMC	52
8.4.1	General	52
8.4.2	Immunity.....	52
8.4.3	Emission.....	53
8.4.4	Test results and test report.....	53
Annex A (normative)	Electrical ratings based on utilization categories (see 3.1)	61
Annex B (normative)	Example of inductive test loads for d.c. contacts.....	63
B.1	General.....	63
B.2	Construction	63
Annex C (normative)	Special tests – Durability tests	65
C.1	General.....	65
C.1.1	Durability declaration	65
C.1.2	Test procedures	65
C.1.3	Failure criteria.....	66
C.2	Mechanical durability.....	66
C.2.1	General	66
C.2.2	Test procedures	66
C.3	Electrical durability	66
C.3.1	General	66
C.3.2	Test procedures	66
Annex D Vacant.....	69	
Annex E (normative)	Items subject to agreement between manufacturer and user	70
Annex F (normative)	Class II control circuit devices insulated by encapsulation Requirements and tests	71
F.1	General.....	71
F.2	Terms and definitions	71
F.5	Marking.....	71
F.7	Instructional and functional requirements	72
F.7.1	Choice of compound	72
F.7.2	Adhesion of the compound	72
F.7.3	Dielectric properties	72
F.8	Tests	72
F.8.1	Kind of tests.....	72
Annex G (normative)	Additional requirements for control circuit devices with integrally connected cables.....	75
G.1	General.....	75
G.2	Terms and definitions	75
G.7	Constructional and performance requirements	75
G.7.1	Constructional requirements.....	75
G.7.2	Performance requirements	76
G.8	Tests	76

G.8.1	General	76
G.8.2	Type tests.....	76
G.8.3	Results to be obtained	77
Annex H (normative)	Additional requirements for semiconductor switching elements for control circuit devices	78
H.1	General.....	78
H.2	Terms and definitions	78
H.3	Classification	78
H.3.1	Semiconductor switching elements	78
H.4	Characteristics	78
H.4.1	Rated voltage	78
H.4.2	Utilization categories.....	79
H.5	Product information	79
H.7	Constructional and performance requirements	79
H.7.1	Performance requirements	79
H.7.2	Ability to make under abnormal and normal conditions	80
H.7.3	Conditional short-circuit current.....	80
H.7.4	Electromagnetic compatibility (EMC)	80
H.8	Tests	80
H.8.1	Type tests.....	80
H.8.2	Voltage drop (U_d).....	80
H.8.3	Minimum operational current (I_m)	81
H.8.4	OFF-state current (I_f)	81
H.8.5	Making and breaking capacities.....	81
H.8.6	Performance under short-circuit current conditions	81
H.8.7	Verification of electromagnetic compatibility.....	82
Annex J (normative)	Special requirements for indicator lights and indicating towers	84
J.1	General.....	84
J.2	Terms and definitions	84
J.3	Classification	84
J.4	Characteristics	85
J.4.1	Rated operational voltage of an indicator light	85
J.4.2	Rated thermal power of an indicator light.....	85
J.4.3	Rated values of the lamp.....	85
J.5	Product information	85
J.6	Normal service, mounting and transport conditions	85
J.7	Constructional and performance requirements	86
J.8	Tests	86
J.8.3	Tests for indicator lights and indicating towers.....	86
J.8.4	Shock and vibration	88
J.8.5	Degree of protection for indicating towers	89
Annex K (normative)	Special requirements for control switches with direct opening action	90
K.1	General.....	90
K.2	Terms and definitions	90
K.3	Classification	90
K.4	Characteristics	91
K.4.4	Utilization categories for switching elements	91
K.5	Product information	91

K.5.2	Marking	91
K.5.4	Additional information	91
K.6	Normal service, mounting and transport conditions	92
K.7	Constructional and performance requirements	92
K.8	Tests	93
Annex L (normative)	Special requirements for mechanically linked contact elements	96
L.1	General.....	96
L.2	Terms and definitions	96
L.3	Classification	96
L.4	Characteristics	96
L.5	Product information	96
L.6	Normal service, mounting and transport conditions	97
L.7	Constructional and performance requirements	97
L.8	Tests	97
L.8.4	Special test for mechanically linked contact elements	98
Annex M (normative)	Terminal marking, distinctive number and distinctive letter for control circuit devices	99
M.1	Scope	99
M.2	Terminal marking rule.....	99
M.2.1	General	99
M.2.2	Function digit.....	99
M.2.3	Sequence digit.....	99
M.2.4	Numbering method.....	100
M.3	Distinctive number and distinctive letter	100
M.3.1	General	100
M.3.2	Distinctive number	100
M.3.3	Distinctive letter	100
M.4	Terminal numbering sequence	100
M.5	Contactor relays designated by the distinctive letter E	101
M.6	Contactor relays designated by distinctive letters X, Y or Z	103
M.6.1	Contactor relays designated by the distinctive letter Z.....	103
M.6.2	Contactor relays designated by the distinctive letter X	103
M.6.3	Contactor relays designated by the distinctive letter Y	103
Annex N (normative)	Procedure to determine reliability data for electromechanical devices in control circuits used in functional safety applications	104
N.1	General.....	104
N.1.1	Overview	104
N.1.2	Scope and object	104
N.1.3	General requirements.....	104
N.2	Terms, definitions and symbols	104
N.3	Method based on durability test results	104
N.3.1	General method	104
N.3.2	Test requirements	104
N.3.3	Number of samples	105
N.3.4	Characterization of a failure mode	105
N.3.5	Weibull modelling	105
N.3.6	Useful life and upper limit of failure rate	105
N.3.7	Reliability data	105
N.4	Data information.....	105

N.5 Example	105
Bibliography	106
Figure 1 – Examples of the recommended method for drawing an operating diagram of a rotary switch	55
Figure 2 – Operation of push-buttons	56
Figure 3 – Difference e between the over-travel of the actuator and that of the contact element	56
Figure 4 – Examples of contact elements (schematic sketches)	57
Figure 5 – Test circuits for multi-pole control switches – Contacts of same polarity, not electrically separated	58
Figure 6 – Test circuits for multi-pole control switches – Contacts of opposite polarity, and electrically separated	58
Figure 7 – Load L_d details for test conditions requiring different values of make and break current and/or power factor (time constant)	59
Figure 8 – Test circuit, conditional short-circuit current (see 8.3.4.2)	59
Figure 9 – Current/time limits for d.c. test loads (see 8.3.3.5.4)	60
Figure 10 – Voltage drop measurement at contact point of the clamping unit or terminal.....	60
Figure B.1 – Construction of load for d.c. contacts	64
Figure C.1 – Normal circuit (see C.3.2.2)	68
Figure C.2 – Simplified circuit (see C.3.2.2)	68
Figure F.1 – Insulation by encapsulation	72
Figure F.2 – Test apparatus	73
Figure H.1 – Relationship between U_e and U_B	79
Figure H.2 – Example of test circuit for the verification of voltage drop, minimum operational current and OFF-state current (see H.8.2, H.8.3 and H.8.4)	81
Figure H.3 – Short-circuit testing (see H.8.6.1)	82
Figure J.1 – Mounting dimensions for indicating tower socket	86
Figure J.2 – Mounting dimensions for temperature rise tests	87
Figure K.1 – Verification of robustness of the actuating system	95
Figure L.1 – Example of representation of NO and NC contacts which are mechanically linked and NC non-linked contact	97
Figure L.2 – Symbol for device containing mechanically linked contacts	97
Table 1 – Utilization categories for switching elements	29
Table 2 – Mounting hole diameter and dimensions of the key recess (if any)	32
Table 3 – Preferred minimum distances between centres of mounting holes	33
Table 4 – Verification of making and breaking capacities of switching elements under normal conditions corresponding to the utilization categories	39
Table 5 – Verification of making and breaking capacities of switching elements under abnormal conditions corresponding to the utilization categories	40
Table 6 – Test conditions for glow-wire test	40
Table 7 – Acceptance criteria	41
Table 8 – Immunity tests	42
Table 9 – Test values for electrical performance and ageing test of screwless-type clamping units	54

Table A.1 – Examples of contact rating designation based on utilization categories.....	61
Table A.2 – Examples of semiconductors switching element ratings for 50 Hz and/or 60 Hz	62
Table A.3 – Examples of semiconductors switching element ratings for d.c.	62
Table B.1 – DC loads.....	64
Table C.1 – Making and breaking conditions for electrical durability	67
Table M.1 – Diagrams of control switches.....	101
Table M.2 – Diagrams of contactor relays designated by the distinctive letter E.....	102
Table M.3 – Diagrams of contactor relays designated by the distinctive letter Y.....	103

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –**Part 5-1: Control circuit devices and switching elements –
Electromechanical control circuit devices****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-5-1 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This fourth edition cancels and replaces the third edition published in 2003 and its Amendment 1:2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of normative references;
- b) update and restructure of subclauses in 7.1;
- c) addition of material requirements and test;
- d) update of EMC requirements;