

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



**Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) –
Part 1: General rules**

**Interrupteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) –
Partie 1: Règles générales**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



**Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) –
Part 1: General rules**

**Interrupteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) –
Partie 1: Règles générales**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.50

ISBN 978-2-8322-1093-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE



**Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) –
Part 1: General rules**

**Interrupteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) –
Partie 1: Règles générales**

This is a preview. [Click here to purchase the full publication.](#)

CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope	13
2 Normative references	14
3 Terms and definitions	15
3.1 Definitions relating to currents flowing from live parts to earth	15
3.2 Definitions relating to the energization of a residual current circuit-breaker	16
3.3 Definitions relating to the operation and functions of residual current circuit-breakers	16
3.4 Definitions relating to values and ranges of energizing quantities.....	18
3.5 Definitions relating to values and ranges of influencing quantities	20
3.6 Definitions relating to terminals	21
3.7 Definitions relating to conditions of operation	22
3.8 Definitions relating to tests.....	23
3.9 Definitions relating to insulation coordination.....	23
4 Classification.....	25
4.1 According to the method of operation	25
4.1.1 RCCB functionally independent of line voltage (see 3.3.4)	25
4.1.2 RCCB functionally dependent on line voltage (see 3.3.5)	25
4.2 According to the type of installation.....	25
4.3 According to the number of poles and current paths	25
4.4 According to the possibility of adjusting the residual operating current	25
4.5 According to resistance to unwanted tripping due to voltage surges	25
4.6 According to behaviour in presence of d.c. components.....	26
4.7 According to time-delay (in presence of a residual current)	26
4.8 According to the protection against external influences.....	26
4.9 According to the method of mounting	26
4.10 According to the method of connection.....	26
4.11 According to the type of terminals	26
5 Characteristics of RCCBs	27
5.1 Summary of characteristics.....	27
5.2 Rated quantities and other characteristics	27
5.2.1 Rated voltage (U_N).....	27
5.2.2 Rated current (I_N).....	28
5.2.3 Rated residual operating current ($I_{\Delta N}$).....	28
5.2.4 Rated residual non-operating current ($I_{\Delta No}$)	28
5.2.5 Rated frequency	28
5.2.6 Rated making and breaking capacity (I_m)	28
5.2.7 Rated residual making and breaking capacity ($I_{\Delta m}$).....	28
5.2.8 RCCB type S	28
5.2.9 Operating characteristics in case of residual currents with d.c. components	28
5.3 Standard and preferred values	29
5.3.1 Preferred values of rated voltage (U_N)	29
5.3.2 Preferred values of rated current (I_N).....	29
5.3.3 Standard values of rated residual operating current ($I_{\Delta N}$)	29

5.3.4	Standard value of residual non-operating current ($I_{\Delta no}$)	29
5.3.5	Standard minimum value of non-operating overcurrent in case of a multiphase balanced load through a multipole RCCB (see 3.4.2.1)	30
5.3.6	Standard minimum value of the non-operating overcurrent in case of a single-phase load through a three-pole or four-pole RCCB (see 3.4.2.2)	30
5.3.7	Preferred values of rated frequency	30
5.3.8	Minimum value of the rated making and breaking capacity (I_m)	30
5.3.9	Minimum value of the rated residual making and breaking capacity ($I_{\Delta m}$)	30
5.3.10	Standard and preferred values of the rated conditional short-circuit current (I_{nc})	30
5.3.11	Standard values of the rated conditional residual short-circuit current ($I_{\Delta c}$)	30
5.3.12	Limit values of break time and non-actuating time for RCCB of type AC and A	31
5.3.13	Standard value of rated impulse withstand voltage (U_{imp})	32
5.4	Coordination with short-circuit protective devices (SCPDs)	32
5.4.1	General	32
5.4.2	Rated conditional short-circuit current (I_{nc})	33
5.4.3	Rated conditional residual short-circuit current ($I_{\Delta c}$)	33
6	Marking and other product information	33
7	Standard conditions for operation in service and for installation	35
7.1	Standard conditions	35
7.2	Conditions of installation	35
7.3	Pollution degree	36
8	Requirements for construction and operation	36
8.1	Mechanical design	36
8.1.1	General	36
8.1.2	Mechanism	36
8.1.3	Clearances and creepage distances (see Annex B)	38
8.1.4	Screws, current-carrying parts and connections	40
8.1.5	Terminals for external conductors	41
8.2	Protection against electric shock	44
8.3	Dielectric properties and isolating capability	44
8.4	Temperature-rise	45
8.4.1	Temperature-rise limits	45
8.4.2	Ambient air temperature	45
8.5	Operating characteristic	45
8.6	Mechanical and electrical endurance	45
8.7	Performance at short-circuit currents	45
8.8	Resistance to mechanical shock and impact	46
8.9	Resistance to heat	46
8.10	Resistance to abnormal heat and to fire	46
8.11	Test device	46
8.12	Requirements for RCCBs functionally dependent on line voltage	46
8.13	Behaviour of RCCBs in case of overcurrents in the main circuit	47
8.14	Behaviour of RCCBs in the case of current surges caused by impulse voltages	47

8.15	Behaviour of RCCBs in case of earth fault currents comprising a d.c. component	47
8.16	Reliability	47
8.17	Electromagnetic compatibility (EMC)	47
9	Tests	47
9.1	General	47
9.2	Test conditions	48
9.3	Test of indelibility of marking	49
9.4	Test of reliability of screws, current-carrying parts and connections	50
9.5	Tests of reliability of screw-type terminals for external copper conductors	51
9.6	Verification of protection against electric shock	53
9.7	Test of dielectric properties	53
9.7.1	Resistance to humidity	53
9.7.2	Insulation resistance of the main circuit	54
9.7.3	Dielectric strength of the main circuit	55
9.7.4	Insulation resistance and dielectric strength of auxiliary circuits	55
9.7.5	Secondary circuit of detection transformers	56
9.7.6	Capability of control circuits connected to the main circuit withstanding high d.c. voltages due to insulation measurements	56
9.7.7	Verification of impulse withstand voltages (across clearances and across solid insulation) and of leakage current across open contacts	57
9.8	Test of temperature-rise	62
9.8.1	Ambient air temperature	62
9.8.2	Test procedure	62
9.8.3	Measurement of the temperature of parts	62
9.8.4	Temperature rise of a part	62
9.9	Verification of the operating characteristics	63
9.9.1	Test circuit and test procedure	63
9.9.2	Off load tests with residual sinusoidal alternating currents at the reference temperature of 20 °C ± 5 °C Tests for all RCCBs	63
9.9.3	Additional verification of the correct operation with load at the reference temperature at residual currents with d.c. components for type A RCCBs	65
9.9.4	Tests at the temperature limits	66
9.9.5	Particular test conditions for RCCBs functionally dependent on line voltage	66
9.10	Verification of mechanical and electrical endurance	66
9.10.1	General test conditions	66
9.10.2	Test procedure	67
9.10.3	Condition of the RCCB after test	67
9.11	Verification of the behaviour of the RCCB under short-circuit conditions	67
9.11.1	List of the short-circuit tests	67
9.11.2	Short-circuit tests	68
9.12	Verification of resistance to mechanical shock and impact	77
9.12.1	Mechanical shock	77
9.12.2	Mechanical impact	77
9.13	Test of resistance to heat	80
9.14	Test of resistance to abnormal heat and to fire	81
9.15	Verification of the trip-free mechanism	82
9.15.1	General test conditions	82

9.15.2	Test procedure.....	82
9.16	Verification of the operation of the test device at the limits of rated voltage	82
9.17	Verification of the behaviour of RCCBs functionally dependent on line voltage, classified under 4.1.2.1, in case of failure of the line voltage	83
9.17.1	Determination of the limiting value of the line voltage (U_X)	83
9.17.2	Verification of the automatic opening in case of failure of the line voltage	83
9.17.3	Verification of the correct operation, in presence of a residual current, for RCCBs opening with delay in case of failure of the line voltage	83
9.17.4	Verification of the correct operation of RCCBs with three or four current paths, with a residual current, one line terminal only being energized.....	84
9.17.5	Verification of the reclosing function of automatically reclosing RCCBs	84
9.18	Verification of limiting values of the non-operating current under overcurrent conditions.....	84
9.18.1	Verification of the limiting value of overcurrent in case of a load through an RCCB with two current paths	84
9.18.2	Verification of the limiting value of overcurrent in case of a single phase load through a three-pole or four-pole RCCB	84
9.19	Verification of behaviour of RCCBs in case of current surges caused by impulse voltages.....	85
9.19.1	Current surge test for all RCCBs (0,5 μ s/100 kHz ring wave test)	85
9.19.2	Verification of behaviour at surge currents up to 3 000 A (8/20 μ s surge current test).....	85
9.20	Verification of resistance of the insulation against an impulse voltage-Void	86
9.21	Verification of correct operation of residual currents with d.c. components-Void	87
9.21.1	Type A residual current devices.....	87
9.22	Verification of reliability.....	88
9.22.1	Climatic test.....	88
9.22.2	Test with temperature of 40 °C	90
9.23	Verification of ageing of electronic components	90
9.24	Electromagnetic compatibility (EMC).....	91
9.24.1	Tests covered by the present standard	91
9.24.2	Additional tests	91
9.25	Test of resistance to rusting.....	91
Annex A (normative)	Test sequence and number of samples to be submitted for certification purposes.....	120
Annex B (normative)	Determination of clearances and creepage distances	127
Annex C (normative)	Arrangement for the detection of the emission of ionized gases during short-circuit tests.....	134
Annex D (normative)	Routine tests	137
Annex E (informative)	Void.....	138
Annex IA (informative)	Methods for determination of short-circuit power-factor	139
Annex IB (informative)	Glossary of symbols.....	140
Annex IC (informative)	Examples of terminal designs.....	141
Annex ID (informative)	Correspondence between ISO and AWG copper conductors	144
Annex IE (informative)	Follow-up testing program for RCCBs.....	145

Annex IF (informative) SCPDs for short-circuit tests	149
Annex J (normative) Particular requirements for RCCBs with screwless type terminals for external copper conductors	150
Annex K (normative) Particular requirements for RCCBs with flat quick-connect terminations.....	158
Annex L (normative) Specific requirements for RCCBs with screw-type terminals for external untreated aluminium conductors and with aluminium screw-type terminals for use with copper or with aluminium conductors	165
Bibliography	175
Figure 1 – Thread forming tapping screw (3.6.10).....	92
Figure 2 – Thread cutting tapping screw (3.6.11)	92
Figure 3 – Standard test finger (9.6).....	93
Figure 4 – Test circuit for the verification of – operating characteristics (9.9) – trip-free mechanism (9.15) – behaviour in case of failure of line voltage (9.17.3 and 9.17.4) for RCCBs functionally dependent on line voltage	94
Figure 5 – Test circuit for the verification of the correct operation of RCCBs in the case of residual pulsating direct currents.....	95
Figure 6 – Test circuit for the verification of the correct operation in case of residual pulsating direct currents in presence of a standing smooth direct current of 0,006 A.....	96
Figure 7 – Test circuit for the verification of the suitability of an RCCB for use in IT systems.....	98
Figure 7 – Typical diagram for all short circuit tests except for 9.11.2.3 c).....	99
Figure 8 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a single pole RCCB with two current paths (9.11)	100
Figure 8 – Typical diagram for short circuit tests according to 9.11.2.3 c).....	101
Figure 9 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a two-pole RCCB, in case of a single-phase circuit (9.11)	102
Figure 9 – Detail of impedances Z , Z_1 and Z_2	102
Figure 10 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a three-pole RCCB on three-phase circuit (9.11)Void	103
Figure 11 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a three-pole RCCB with four current paths on a three-phase circuit with neutral (9.11)Void	104
Figure 12 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a four-pole RCCB on a three-phase circuit with neutral (9.11)Void	105
Figure 13 – Test apparatus for the verification of the minimum I^2t and I_p values to be withstood by the RCCB (9.11.2.1 a))	106
Figure 14 – Mechanical shock test apparatus (9.12.1)	107
Figure 15 – Mechanical impact test apparatus (9.12.2.1)	108
Figure 16 – Striking element for pendulum impact test apparatus (9.12.2.1)	109
Figure 17 – Mounting support for sample for mechanical impact test (9.12.2.1)	110
Figure 18 – Example of mounting and unenclosed RCCB for mechanical impact test (9.12.2.1)	111

Figure 19 – Example of mounting of panel mounting type RCCB for the mechanical impact test (9.21.2.2.1)	112
Figure 20 – Application of force for mechanical test of rail mounted RCCB (9.12.2.2)	113
Figure 21 – Ball-pressure test apparatus (9.13.2)	113
Figure 22 – Test circuit for the verification of the limiting value of overcurrent in case of single-phase load through a three-pole RCCB (9.18.2)	114
Figure 23 – Current ring wave 0,5 µs/100 kHz	115
Figure 24 – Test circuit for the ring wave test at RCCBs	115
Figure 25 – Stabilizing period for reliability test (9.22.1.3).....	116
Figure 26 – Reliability test cycle (9.22.1.3)	117
Figure 27 – Example for test circuit for verification of ageing of electronic components (9.23)	118
Figure 28 – Surge current impulse 8/20 µs	118
Figure 29 – Test circuit for the surge current test at RCCBs.....	119
Figure 30 – Example of calibration record for short-circuit test (9.11.2.1 j) ii).....	119
Figure B.1 to B.10 – Illustrations of the application of creepage distances	131
Figure B.1 – Examples of methods of measuring creepage distances and clearances.....	133
Figure C.1 – Test arrangement.....	135
Figure C.2 – Grid	136
Figure C.3 – Grid circuit.....	136
Figure IC.1 – Examples of pillar terminals	141
Figure IC.2 – Examples of screw terminals and stud terminals	142
Figure IC.3 – Examples of saddle terminals.....	143
Figure IC.4 – Examples of lug terminals	143
Figure J.1 – Connecting samples	155
Figure J.2 – Examples of screwless-type terminals	156
Figure K.1 – Example of position of the thermocouple for measurement of the temperature-rise	161
Figure K.2 – Dimensions of male tabs	162
Figure K.3 – Dimensions of round dimple detents (see Figure K.2).....	163
Figure K.4 – Dimensions of rectangular dimple detents (see Figure K.2)	163
Figure K.5 – Dimensions of hole detents	163
Figure K.6 – Dimensions of female connectors	164
Figure L.1 – General arrangement for the test	173
Figure L.2.....	173
Figure L.3.....	174
Figure L.4.....	174
Figure L.5.....	174
Figure L.6.....	174
Table 1 – Limit values of break time and non-actuating time for alternating residual currents (r.m.s. values) for type AC and A RCCB.....	31
Table 2 – Maximum values of break time for half-wave pulsating residual currents (r.m.s. values) for type A RCCB	32