

- [35] EDWORTHY, J., PAGE, R. , HIBBARD, A. , KYLE, S., RATNAGE, P., and CLAYDON, S. (2014) Learning three sets of alarms for the same medical functions: A perspective on the difficulty of learning alarms specified in an international standard. *Applied Ergonomics* **45**(5) p.1291-1296
- [36] EDWORTHY, J. R., REID, S., MCDUGALL, S., EDWORTHY, J. D., HALL, S., BENNETT, S., KHAN, J. & PYE, E. (2017) The recognizability and localizability of auditory alarms: setting global medical device standards. *Human Factors*, **59**(7), p.1108-1127
- [37] GRAHAM, R. (1999). Use of auditory icons as emergency warnings: evaluation within a vehicle collision avoidance application. *Ergonomics*, **42**(9), p.1233-1248
- [38] PERRY, N. C., STEVENS, C. J., WIGGINS, M. W., & HOWELL, C. E. (2007). Cough once for danger: Icons versus abstract warnings as informative alerts in civil aviation. *Human Factors: The Journal of the Human Factors and Ergonomics Society*, **49**(6), p.1061-1071
- [39] EDWORTHY, J., LOXLEY, S., & DENNIS, I. (1991). Improving auditory warning design: Relationship between warning sound parameters and perceived urgency. *Human factors*, **33**(2), p.205-231
- [40] HELLIER, E. J., EDWORTHY, J., & DENNIS, I. (1993). Improving auditory warning design: Quantifying and predicting the effects of different warning parameters on perceived urgency. *Human Factors*, **35**(4), p.693-706
- [41] HAAS, E. C., & CASALI, J. G. (1995). Perceived urgency of and response time to multi-tone and frequency-modulated warning signals in broadband noise. *Ergonomics*, **38**(11), p.2313-2326
- [42] MONDOR, T. A., & FINLEY, G. A. (2003). The perceived urgency of auditory warning alarms used in the hospital operating room is inappropriate. *Canadian Journal of Anesthesia*, **50**(3), p.221-228
- [43] LEWIS, B., EISERT, J., & BALDWIN, C. (2014). Effect of tactile location, pulse duration, and interpulse interval on perceived urgency. *Transportation Research Record: Journal of the Transportation Research Board*, (2423), p.10-14
- [44] EDWORTHY, J. (2017) Ch.23 Designing Auditory Alarms. In *Information Design: Research and Practice* (Ed: BLACK, A, LUNA, P, LUND, O & WALKER, S). London: Routledge, p.377-390
- [45] BOLTON, M. L., ZHENG, X., LI, M., EDWORTHY, J. R., & BOYD, A. D. (2019). An experimental validation of masking in IEC 60601-1-8:2006-compliant alarm sounds. *Human factors* [viewed 2020-03-24]. Available at: <https://doi.org/10.1177/0018720819862911>
- [46] ALALI, K. A., & CASALI, J. G. (2011). The challenge of localizing vehicle backup alarms: Effects of passive and electronic hearing protectors, ambient noise level, and backup alarm spectral content. *Noise and Health*, **13**(51), p.99
- [47] CATCHPOLE, K. R., MCKEOWN, J. D., & WITHINGTON, D. J. (2004). Localizable auditory warning pulses. *Ergonomics*, **47**(7), p.748-771
- [48] HASANAIN, B., BOYD, A. D., EDWORTHY, J., & BOLTON, M. L. (2017). A formal approach to discovering simultaneous additive masking between auditory medical alarms. *Applied Ergonomics*, **58**, p.500-514

- [49] LAROCHE, C., GIGUERE, C., VAILLANCOURT, V., SHMIGOL, E., RAHNAMA, M., GRAVEL, A., & ROZON-GAUTHIER, V. (2016). Effect of a level-dependent hearing protector on detection thresholds, perceived urgency, and localization performance of reverse alarms. *The Journal of the Acoustical Society of America*, **140**(4), p.3201
- [50] LAROCHE, C., QUOC, H. T., HETU, R., & MCDUFF, S. (1991). 'Detectsound': A computerized model for predicting the detectability of warning signals in noisy workplaces. *Applied Acoustics*, **32**(3), p.193-214
- [51] KERR, J. H. (1985). Warning devices. *British Journal of Anaesthesia*, **57**(7), p.696-708
- [52] EDWORTHY, J. R., SCHLESINGER, J. J., MCNEER, R. R., KRISTENSEN, M. S., & BENNETT, C. L. (2017). Classifying Alarms: Seeking Durability, Credibility, Consistency, and Simplicity. *Biomedical Instrumentation & Technology*, **51**(s2), p.50-57
- [53] EDWORTHY, J., & STANTON, N. (1995). A user-centred approach to the design and evaluation of auditory warning signals: 1. Methodology. *Ergonomics*, **38**(11), p.2262-2280
- [54] REESE, T., SEGALL, N., NESBITT, P., DEL FIOLE, G., WALLER, R., MACPHERSON, B. C., TONNA, J.E., & WRIGHT, M. C. (2018). Patient information organization in the intensive care setting: expert knowledge elicitation with card sorting methods. *Journal of the American Medical Informatics Association*, **25**(8), 1026-1035
- [55] WILKEN, M. et al. (2017). Alarm Fatigue: Causes and Effects. *Stud Health Technol Inform.*, **243**, p.107-111
- [56] AAMI (2017), Clinical Alarms: Managing the Overload. BI&T Horizons, Spring 2017, Arlington VA
- [57] BULLEMER, P. T., TOLSMA, M., REISING, D. V. C., LABERGE, J. C. (2011) Towards improving operator alarm flood responses: alternative alarm presentation techniques. *ISA Automation Week*, Mobile AL
- [58] BLOCK FE III, BLOCK FE JR. (2015) Decreasing False Alarms by Obtaining the Best Signal and Minimizing Artifact from Physiological Sensors. *Biomed Instrum Techn*, **49**(6), p.423-431
- [59] BLOCK FE III, BLOCK FE JR. (2016) Understanding Caregiver Workflows: A Proposal for Alarm Condition Priorities. *Biomed Instrum Techn*, **50**(2), p.114-116
- [60] SIEBIG, S., KUHLS, S., IMHOFF, M., GATHER, U., SCHÖLMERICH, J., WREDE, C. E. (2010) Intensive care unit alarms--how many do we need? *Crit Care Med*. **38**(2), p.451-456
- [61] WILLIAMS S., BEATTY PCW. (2005) Measuring the performance of audible alarms for anaesthesia. *Physiol Meas*. **26**(4), p.571-581
- [62] SANDERSON P. M., WEE A., LACHEREZ P. (2006) Learnability and discriminability of melodic medical equipment alarms. *Anaesthesia* **61**(2), p.142–147
- [63] LACHEREZ P., SEAH L., SANDERSON P. (2006) Overlapping melodic alarms are almost indiscriminable. *Human Factors*. **49**(4), p.37-45
- [64] WEE A., SANDERSON P. (2008) Are melodic medical equipment alarms easily learned? *Anesth Analg*. **106**(2), p.501-508

- [65] BLOCK FE JR. (2008) For if the trumpet give an uncertain sound, who shall prepare himself to the battle? (I Corinthians 14:8, KJV). *Anesth Analg.* **106**(2), p.357-359
- [66] BENNETT, C., DUDARYK, R., CRENSHAW, N., EDWORTHY, J., & MCNEER, R. (2019). Recommendation of New Medical Alarms Based on Audibility, Identifiability, and Detectability in a Randomized, Simulation-Based Study. *Critical Care Medicine*, **47**(8), 1050-1057
- [67] EDWORTHY, J., REID, S., PEEL, K., LOCK, S., WILLIAMS, J., NEWBURY, C., FOSTER, J. & FARRINGTON, M. (2018) The impact of workload on the ability to localize audible alarms. *Applied Ergonomics*, **72**, p.88-93
- [68] MCNEER, R., BODZIN HORN, D., BENNETT, C. L., REED EDWORTHY, J., & DUDARYK, R. (2018) Auditory icon alarms are more accurately and quickly identified than IEC 60601-1-8 melodic alarms in a simulated clinical setting. *Anesthesiology*, **129**(1), pp.58-66
- [69] MCNEER, R., BENNETT, C. L., HORN, D. B., EDWORTHY, J., & DUDARYK, R. (2017) Use of Ordinal Regression Analysis for Assessing and Comparing Individual Alarm Performance in a Simulated Intensive Care Unit Environment. *Anesthesia & Analgesia* **124**, pp.1120-1122, IARS poster, Washington DC, May 2017
- [70] EDWORTHY, J., et al., Report on Phase 2 of the IEC 60601-1-8 audible alarms project. Report presented to AAMI upon project completion
- [71] SCHLESINGER et al. (2018) Acoustic features of auditory medical alarms – An experimental study of alarm volume. *J Acoustical Society of America*, **143**(6), p.3688
- [72] HUGHSON, WALTER, and HAROLD D. WESTLAKE. (1944) *Manual for Program Outline for Rehabilitation of Aural Casualties Both Military and Civilian*, Sponsored by the American Academy of Ophthalmology and Otolaryngology. Douglas Print Company
- [73] AAMI Foundation. (2011) Clinical alarm: 2011 Summit convened by AAMI, FDA, TJA, ACCE and ECRI Institute [viewed 2020-03-24]. Available at: <https://www.aami.org/events/eventdetail.aspx?ItemNumber=1153>
- [74] SENDELBACH S, FUNK M. (2013) Alarm fatigue: a patient safety concern. *AACN Adv Crit Care*, **24**(4), pp.378–386
- [75] GRAHAM KC, CVACH M. (2010) Monitor alarm fatigue: standardizing use of physiological monitors and decreasing nuisance alarms. *Am J Crit Care*, **19**(1), pp.28–34
- [76] ISO/IEEE 11073-10201:2004, Health informatics – Point-of-care medical device communication – Part 10201: Domain information model
- [77] BLISS, J. P., GILSON, R. D., & DEATON, J. E. (1995). Human probability matching behaviour in response to alarms of varying reliability. *Ergonomics*, **38**(11), pp.2300–2312
- [78] RAYO, M. F., & MOFFATT-BRUCE, S. D. (2015) Alarm system management: evidence-based guidance encouraging direct measurement of informativeness to improve alarm response. *BMJ Quality & Safety*, **24**(4), pp.282–286
- [79] Wiener, E.L. (1989) Human Factors of Advanced Technology ("Glass Cockpit") Transport Aircraft. NASA Contractor Report 177528, NASA Ames Research Center [viewed 2020-03-24]. Available at: <https://ntrs.nasa.gov/archive/nasa/casi.ntrs.nasa.gov/19890016609.pdf>

- [80] WELCH, J., RAYO, M., KANTER, B., BAGIAN, T., JACOBS, K., SHANAWANI, H., et al. (2016). Framework for Alarm Management Process Maturity. *Biomed Instrum Techn*, **50**(3), pp.165-179

Index of defined terms used in this collateral standard

ACCOMPANYING DOCUMENT	IEC 60601-1:2005, 3.4
ACKNOWLEDGED	3.37
ADVISORY	3.38
ALARM CONDITION	3.1
ALARM CONDITION DELAY	3.2
ALARM FATIGUE	3.39
ALARM FLOOD	3.40
ALARM LIMIT	3.3
ALARM OFF	3.4
ALARM PAUSED	3.5
ALARM PRESET	3.6
ALARM RESET	3.7
ALARM SETTINGS	3.8
ALARM SIGNAL	3.9
ALARM SIGNAL GENERATION DELAY	3.10
ALARM SYSTEM	3.11
ALERT	3.41
AUDIO OFF	3.12
AUDIO PAUSED	3.13
AUDITORY ICON	3.42
AUDITORY POINTER	3.43
BASIC SAFETY	IEC 60601-1:2005, 3.10
BURST	3.14
CLINICALLY ACTIONABLE	3.44
CLINICALLY NONACTIONABLE	3.45
COMMUNICATOR (COM)	3.46
DE-ESCALATION	3.15
DEFAULT ALARM PRESET	3.16
DISTRIBUTED ALARM SYSTEM	3.17
DISTRIBUTED ALARM SYSTEM WITH OPERATOR CONFIRMATION (CDAS)	3.47
DISTRIBUTED INFORMATION SYSTEM ABOUT ALARM CONDITIONS (DIS)	3.48
ESCALATION	3.18
ESSENTIAL PERFORMANCE	IEC 60601-1:2005+A1:2012, 3.27
FALL TIME (t_f)	3.19
FALSE NEGATIVE ALARM CONDITION	3.20
FALSE POSITIVE ALARM CONDITION	3.21
HARM	IEC 60601-1:2005+A1:2012+A2:2020, 3.38
HAZARD	IEC 60601-1:2005+A1:2012+A2:2020, 3.39
HAZARDOUS SITUATION	IEC 60601-1:2005+A1:2012+A2:2020, 3.40
HIGH PRIORITY	3.22
INFORMATION SIGNAL	3.23
INTEGRATOR (INT)	3.49

INTELLIGENT ALARM SYSTEM	3.24
INTENDED USE	IEC 60601-1:2005+A1:2012+A2:2020, 3.44
INTERBURST INTERVAL (t_b)	3.25
INTERNAL ELECTRICAL POWER SOURCE	IEC 60601-1:2005, 3.45
LATCHING ALARM SIGNAL	3.26
LIFE-SUPPORTING ME EQUIPMENT	IEC 60601-1-2:---, 3.18
LOW PRIORITY	3.27
MANUFACTURER	IEC 60601-1:2005+A1:2012+A2:2020, 3.55
ME EQUIPMENT	IEC 60601-1:2005, 3.63
ME SYSTEM	IEC 60601-1:2005, 3.64
MEDIUM PRIORITY	3.28
NON-LATCHING ALARM SIGNAL	3.29
NORMAL CONDITION	IEC 60601-1:2005, 3.70
NORMAL USE	IEC 60601-1:2005+A1:2012, 3.71
NUISANCE ALARM SIGNAL	3.50
OPERATOR	IEC 60601-1:2005, 3.73
OPERATOR'S POSITION	3.30
PATIENT	IEC 60601-1:2005+A1:2012, 3.76
PATIENT ENVIRONMENT	IEC 60601-1:2005, 3.79
PHYSIOLOGICAL ALARM CONDITION	3.31
PROCESS	IEC 60601-1:2005+A1:2012+A2:2020, 3.89
PULSE	3.32
PULSE FREQUENCY (f_0)	3.33
REDIRECTION	3.51
REMINDER SIGNAL	3.34
RESPONSIBLE ORGANIZATON	IEC 60601-1:2005, 3.101
RESPONSIBILITY ACCEPTED	3.52
RESPONSIBILITY REJECTED	3.53
RESPONSIBILITY UNDEFINED	3.54
RISE TIME (t_r)	3.35
RISK	IEC 60601-1:2005+A1:2012+A2:2020, 3.102
RISK ANALYSIS	IEC 60601-1:2005+A1:2012+A2:2020, 3.103
RISK ASSESSMENT	IEC 60601-1:2005+A1:2012+A2:2020, 3.104
RISK CONTROL	IEC 60601-1:2005+A1:2012+A2:2020, 3.105
RISK MANAGEMENT	IEC 60601-1:2005+A1:2012+A2:2020, 3.107
RISK MANAGEMENT FILE	IEC 60601-1:2005+A1:2012+A2:2020, 3.108
SIGNAL INPUT/OUTPUT PART	IEC 60601-1:2005, 3.115
SINGLE FAULT CONDITION	IEC 60601-1:2005+A1:2012, 3.116
SOURCE (SRC)	3.55
SUPPLY MAINS	IEC 60601-1:2005, 3.120
TECHNICAL ALARM CONDITION	3.36
TRAINING	IEC 60601-1-6:---, 3.8
TRUE NEGATIVE ALARM CONDITION	3.56

TRUE POSITIVE ALARM CONDITION	3.57
USABILITY.....IEC 60601-1-6:—, 3.11 IEC 60601-1:2005+A1:2012, 3.136	
USABILITY.....	IEC 60601-1:2005+A2: 2020, 3.136
USE SCENARIO.....IEC 60601-1-6:—, 3.10 IEC 62366:2007, 3.22	
USE SCENARIO	IEC 62366-1:2015, 3.22
USER GROUP	IEC 62366-1:2015, 3.25
VALIDATION.....IEC 60601-1-6:—, 3.15 IEC 62366:2007, 3.26	
VALIDATION (VALIDATED).....	ISO 9000:2015, 3.8.13



IEC 60601-1-8

Edition 2.2 2020-07
CONSOLIDATED VERSION

FINAL VERSION



**Medical electrical equipment –
Part 1-8: General requirements for basic safety and essential performance –
Collateral standard: General requirements, tests and guidance for alarm
systems in medical electrical equipment and medical electrical systems**

This is a preview. [Click here to purchase the full publication.](#)

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
INTRODUCTION to Amendment 1	7
INTRODUCTION to Amendment 2	8
1 * Scope, object and related standards	9
1.1 Scope.....	9
1.2 Object	9
1.3 Related standards	9
2 Normative references	10
3 Terms and definitions	10
4 General requirements.....	18
5 ME EQUIPMENT identification marking and documents.....	18
5.1 Indicator lights and controls.....	18
5.2 ACCOMPANYING DOCUMENTS.....	18
6 ALARM SYSTEMS.....	19
6.1 ALARM CONDITION	19
6.2 * Disclosures for INTELLIGENT ALARM SYSTEM	20
6.3 Generation of ALARM SIGNALS	20
6.4 * Disclosure of delays.....	27
6.5 ALARM PRESETS.....	27
6.6 ALARM LIMIT	30
6.7 * ALARM SYSTEM security.....	31
6.8 * ALARM SIGNAL inactivation states	31
6.9 * ALARM RESET	34
6.10 * NON-LATCHING and LATCHING ALARM SIGNALS	34
6.11 * DISTRIBUTED ALARM SYSTEM AND DISTRIBUTED INFORMATION SYSTEMS ABOUT ALARM CONDITIONS.....	34
6.12 * ALARM SYSTEM logging.....	37
6.13 ALARM SYSTEM functions	39
Annex A (informative) General guidance and rationale.....	42
Annex B (informative) Guide to marking and labelling requirements for ME EQUIPMENT and ME SYSTEMS.....	86
Annex C (normative) Symbols on marking.....	89
Annex D (informative) Guidance for auditory ALARM SIGNALS	97
Annex E (informative) Verbal ALARM SIGNALS.....	99
Annex F (normative) Reserved melodies for ALARM SIGNALS	101
Annex G (normative) * Auditory ALARM SIGNALS	102
Annex H (informative) VALIDATION of AUDITORY ICONS	107
Bibliography.....	113
Index of defined terms used in this collateral standard	119
Figure 1 – Illustration of temporal characteristics of auditory ALARM SIGNALS	24
Figure 2 – Functions of a DISTRIBUTED ALARM SYSTEM utilizing a MEDICAL IT NETWORK.....	35

Figure 3 – Functions of an ALARM SYSTEM.....	40
Figure A.1 – Graphical representation of components of ALARM SYSTEM delay	63
Figure G.1 – Illustration of spacing of AUDITORY POINTER	104
Figure G.2 – Illustration of temporal characteristics of an AUDITORY POINTER	105
Table 1 – Determination of ALARM CONDITION and assignment of priorities.....	19
Table 2 – Characteristics of alarm indicator lights	21
Table 3 – * Characteristics of the BURST of auditory ALARM SIGNALS	23
Table 4 – * Characteristics of the PULSE of auditory ALARM SIGNALS.....	24
Table 5 – ALARM SIGNAL inactivation states.....	33
Table A.1 – ALARM SYSTEM output to perceived OPERATOR action	49
Table A.2 – Examples of ME EQUIPMENT for each category of the SOURCE of an ALARM CONDITION	85
Table B.1 – Cross-reference of marking	86
Table B.2 – Cross-reference of ACCOMPANYING DOCUMENTS	87
Table B.3 – Cross-reference of instructions for use	87
Table B.4 – Cross-reference of technical description	88
Table C.1 – Graphical symbols for ALARM SYSTEMS	89
Table C.1 – Graphical symbols for ALARM SYSTEMS (<i>continued</i>).....	90
Table C.1 – Graphical symbols for ALARM SYSTEMS (<i>continued</i>).....	91
Table C.2 – Alternative ALARM SYSTEM related markings	96
Table D.1 – Attributes of perceived urgency.....	97
Table G.1 – Characteristics of the BURST of the AUDITORY POINTER	103
Table G.2 – Characteristics of the PULSE of the AUDITORY POINTER.....	104
Table G.3 – Characteristics of the AUDITORY POINTER	105
Table G.4 – * Characteristics of the AUDITORY ICON	106
Table G.5 – Characteristics of the auditory ALARM SIGNAL	106
Table H.1 – Performance levels of three AUDITORY POINTERS and seven AUDITORY ICONS based on available data	108