

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles –
Part 1: General requirements**

**Fiches, socles de prise de courant, prises mobiles de véhicule et socles de connecteurs de véhicule – Charge conductive des véhicules électriques –
Partie 1: Exigences générales**

This is a preview. [Click here to purchase the full publication.](#)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive
charging of electric vehicles –
Part 1: General requirements**

**Fiches, socles de prise de courant, prises mobiles de véhicule et socles de
connecteurs de véhicule – Charge conductive des véhicules électriques –
Partie 1: Exigences générales**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.30; 43.120

ISBN 978-2-8322-1101-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	6
INTRODUCTION	8
1 Scope	9
2 Normative references	9
3 Terms and definitions	11
4 General	21
4.1 General requirements	21
4.2 Components	21
4.2.1 Ratings	21
4.2.2 Mechanical assembly	21
4.2.3 Current-carrying parts of incorporated components	21
4.2.4 Electrical connections	21
4.3 General notes on tests	22
5 Ratings	23
5.1 Preferred rated operating voltage ranges	23
5.2 Preferred rated currents	23
5.2.1 General	23
5.2.2 Rated current for signal or control purposes	24
5.2.3 Accessories not suitable for making and breaking an electrical circuit under load	24
5.2.4 Accessories suitable for, or not suitable for, making and breaking an electrical circuit under load	24
6 Connection between the power supply and the electric vehicle	24
6.1 Interfaces	24
6.2 Basic interface	24
6.3 DC interface	24
6.4 Combined interface	24
7 Classification of accessories	25
7.1 According to purpose	25
7.2 According to the method of connecting the conductors	25
7.3 According to serviceability	25
7.4 According to electrical operation	25
7.5 According to interface	25
7.6 According to locking facilities	25
7.7 According to interlock facilities	25
7.8 According to the presence of shutter(s)	25
8 Marking	25
9 Dimensions	28
10 Protection against electric shock	29
10.1 General	29
10.2 Accessories with shutters	29
10.3 Contact sequencing and order of contact insertion and withdrawal	32
10.4 Misassembly	33
11 Size and colour of protective earthing and neutral conductors	33
12 Provisions for earthing	34

13	Terminals	36
13.1	Common requirements	36
13.2	Screw type terminals	38
13.3	Mechanical tests on terminals	40
14	Interlocks	43
14.1	Accessories with interlock	43
14.2	Accessories with integral switching device	48
14.3	Control circuit devices and switching elements	48
14.4	Pilot contacts and auxiliary circuits	48
15	Resistance to ageing of rubber and thermoplastic material	48
16	General construction	49
17	Construction of EV socket-outlets – General	53
18	Construction of EV plugs and vehicle connectors	53
19	Construction of vehicle inlets	54
20	Degrees of protection	54
21	Insulation resistance and dielectric strength	56
22	Breaking capacity	57
23	Normal operation	60
23.1	Mechanical, electrical, and thermal stresses and contaminants	60
23.2	Load endurance test	60
23.3	No-load endurance test	61
23.4	Lid springs	62
24	Temperature rise	62
25	Flexible cables and their connection	64
25.1	Strain relief	64
25.2	Requirements for EV plugs and vehicle connectors	64
25.2.1	Non-rewirable EV plugs and vehicle connectors	64
25.2.2	Rewirable EV plugs and vehicle connectors	64
25.3	EV plugs and vehicle connectors provided with a flexible cable	65
26	Mechanical strength	67
26.1	General	67
26.2	Ball impact	68
26.3	Drop test	69
26.4	Flexing test	70
26.5	Cable gland test	72
26.6	Shutters	73
26.7	Insulated end caps	73
26.7.1	General	73
26.7.2	Insulated end caps – Change of temperature test	74
26.7.3	Insulated end caps – Pull test	74
27	Screws, current-carrying parts and connections	74
28	Creepage distances, clearances and distances through sealing compound	77
29	Resistance to heat and to fire	78
30	Corrosion and resistance to rusting	79
31	Conditional short-circuit current	80
31.1	General	80

31.2	Ratings and test conditions	80
31.3	Test circuit	81
31.4	Calibration	84
31.5	Test procedure	84
31.6	Behaviour of the equipment under test	85
31.7	Acceptance conditions	85
32	Electromagnetic compatibility	85
32.1	Immunity	85
32.2	Emission	85
33	Vehicle drive over	85
34	Thermal cycling	86
34.1	General	86
34.2	Initial temperature rise test	86
34.3	Thermal cycling test	86
34.4	Final temperature rise test	86
35	Humidity exposure	87
35.1	General	87
35.2	Initial temperature rise test	87
35.3	Humidity test	87
35.4	Final temperature rise test	87
36	Misalignment	87
36.1	General	87
36.2	Samples	88
36.3	Misalignment test	88
37	Contact endurance test	90
37.1	Equipment	90
37.2	Test sequence	91
37.3	Compliance	92
	Bibliography	94
	Figure 1 – Diagram showing the use of the accessories	12
	Figure 2 – Lug terminals	16
	Figure 3 – Mantle terminals	16
	Figure 4 – Pillar terminals	17
	Figure 5 – Saddle terminals	18
	Figure 6 – Screw-type terminals	19
	Figure 7 – Stud terminals	20
	Figure 8 – Test piston	28
	Figure 9 – Gauge "A" for checking shutters	31
	Figure 10 – Gauge "B" for checking shutters	32
	Figure 11 – Gauges for testing insertability of round unprepared conductors having the maximum specified cross-section	39
	Figure 12 – Equipment test arrangement	41
	Figure 13 – Apparatus for checking the withdrawal force	46
	Figure 14 – Verification of the latching device	47
	Figure 15 – Circuit diagrams for breaking capacity and normal operation tests	59

Figure 16 – Points of measurement.....	64
Figure 17 – Apparatus for testing the cable anchorage	66
Figure 18 – Ball impact test	68
Figure 19 – Arrangement for mechanical strength test for EV plugs and vehicle connectors	70
Figure 20 – Apparatus for flexing test	72
Figure 21 – Diagram of the test circuit for the verification of short-circuit current withstand of two-pole equipment on a single-phase AC or DC.....	82
Figure 22 – Diagram of the test circuit for the verification of short-circuit current withstand of three-pole equipment	83
Figure 23 – Diagram of the test circuit for the verification of short-circuit current withstand of four-pole equipment	84
Figure 24 – Overview of the mechanical load test	89
Figure 25 – Application of external mechanical load (mounted according to Figure 24)	89
Figure 26 – Temperature rise criteria under external mechanical load.....	90
Figure 27 – Forced-air circulating oven	90
Figure 28 – Thermal cycling.....	92
Figure 29 – Pass/fail based on temperature rise criteria.....	93
Table 1 – Size for conductors	34
Table 2 – Short-time test currents	35
Table 3 – Values for flexing under mechanical load test.....	42
Table 4 – Value for terminal pull test.....	43
Table 5 – Withdrawal force with respect to ratings	47
Table 6 – Cable length used to determine pull force on retaining means	50
Table 7 – Test voltage for dielectric strength test.....	57
Table 8 – Breaking capacity	60
Table 9 – Normal operation.....	61
Table 10 – Test current and nominal cross-sectional areas of copper conductors for temperature rise test.....	63
Table 11 – Pull force and torque test values for cable anchorage.....	67
Table 12 – Summary of mechanical tests	67
Table 13 – Impact energy for ball impact test.....	69
Table 14 – Mechanical load flexing test	71
Table 15 – Torque test values for glands	73
Table 16 – Pulling force on insulated end caps	74
Table 17 – Tightening torque for verification of mechanical strength of screw-type terminals.....	75

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE
INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –****Part 1: General requirements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62196-1 has been prepared by subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) deletion of references to universal AC and DC interfaces;
- b) additional requirements for contact materials and plating;
- c) changes to the temperature rise test to include additional points of measurement;
- d) additional tests for accessories to address thermal stresses and stability, mechanical wear and abuse, and exposure to contaminants;

e) relocation of information and requirements for DC charging to IEC 62196-3.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23H/499/FDIS	23H/503/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62196 series, published under the general title *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles*, can be found on the IEC website.

Subsequent parts of IEC 62196 deal with the requirements of particular types of accessories. The clauses of those particular requirements supplement or modify the corresponding clauses in this document.

In this document, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type*;
- notes: in smaller roman type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61851 (all parts) specifies requirements for electric vehicle (EV) conductive charging systems.

IEC 62196 (all parts) specifies the requirements for plugs, socket-outlets, vehicle connectors, vehicle inlets and cable assemblies as described in the IEC 61851 series.

Some charging can be achieved by direct connection from an electric vehicle to standard socket-outlets connected to a supply network (mains or electrical grid).

Some modes of charging require a dedicated supply and charging equipment incorporating control and communication circuits.

IEC 62196 (all parts) covers the mechanical, electrical and performance requirements for plugs, socket-outlets, vehicle connectors and vehicle inlets for the connection between the EV supply equipment and the electric vehicle.

The IEC 62196 series consists of the following parts:

- Part 1: General requirements, comprising clauses of a general character.
- Part 2: Dimensional compatibility and interchangeability requirements for AC pin and contact-tube accessories.
- Part 3: Dimensional compatibility and interchangeability requirements for DC and AC/DC pin and contact-tube vehicle couplers.
- Part 3-1: Vehicle connector, vehicle inlet and cable assembly intended to be used with a thermal management system for DC charging.
- Part 4¹: Dimensional compatibility and interchangeability requirements for DC pin and contact-tube accessories for Class II or Class III applications.
- Part 6: Dimensional compatibility and interchangeability requirements for DC pin and contact-tube couplers for applications using a system of protective electrical separation.

¹ Pending publication.

PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

Part 1: General requirements

1 Scope

This part of IEC 62196 is applicable to EV plugs, EV socket-outlets, vehicle connectors, vehicle inlets, herein referred to as "accessories", and to cable assemblies for electric vehicles (EV) intended for use in conductive charging systems which incorporate control means, with a rated operating voltage not exceeding:

- 690 V AC 50 Hz to 60 Hz, at a rated current not exceeding 250 A;
- 1 500 V DC at a rated current not exceeding 800 A.

These accessories and cable assemblies are intended to be installed by instructed persons (IEV 195-04-02) or skilled persons (IEV 195-04-01) only.

These accessories and cable assemblies are intended to be used for circuits specified in IEC 61851 (all parts), which operate at different voltages and frequencies, and which can include extra-low voltage and communication signals.

These accessories and cable assemblies are intended to be used at an ambient temperature between $-30\text{ }^{\circ}\text{C}$ and $+40\text{ }^{\circ}\text{C}$.

NOTE 1 In some countries, other requirements can apply.

NOTE 2 In the following country, $-35\text{ }^{\circ}\text{C}$ applies: SE.

NOTE 3 The manufacturer can enlarge the temperature range on the condition that the specified range information is provided.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

The accessories covered by this document are intended for use in electric vehicle supply equipment in accordance with IEC 61851 (all parts).

This document does not apply to standard plug and socket-outlets used for mode 1 and mode 2 according to IEC 61851-1:2017, 6.2.

NOTE 4 In the following countries, mode 1 is not allowed: UK, US, CA, SG.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*