

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 4-2: Data-link layer protocol specification – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-2: Spécification du protocole de la couche liaison de données –
Éléments de type 2**

This is a preview. [Click here to purchase the full publication.](#)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 4-2: Data-link layer protocol specification – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-2: Spécification du protocole de la couche liaison de données –
Éléments de type 2**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-8322-9134-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	15
INTRODUCTION.....	17
1 Scope.....	19
1.1 General.....	19
1.2 Specifications	19
1.3 Procedures	19
1.4 Applicability	20
1.5 Conformance	20
2 Normative references	20
3 Terms, definitions, symbols, abbreviated terms and conventions	22
3.1 Reference model terms and definitions	22
3.2 Service convention terms and definitions	24
3.3 Common terms and definitions	24
3.4 Additional Type 2 definitions	25
3.5 Type 2 symbols and abbreviated terms	33
3.6 Conventions for station management objects	34
4 Overview of the data-link protocol.....	35
4.1 General.....	35
4.1.1 DLL architecture	35
4.1.2 Access control machine (ACM) and scheduling support functions	36
4.1.3 Connection-mode, connectionless-mode data transfer and DL service.....	37
4.2 Services provided by the DL	37
4.2.1 Overview	37
4.2.2 QoS.....	37
4.3 Structure and definition of DL-addresses	38
4.3.1 General	38
4.3.2 MAC ID address	38
4.3.3 Generic tag address	39
4.3.4 Fixed tag address	39
4.4 Services assumed from the PhL.....	40
4.4.1 General requirements	40
4.4.2 Data encoding rules.....	41
4.4.3 DLL to PhL interface	41
4.5 Functional classes	43
5 General structure and encoding of PhIDUs and DLPDUs and related elements of procedure	43
5.1 Overview	43
5.2 Media access procedure	43
5.3 DLPDU structure and encoding	47
5.3.1 General	47
5.3.2 DLPDU components	47
5.3.3 Preamble	47
5.3.4 Start and end delimiters.....	47
5.3.5 DLPDU octets and ordering	47
5.3.6 Source MAC ID.....	48
5.3.7 Lpackets field	48
5.3.8 Frame check sequence (FCS).....	48

5.3.9	Null DLPDU	51
5.3.10	Abort DLPDU	51
5.4	Lpacket components	51
5.4.1	General Lpacket structure	51
5.4.2	Size	51
5.4.3	Control	52
5.4.4	Generic tag Lpackets	52
5.4.5	Fixed tag Lpackets	53
5.5	DLPDU procedures	53
5.5.1	General	53
5.5.2	Sending scheduled DLPDUs	54
5.5.3	Sending unscheduled DLPDUs	54
5.5.4	Receiving DLPDUs	54
5.6	Summary of DLL support services and objects	54
6	Specific DLPDU structure, encoding and procedures	56
6.1	Modeling language	56
6.1.1	State machine description	56
6.1.2	Use of DLL- prefix	57
6.1.3	Data types	57
6.2	DLS user services	58
6.2.1	General	58
6.2.2	Connected mode and connectionless mode transfer service	58
6.2.3	Queue maintenance service	60
6.2.4	Tag filter service	60
6.2.5	Link synchronization service	61
6.2.6	Synchronized parameter change service	61
6.2.7	Event reports service	62
6.2.8	Bad FCS service	63
6.2.9	Current moderator service	63
6.2.10	Power up and online services	64
6.2.11	Enable moderator service	64
6.2.12	Listen only service	64
6.3	Generic tag Lpacket	64
6.3.1	General	64
6.3.2	Structure of the generic-tag Lpacket	65
6.3.3	Sending and receiving the generic-tag Lpacket	65
6.4	Moderator Lpacket	65
6.4.1	General	65
6.4.2	Structure of the moderator Lpacket	65
6.4.3	Sending and receiving the moderator Lpacket	66
6.5	Time distribution Lpacket	67
6.5.1	General	67
6.5.2	Structure of the time distribution Lpacket	67
6.5.3	Sending and receiving the time distribution Lpacket	69
6.6	UCMM Lpacket	69
6.6.1	General	69
6.6.2	Structure of the UCMM Lpacket	69
6.6.3	Sending and receiving the UCMM Lpacket	69

6.7	Keeper UCMM Lpacket	69
6.7.1	General	69
6.7.2	Structure of the Keeper UCMM Lpacket	70
6.7.3	Sending and receiving the Keeper UCMM Lpacket	70
6.8	TUI Lpacket	70
6.8.1	General	70
6.8.2	Structure of the TUI Lpacket	70
6.8.3	Sending and receiving the TUI Lpacket	71
6.9	Link parameters Lpacket and tMinus Lpacket	71
6.9.1	General	71
6.9.2	Structure of link parameters and tMinus Lpackets	72
6.9.3	Sending and receiving the tMinus and Link parameters Lpackets	72
6.10	I'm-alive Lpacket	73
6.10.1	General	73
6.10.2	Structure of the I'm-alive Lpacket	73
6.10.3	Sending and receiving I'm Alive	73
6.10.4	I'm alive state processing	73
6.11	Ping Lpackets	74
6.11.1	General	74
6.11.2	Structure of the ping Lpackets	75
6.11.3	Sending and receiving the ping Lpackets	75
6.12	WAMI Lpacket	76
6.12.1	General	76
6.12.2	Structure of the WAMI Lpacket	76
6.12.3	Sending and receiving the WAMI Lpacket	76
6.13	Debug Lpacket	76
6.14	IP Lpacket	77
6.15	Ethernet Lpacket	77
7	Objects for station management	77
7.1	General	77
7.2	ControlNet™ object	79
7.2.1	Overview	79
7.2.2	Class attributes	79
7.2.3	Instance attributes	79
7.2.4	Common services	87
7.2.5	Class specific services	88
7.2.6	Behavior	89
7.2.7	Module status indicator	89
7.3	Keeper object	90
7.3.1	Overview	90
7.3.2	Revision history	90
7.3.3	Class attributes	90
7.3.4	Instance attributes	90
7.3.5	Common services	98
7.3.6	Class specific services	99
7.3.7	Service error codes	105
7.3.8	Behavior	106
7.3.9	Miscellaneous notes	107
7.3.10	Keeper power up sequence	108

7.4	Scheduling object	113
7.4.1	Overview	113
7.4.2	Class attributes	114
7.4.3	Instance attributes	114
7.4.4	Common services	115
7.4.5	Class specific services	117
7.4.6	Typical scheduling session	123
7.5	TCP/IP Interface object	124
7.5.1	Overview	124
7.5.2	Revision history	124
7.5.3	Class attributes	125
7.5.4	Instance attributes	125
7.5.5	Common services	139
7.5.6	Class specific services	141
7.5.7	Behavior	142
7.5.8	Address Conflict Detection (ACD)	144
7.6	Ethernet link object	150
7.6.1	Overview	150
7.6.2	Revision history	150
7.6.3	Class attributes	150
7.6.4	Instance attributes	151
7.6.5	Common services	161
7.6.6	Class specific services	163
7.6.7	Behavior	163
7.7	DeviceNet™ object	164
7.7.1	Overview	164
7.7.2	Revision history	164
7.7.3	Class attributes	165
7.7.4	Instance attributes	165
7.7.5	Common services	172
7.7.6	Class specific services	173
7.8	Connection configuration object (CCO)	173
7.8.1	Overview	173
7.8.2	Revision history	174
7.8.3	Class attributes	174
7.8.4	Instance attributes	176
7.8.5	Connection Configuration Object change control	185
7.8.6	Common services	185
7.8.7	Class specific services	192
7.8.8	Behavior	195
7.9	DLR object	196
7.9.1	Overview	196
7.9.2	Revision history	196
7.9.3	Class attributes	197
7.9.4	Instance attributes	197
7.9.5	Common services	208
7.9.6	Class specific services	212
7.10	QoS object	213
7.10.1	Overview	213

7.10.2	Revision History	213
7.10.3	Class attributes	213
7.10.4	Instance Attributes.....	214
7.10.5	Common services	215
7.10.6	Get_Attributes_All response (class level).....	216
7.11	Port object	216
7.11.1	Overview	216
7.11.2	Revision History	216
7.11.3	Class attributes	217
7.11.4	Instance attributes	217
7.11.5	Common services	223
7.12	PRP/HSR Protocol object.....	224
7.12.1	Overview	224
7.12.2	Revision history	224
7.12.3	Class attributes	225
7.12.4	Instance attributes	225
7.12.5	Common Services	232
7.13	PRP/HSR Nodes Table object.....	234
7.13.1	Overview	234
7.13.2	Revision history	234
7.13.3	Class attributes	234
7.13.4	Instance attributes	234
7.13.5	Common services	237
8	Other DLE elements of procedure.....	237
8.1	Network attachment monitor (NAM).....	237
8.1.1	General	237
8.1.2	Default parameters	238
8.1.3	Auto-addressing	239
8.1.4	Valid MAC IDs	239
8.1.5	State machine description	239
8.2	Calculating link parameters.....	245
8.2.1	Link parameters.....	245
8.2.2	Conditions affecting link parameters	246
8.2.3	Moderator change.....	246
8.2.4	NUT timing	246
8.2.5	Slot timing	248
8.2.6	Blanking	248
8.2.7	Example implementation.....	249
9	Detailed specification of DL components	253
9.1	General.....	253
9.2	Access control machine (ACM)	253
9.3	TxLLC.....	273
9.4	RxLLC	277
9.5	Transmit machine (TxM)	281
9.6	Receive machine (RxM)	285
9.7	Serializer	291
9.8	Deserializer	293
9.8.1	Octet construction	293
9.8.2	FCS checking	293

9.8.3	End of DLPDU processing	294
9.9	DLL management.....	294
10	Device Level Ring (DLR) protocol	296
10.1	General.....	296
10.2	Support for Multiple DLR Ring Pairs.....	296
10.3	Supported topologies	297
10.4	Overview of DLR operation	298
10.4.1	Normal operation	298
10.4.2	Link failures	300
10.5	Classes of DLR implementation	301
10.6	DLR behavior.....	302
10.6.1	DLR variables.....	302
10.6.2	Ring supervisor	302
10.6.3	Ring node.....	305
10.6.4	Sign on process.....	306
10.6.5	Neighbor check process	307
10.7	Implementation requirements.....	307
10.7.1	Embedded switch requirements and recommendations	307
10.7.2	DLR implementation requirements	308
10.7.3	IEC 61588 and CP 2/2.1 considerations.....	309
10.7.4	IEEE 802.1D/IEEE 802.1Q STP/RSTP/MSTP considerations	309
10.8	Using non-DLR nodes in the ring network	309
10.8.1	General considerations.....	309
10.8.2	Non-DLR end devices	310
10.8.3	Non-DLR switches	310
10.9	Redundant gateway devices on DLR network.....	313
10.9.1	General	313
10.9.2	Supported topologies.....	313
10.9.3	Redundant gateway capable device.....	314
10.9.4	Redundant gateway device behavior	314
10.10	DLR messages	317
10.10.1	General	317
10.10.2	Common frame header	318
10.10.3	Beacon frame	319
10.10.4	Neighbor_Check request	319
10.10.5	Neighbor_Check_response.....	320
10.10.6	Link_Status/Neighbor_Status.....	320
10.10.7	Locate_Fault.....	321
10.10.8	Announce	321
10.10.9	Sign_On	321
10.10.10	Advertise	322
10.10.11	Flush_Tables.....	322
10.10.12	Learning_Update	323
10.11	State diagrams and state-event-action matrices.....	323
10.11.1	Beacon-based ring node.....	323
10.11.2	Announce-based ring node	330
10.11.3	Ring supervisor	334
10.11.4	Redundant gateway	349

10.12	Performance analysis	354
10.12.1	General	354
10.12.2	Redundant gateway switchover performance	358
11	PRP and HSR redundancy protocols	359
11.1	General.....	359
11.2	PRP overview	360
11.2.1	General	360
11.2.2	Address Conflict Detection (ACD).....	361
11.3	HSR overview	362
Annex A (normative)	Indicators and switches.....	364
A.1	Purpose	364
A.2	Indicators.....	364
A.2.1	General indicator requirements.....	364
A.2.2	Common indicator requirements	364
A.2.3	Fieldbus specific indicator requirements – option 1	366
A.2.4	Fieldbus specific indicator requirements – option 2	370
A.2.5	Fieldbus specific indicator requirements – option 3.....	374
A.3	Switches	378
A.3.1	Common switch requirements.....	378
A.3.2	Fieldbus specific switch requirements – option 1	378
A.3.3	Fieldbus specific switch requirements – option 2	378
A.3.4	Fieldbus specific switch requirements – option 3	379
Bibliography		380
Figure 1	– Data-link layer internal architecture.....	36
Figure 2	– Relationships of DLSAPs, DLSAP-addresses, and group DL-addresses.....	38
Figure 3	– Basic structure of a MAC ID address.....	39
Figure 4	– Basic structure of a generic tag address	39
Figure 5	– Basic structure of a fixed tag address	39
Figure 6	– M_symbols and Manchester encoding at 5 MHz	41
Figure 7	– NUT structure	44
Figure 8	– Media access during scheduled time.....	45
Figure 9	– Media access during unscheduled time	46
Figure 10	– DLPDU format.....	47
Figure 11	– Aborting a DLPDU during transmission	51
Figure 12	– Lpacket format	51
Figure 13	– Generic tag Lpacket format	52
Figure 14	– Fixed tag Lpacket format.....	53
Figure 15	– Goodness parameter of TimeDist_Lpacket	68
Figure 16	– Example I'm alive processing algorithm.....	74
Figure 17	– Keeper CRC algorithm	96
Figure 18	– Keeper object power-up state diagram	109
Figure 19	– Keeper object operating state diagram	110
Figure 20	– Synchronized network change processing	113
Figure 21	– State transition diagram for TCP/IP Interface object.....	143
Figure 22	– State transition diagram for TCP/IP Interface object.....	144

Figure 23 – ACD Behavior	146
Figure 24 – State transition diagram for Ethernet Link object	164
Figure 25 – Connection configuration object edit flowchart.....	196
Figure 26 – NAM state machine	238
Figure 27 – Devices with Multiple DLR Ring Pairs.....	297
Figure 28 – DLR rings connected to switches.....	298
Figure 29 – Normal operation of a DLR network.....	299
Figure 30 – Beacon and Announce frames.....	299
Figure 31 – Link failure	300
Figure 32 – Network reconfiguration after link failure	301
Figure 33 – Neighbor Check process	307
Figure 34 – Unsupported topology – example 1	311
Figure 35 – Unsupported topology – example 2	311
Figure 36 – DLR ring connected to switches through redundant gateways	313
Figure 37 – DLR redundant gateway capable device.....	314
Figure 38 – Advertise frame.....	316
Figure 39 – State transition diagram for Beacon frame based non-supervisor ring node.....	324
Figure 40 – State transition diagram for Announce frame based non-supervisor ring node	330
Figure 41 – State transition diagram for ring supervisor	335
Figure 42 – State transition diagram for redundant gateway.....	350
Figure 43 – PRP network	360
Figure 44 – Directly Attached SANs	361
Figure 45 – Virtual DANs	362
Figure 46 – HSR network.....	362
Figure A.1 – Non redundant network status indicator labeling	370
Figure A.2 – Redundant network status indicator labeling	370
Figure A.3 – Network status indicator state diagram	373
Figure A.4 – Examples of multiple network status indicators	373
Table 1 – Format of attribute tables	34
Table 2 – Data-link layer components	35
Table 3 – MAC ID addresses allocation	39
Table 4 – Fixed tag service definitions	40
Table 5 – Data encoding rules	41
Table 6 – M Data symbols	42
Table 7 – Truth table for ph_status_indication.....	42
Table 8 – FCS length, polynomials and constants	49
Table 9 – DLL support services and objects.....	55
Table 10 – Elementary data types.....	58
Table 11 – DLL events.....	63
Table 12 – Time distribution priority	68
Table 13 – Format of the TUI Lpacket.....	71