

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Low-voltage switchgear and controlgear –  
Part 5-1: Control circuit devices and switching elements – Electromechanical  
control circuit devices**

**Appareillage à basse tension –  
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –  
Appareils électromécaniques pour circuits de commande**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Low-voltage switchgear and controlgear –  
Part 5-1: Control circuit devices and switching elements – Electromechanical  
control circuit devices**

**Appareillage à basse tension –  
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –  
Appareils électromécaniques pour circuits de commande**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

**CN**

ICS 29.120.40; 29.130.20

ISBN 2-8318-1043-9

## CONTENTS

FOREWORD.....	5
1 General .....	7
1.1 Scope and object.....	7
1.2 Normative references .....	8
2 Definitions .....	10
2.1 Basic definitions .....	12
2.2 Control switches .....	12
2.3 Parts of control switches.....	15
2.4 Operation of control switches.....	17
3 Classification .....	20
3.1 Contact elements.....	20
3.2 Control switches .....	20
3.3 Control circuit devices .....	20
3.4 Time delay switching elements .....	20
3.5 Control switch mounting .....	20
4 Characteristics.....	20
4.1 Summary of characteristics.....	20
4.2 Type of control circuit device or switching element .....	21
4.3 Rated and limiting values for switching elements .....	22
4.4 Utilization categories for switching elements.....	23
4.5 Vacant.....	24
4.6 Vacant.....	24
4.7 Vacant.....	24
4.8 Vacant.....	24
4.9 Switching overvoltages .....	24
4.10 Electrically separated contact elements .....	24
4.11 Actuating quantities for pilot switches .....	24
4.12 Pilot switches having two or more contact elements.....	24
5 Product information .....	24
5.1 Nature of information .....	24
5.2 Marking .....	25
5.3 Instructions for installation, operation and maintenance.....	26
5.4 Additional information .....	26
6 Normal service, mounting and transport conditions .....	26
7 Constructional and performance requirements .....	28
7.1 Constructional requirements .....	28
7.2 Performance requirements.....	29
7.3 Electromagnetic compatibility (EMC) .....	30
8 Tests .....	32
8.1 Kinds of test .....	32
8.2 Compliance with constructional requirements .....	33
8.3 Performance.....	34

Annex A (normative) Electrical ratings based on utilization categories (see 3.1) .....	46
Annex B (normative) Example of inductive test loads for d.c. contacts .....	48
Annex C (normative) Special tests – Durability tests .....	50
Annex D Vacant.....	54
Annex E (normative) Items subject to agreement between manufacturer and user .....	55
Annex F (normative) Class II control circuit devices insulated by encapsulation Requirements and tests .....	56
Annex G (normative) Additional requirements for control circuit devices with integrally connected cables .....	60
Annex H (normative) Additional requirements for semiconductor switching elements for control circuit devices .....	63
Annex J (normative) Special requirements for indicator lights and indicating towers .....	72
Annex K (normative) Special requirements for control switches with direct opening action .....	78
Annex L (normative) Special requirements for mechanically linked contact elements .....	84
Annex M (normative) Terminal marking, distinctive number and distinctive letter for control circuit devices .....	87
Bibliography.....	92
Figure 1 – Examples of the recommended method for drawing an operating diagram of a rotary switch .....	39
Figure 2 – Operation of push-buttons .....	40
Figure 3 – Difference $e$ between the over-travel of the actuator and that of the contact element .....	41
Figure 4 – Examples of contact elements (schematic sketches) .....	42
Figure 5 – Test circuits for multi-pole control switches – Contacts of same polarity, not electrically separated .....	43
Figure 6 – Test circuits for multi-pole control switches – Contacts of opposite polarity, and electrically separated .....	43
Figure 7 – Load $L_d$ details for test conditions requiring different values of make and break current and/or power factor (time constant) .....	44
Figure 8 – Test circuit, conditional short-circuit current (see 8.3.4.2) .....	45
Figure 9 – Current/time limits for d.c. test loads (see 8.3.3.5.3) .....	45
Figure B.1 – Construction of load for d.c. contacts .....	49
Figure C.1 – Normal circuit (see C.3.2.1) .....	53
Figure C.2 – Simplified circuit (see C.3.2.1) .....	53
Figure F.1 – Insulation by encapsulation .....	57
Figure F.2 – Test apparatus .....	58
Figure H.1 – Relationship between $U_e$ and $U_B$ .....	64
Figure H.2 – Example of test circuit for the verification of voltage drop, minimum operational current and OFF-state current (see H.8.2, H.8.3 and H.8.4).....	66
Figure H.3 – Short-circuit testing (see H.8.6.1) .....	67
Figure K.1 – Verification of robustness of the actuating system.....	83

Figure L.1 – Example of representation of NO and NC contacts which are mechanically linked and NC non-linked contact.....	85
Figure L.2 – Symbol for device containing mechanically linked contacts .....	85
Table 1 – Utilization categories for switching elements .....	23
Table 2 – Mounting hole diameter and dimensions of the key recess (if any) .....	27
Table 3 – Preferred minimum distances between centres of mounting holes .....	27
Table 4 – Verification of making and breaking capacities of switching elements under normal conditions corresponding to the utilization categories .....	31
Table 5 – Verification of making and breaking capacities of switching elements under abnormal conditions corresponding to the utilization categories .....	32
Table A.1 – Examples of contact rating designation based on utilization categories .....	46
Table A.2 – Examples of semiconductors switching element ratings for 50 Hz and/or 60 Hz.....	47
Table A.3 – Examples of semiconductors switching element ratings for d.c.....	47
Table B.1 – DC loads .....	49
Table C.1 – Making and breaking conditions for electrical durability.....	52
Table H.1 – Immunity tests .....	69
Table M.1 – Diagrams of control switches .....	89
Table M.2 – Diagrams of contactor relays designated by the distinctive letter E.....	90
Table M.3 – Diagrams of contactor relays designated by the distinctive letter Y .....	91

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –****Part 5-1: Control circuit devices and switching elements  
Electromechanical control circuit devices**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-5-1 has been prepared by subcommittee 17B: Low-voltage switchgear and controlgear, of IEC technical committee 17: Switchgear and controlgear.

This consolidated version of IEC 60947-5-1 consists of the third edition (2003) [documents 17B/1297/FDIS and 17B/1309/RVD] and its amendment 1 (2009) [documents 17B/1653/FDIS and 17B/1667/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 3.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This International Standard should be used in conjunction with IEC 60947-1.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60947 series, under the general title *Low-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.



## LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

### Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices

#### 1 General

The provisions of the general rules, IEC 60947-1, are applicable to this standard, where specifically called for. General rules, clauses and subclauses thus applicable, as well as tables, figures and annexes are identified by a reference to IEC 60947-1, for example 1.2.3, Table 4 or Annex A of IEC 60947-1.

##### 1.1 Scope and object

This part of IEC 60947 applies to control circuit devices and switching elements intended for controlling, signalling, interlocking, etc., of switchgear and controlgear.

It applies to control circuit devices having a rated voltage not exceeding 1 000 V a.c. (at a frequency not exceeding 1 000 Hz) or 600 V d.c.

However, for operational voltages below 100 V a.c. or d.c., see note 2 of 4.3.1.1.

This standard applies to specific types of control circuit devices such as:

- manual control switches, for example pushbuttons, rotary switches, foot switches, etc.;
- electromagnetically operated control switches, either time-delayed or instantaneous, for example contactor relays;
- pilot switches, for example pressure switches, temperature sensitive switches (thermostats), programmers, etc.;
- position switches, for example control switches operated by part of a machine or mechanism;
- associated control circuit equipment, for example indicator lights, etc.

NOTE 1 A control circuit device includes (a) control switch(es) and associated devices such as (an) indicator light(s).

NOTE 2 A control switch includes (a) switching element(s) and an actuating system.

NOTE 3 A switching element may be a contact element or a semiconductor element.

It also applies to specific types of switching elements associated with other devices (whose main circuits are covered by other standards) such as:

- auxiliary contacts of a switching device (e.g. contactor, circuit breaker, etc.) which are not dedicated exclusively for use with the coil of that device;
- interlocking contacts of enclosure doors;
- control circuit contacts of rotary switches;
- control circuit contacts of overload relays.

Contactor relays shall also meet the requirements and tests of IEC 60947-4-1 except for the utilization category which shall comply with this standard.

This standard does not include the relays covered in IEC 60255 or in the IEC 61810 series, nor automatic electrical control devices for household and similar purposes.

The colour requirements of indicator lights, pushbuttons, etc., are found in IEC 60073 and also in publication 2 of the International Commission of Illumination (CIE).

The object of this standard is to state:

- a) The characteristics of control circuit devices.
- b) The electrical and mechanical requirements with respect to:
  - 1) The various duties to be performed.
  - 2) The significance of the rated characteristics and of the markings.
  - 3) The tests to verify the rated characteristics.
- c) The functional requirements to be satisfied by the control circuit devices with respect to:
  - 1) Environmental conditions, including those of enclosed equipment.
  - 2) Dielectric properties.
  - 3) Terminals.

## 1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(441):1984, *International Electrotechnical Vocabulary (IEV) – Chapter 441: Switchgear, controlgear and fuses*  
Amendment 1 (2000)

IEC 60050(446):1983, *International Electrotechnical Vocabulary (IEV) – Chapter 446: Electrical relays*

IEC 60068-2-6:1995, *Environmental testing – Part 2: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:1984, *Environmental testing – Part 2: Tests – Test N: Change of temperature*  
Amendment 1 (1986)

IEC 60068-2-27:1987, *Environmental testing – Part 2: Tests – Test Ea and guidance: Shock*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60073:2002, *Basic and safety principles for man-machine interface, marking and identification – Coding principles for indications and actuators*

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60255 (all parts), *Electrical relays*

IEC 60417, *Graphical symbols for use on equipment*

IEC 60617 (all parts), *Graphical symbols for diagrams*

IEC 60947-1:2007, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 60947-4-1:2000, *Low-voltage switchgear and controlgear – Part 4-1: Contactors and motor-starters – Electromechanical contactors and motor-starters*

Amendment 1 (2002)

Amendment 2 (2005)

IEC 60947-5-5:2005, *Low-voltage switchgear and controlgear – Part 5-5: Control circuit devices and switching elements – Electrical emergency stop device with mechanical latching function*

IEC 61000-4-2:1995, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

Amendment 1 (1998)

Amendment 2 (2000)

IEC 61000-4-3:2008, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4:2004, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5:2005, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6:2008, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8:1993, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

Amendment 1 (2000)

IEC 61000-4-11:2004, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests*

IEC 61000-4-13:2002, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low-frequency immunity tests*

IEC 61140:2001, *Protection against electric shock – Common aspects for installation and equipment*

Amendment 1 (2004)

CISPR 11:2003, *Industrial, scientific and medical (ISM) radio-frequency equipment – Electromagnetic disturbance characteristics – Limits and methods of measurement*

Amendment 1 (2004)

Amendment 2 (2006)