


RECOMMENDED PRACTICE: LIGHTING MUSEUMS

AN AMERICAN NATIONAL STANDARD





ANSI/IES RP-30-20

RECOMMENDED PRACTICE: LIGHTING MUSEUMS

AN AMERICAN NATIONAL STANDARD

Publication of this Recommended Practice has been approved by IES. Suggestions for revisions should be directed to IES.

Prepared by the IES Museum and Art Gallery Lighting Committee

This is a preview. Click here to purchase the full publication.



Copyright 2020 by the Illuminating Engineering Society.

Approved by the IES Standards Committee January 6, 2020 as a Transaction of the Illuminating Engineering Society.

Approved March 23, 2020 as an American National Standard.

All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005.

IES Standards are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, they should be forwarded to Brian Liebel, Director Standards, at standards@ies.org or the above address for verification and correction. The IES welcomes and urges feedback and comments.

Printed in the United States of America.

ISBN# 978-0-87995-180-1

DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

This is a preview. Click here to purchase the full publication.

Prepared by the IES Museum and Art Gallery Lighting Committee

Scott Rosenfeld, *Chair* Kaitlin N. Page, *Vice Chair*

Members

B. D. BesmanoffF. A. FlorentineM. InnesS. RosenJ. C. ConcepcionM. D. FranksK. KaneR. RummelW. EllisP. HimmelsteinS. KayeM. Tanteri

M. D. Fink J. F. Hocquard E. M. Pierce

Advisory Members

F. P. Barnes K. S. Hickox C. L. Paugh D. Wilburn
D. Bobeck H. Liang J. S. Richards

S. Ely Z. Lu N. W. Saxton
J. Green W. C. O'Connell J. M. Tobon

This is a preview. Click here to purchase the full publication.

CONTENTS

Fore	Preface: Museums – By Howard Brandston			
Pref				
1.0	Introd	uction and Scope	2	
1.1	Introd	uction	2	
	1.1.1	Integrated Design	2	
1.2	Scope		3	
2.0	The M	useum Lighting Design Process4	4	
2.1	Lightir	g Concept: Pre-design Phase	5	
2.2		atic Design: Assessment Phase		
2.3	_	Development: Defining Solutions Phase		
2.4		uction Documentation: Final Design Phase		
2.5		ct Administration: Commissioning and Installation Phase		
2.6	Project	t Completion: Reflection on Design and Lessons Learned	6	
3.0		al Lighting Information		
3.1	Illumin	ance (and Related Properties)		
	3.1.1	Illuminance Criteria		
	3.1.2	Luminance		
	3.1.3	Irradiance		
3.2	Light D	Pistribution	0	
	3.2.1	Luminaire Photometry1		
	3.2.2	Controlling the Distribution of Light13	3	
	3.2.3	IES Method for Creating Focus14		
3.3	Color .			
	3.3.1	Color Assessment Factor 1: The Effect of Illuminance on Color Appearance10	6	
	3.3.2	Color Assessment Factor 2: Chromaticity10	6	
	3.3.3	Color Assessment Factor 3: Color Rendering	8	
	3.3.4	Visual Assessment of Color Quality: The Mockup	1	
	3.3.5	Conclusion	2	
3.4	Moven	nent 2	2	

3.5	Angle		23
	3.5.1	Modeling of Three-Dimensional Forms	23
	3.5.2	Location of Luminaires	24
	3.5.3	Lighting the Background	27
	3.5.4	You Cannot Light a Mirror	27
	3.5.5	Sparkle and Nuisance Glare	28
	3.5.6	Direct Glare	28
	3.5.7	Veiling Reflections (Reflected Glare)	29
	3.5.8	Spatial Brightness Appearance	30
	3.5.9	Glare Summary	30
3.6	Contro	ollable Qualities of Light: Summary	30
4.0	Lumin	naires, Light Sources, and Accessories	30
4.1		Types of Luminaires Used for Direct Lighting	
	4.1.1	Lamp-Based Performance Luminaires.	
	4.1.2	Integrated-Source Performance Luminaires	
4.2		bent Source vs. Replacement or Retrofit Source	
4.3		aire Construction and Safety.	
4.4		cy, Efficiency, and Life.	
4.5		r	
4.6		um Lighting Applications and Techniques: Relationship to Luminaires	
	4.6.1	Special Effects Lighting.	
	4.6.2	Safety and Security with Track Lighting	
	4.6.3	Picture Lights	
4.7	Lumin	aire Accessories	
	4.7.1	Glass Spread Lenses and Beam Softeners	
	4.7.2	Dichroic Glass and Narrow B Filters	
	4.7.3	UV and IR Filtering	
	4.7.4	Filters, Color Filters, and Thin-Film Diffusers	
	4.7.5	Glare Control	
	4.7.6	Beam Manipulation and Pattern Projection	
4.8		Lighting	
4.9		optic Systems	
5.0	_	ng Control Systems	
5.1		of Lighting Controls	
	5.1.1	Switches, Wall Box Dimmers, and Contactors	
	5.1.2	Circuit-Level Automated Controls	
	5.1.3	Integration of Lighting Controls with Other Systems	
5.2		ol System Fundamentals and Hardware Elements	
	5.2.1	Sensors	
	5.2.2	User Interfaces with the Lighting Control System	
	5.2.3	Control Locations	41
5.3	Match	ing Power Control Equipment with Light Sources	41

6.0		mics, Maintenance, Sustainability	
6.1			
6.2	_	ng Budgets and Economics	
6.3	Sustai	nable Lighting Design for Museums and Art Galleries	42
7.0	Museu	um Categories and Criteria for Lighting Design Success	43
7.1		of Museums and Art Galleries	
7.2	Criteri	a for Successful Museum Lighting	44
8.0	Presei	rvation of Light-Sensitive Materials	45
8.1	Dama	ge Factor 1: A Material's Susceptibility to Light	45
	8.1.1	General Susceptibility to Damage Based on the SPD of the Light Source	45
	8.1.2	Relative Rate of Damage Based on the Extent of Previous Exposure	46
	8.1.3	Relative Rate of Damage over Time, Based on the Light Sensitivity of an Object	47
8.2	Dama	ge Factor 2: The Concentration of Irradiance on the Surface of a Material	47
	8.2.1	Illuminance	47
8.3	Dama	ge Factor 3: Duration of Exposure and the Principle of Reciprocity	49
8.4	Dama	ge Factor 4: The Spectral Power Distribution of Light Sources (UV, IR, and Visible)	50
	8.4.1	Ultraviolet (UV) Radiation	50
	8.4.2	Infrared (IR) Radiation and Thermal Management	52
	8.4.3	Spectrum of Visible Radiation	52
	8.4.4	Specific Susceptibility to Damage Based on Light Source Spectrum	54
8.5	Preser	vation of Light-Sensitive Materials: Summary	54
9.0	Typica	al Lighting Solutions for Museum Exhibitions	55
9.1	Flat Ol	bjects on Vertical Surfaces	55
	9.1.1	Wall Wash	56
	9.1.2	Spotlights	57
9.2	Large-	Scale Three-Dimensional Objects	57
	9.2.1	Minimizing Glare	57
9.3	Exhibi	t Cases	58
	9.3.1	Built-In Cases	59
	9.3.2	Freestanding Cases: General Considerations	59
	9.3.3	Freestanding Glass Cases: Four-Sided Plus Solid Top	60
	9.3.4	Freestanding Glass Cases: Four-Sided Plus Glass Top (Five-Sided)	60
	9.3.5	Grand Cases	60
	9.3.6	Mini-cases	60
	9.3.7	Table Cases with Flat Tops	60
	9.3.8	Table Cases: Lectern Type	61
	9.3.9	Wall Cases	
	9.3.10	Common Elements of Display Cases	
	9.3.11	Case Checklist	
		Case Reflections	63

9.4	Dioramas65		. 67
	9.4.1	Concealed Lighting Locations	. 67
	9.4.2	Dual Lighting	. 67
9.5	Typica	l Lighting Solutions: Summary	. 67
10.0	Daylig	yhting the Museum Environment	.68
10.1	Daylig	ht in Architectural Lighting Design	. 68
	10.1.1	Sunlight	. 68
	10.1.2	Sky Light	. 69
	10.1.3	Reflected Light from Sun or Sky	. 69
10.2	Energy	y and Damage	. 70
	10.2.1	Light and Ultraviolet (UV) Energy	. 70
	10.2.2	Nonvisible Spectrum (IR)	. 70
10.3	Daylig	hting Design in Museums	. 70
	10.3.1	Daylight as Object Illuminant	. 71
	10.3.2	Daylight as Architectural Illuminant	. 71
	10.3.3	View Provision	. 71
	10.3.4	Visual Comfort	.72
	10.3.5	Energy Savings	.72
10.4	Daylig	hting Techniques and Typologies	. 72
	10.4.1	Sidelighting	. 72
	10.4.2	Toplighting	. 73
	10.4.3	Combinative Strategies	. 75
	10.4.4	Shading Devices	. 75
10.5	Perfor	mance Metrics	. 76
	10.5.1	Object Illuminance and Luminance	
		Values Used to Assess Damage or Risk: Maximum Instantaneous Value	
		Values Used to Assess Damage or Risk: Cumulative Value	
		Values Used to Assess Damage or Risk: SDF Curves	
	10.5.5	Recommended Ratios and Maximum Value	. 77
	10.5.6	Glare	. 77
	10.5.7	Damage Concerns	. 77
10.6	Color I	Metrics	. 77
	10.6.1	SPD, Chromaticity, and Correlated Color Temperature (CCT)	. 77
	10.6.2	Color Rendering	. 78
10.7	Docun	nentation and Testing	. 78
	10.7.1	Daylighting Specifications	. 78
	10.7.2	Programming and Verification	. 82
	10.7.3	Commissioning	. 82
	10 74	Operational Issues	82

Annex A – Illuminance Recommendations	83
Annex B – Key Color Terms, Concepts, and Phenomena	87
Annex C – Sensitivity of Colored Materials to Light and UV Energy	90
Annex D – Flow Chart For Managing Light-Sensitive Materials	92
Annex E – Light Measurement Tools and Techniques	93
Annex F – Lighting for Special Events in Museums and Art Galleries	94
Annex G – Fundamental Factors of Artifact Visibility	96
Annex H – Electric Light Source Considerations	97
Annex I – Museum Terms	102
References	103