



Illuminating
ENGINEERING SOCIETY

ANSI/IES RP-30-17

Recommended Practice for Museum Lighting



This is a preview. [Click here to purchase the full publication.](#)

Recommended Practice for Museum Lighting

Publication of this Recommended Practice
has been approved by IES.
Suggestions for revisions
should be directed to IES.

Prepared by:
The Museum and Art Gallery Lighting Committee of the
Illuminating Engineering Society of North America

[This is a preview. Click here to purchase the full publication.](#)

Copyright 2017 by the Illuminating Engineering Society of North America.

Approved as an American National Standard January 1, 2017.

Approved by the IES Board of Directors, January 9, 2017, as a Transaction of the Illuminating Engineering Society of North America.

All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society of North America, 120 Wall Street, New York, New York 10005.

IES Standards and Guides are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, please forward them to the Director of Standards and Research, at the above address for verification and correction. The IES welcomes and urges feedback and comments.

ISBN # 978-0-87995-340-9

Printed in the United States of America.

DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement

Prepared by the IES Museum and Art Gallery Lighting Committee**Scott Rosenfeld, *Chair*****Kaitlin Page, *Vice Chair***

B. Besmanoff*	M. Franks	S. Kaye	G. Plank*	R. Snow*
C. Betts*	D. Gelman*	A. Lyons*	F. Barnes*	M. Tanteri
D. Bobeck*	R. Grenald*	D. McDaniel*	K. Raidy*	J. Tobon*
J. Cody*	J. Hickman*	W. O'Connell*	R. Renfro*	M. Toiya
J. Concepcion	P. Himmelstein	M. O'Connor*	J. Richards*	S. Weintraub
G. Costa*	J. Hocquard*	C. Paugh*	S. Rosen	D. Wilburn*
W. Ellis	R. Jellow*	T. Peak*	A. Ruedaflores	M. Zukerman*
M. Fink	K. Kane	T. Perrin*	R. Rummel	
F. Florentine	A. Kanellias*	E. Pierce	S. Schmidt*	* Advisory

Special thanks to David Adcock for Annex G.

Special thanks to non-committee members Chris Cuttle, Wendy Davis, Naomi Miller, Yoshi Ohno, Tess Perrin, and Michael Royer.

ANSI/IES RP-30-17 is dedicated to William F. Blitzer, Anthony Donato, and Marvin Gelman.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue and interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

[This is a preview. Click here to purchase the full publication.](#)

Please refer to the IES Bookstore after you purchase this IES Standard, for possible
Errata, Addenda, and Clarifications, www.ies.org/bookstore.

Contents

Foreword: Museums – By Howard Brandston	1
1.0 Introduction to Museum Design	1
1.1 Integrated Design	2
1.1.1 Collaboration with Museum Professionals	2
1.1.2 Collaboration with Architects, Engineers, Media Designers, and Contractors	2
2.0 Museum Categories and Criteria For Lighting Design Success	3
2.1 Types of Museums and Art Galleries	3
2.2 Criteria for Successful Museum Lighting	4
3.0 Controllable Qualities of Light	4
3.1 Illuminance (And Related Properties)	5
3.1.1 Illuminance Criteria	6
3.1.2 Luminance	7
3.1.3 Irradiance	7
3.2 Light Distribution	7
3.2.1 Luminaire Photometry	9
3.2.2 Controlling the Distribution of Light	10
3.2.3 IES Method for Creating Focus	11
3.3 Color	13
3.3.1 Color Assessment Factor 1: The Effect of Illuminance on Color Appearance	14
3.3.2 Color Assessment Factor 2: Chromaticity	14
3.3.3 Color Assessment Factor 3: Color Rendering	18
3.3.4 Visual Assessment of Color Quality	21
3.3.5 Conclusion	23
3.4 Movement	23
3.5 Angle	24
3.5.1 Modeling of Three-Dimensional Forms	24
3.5.2 Location of Luminaires	24
3.5.3 Lighting the Background	27
3.5.4 You Cannot Light a Mirror	27
3.5.5 Sparkle and Nuisance Glare	28
3.5.6 Direct Glare	28
3.5.7 Veiling Reflections (Reflected Glare)	29
3.5.8 Spatial Brightness Appearance	29
3.5.9 Glare Summary	29
3.6 Controllable Qualities of Light: Summary	29

4.0	Preservation of Light-Sensitive Materials	29
4.1	Damage Factor 1: A Material's Susceptibility to Light	30
4.1.1	General Susceptibility to Damage Based on the SPD of the Light Source	30
4.1.2	Relative Rate of Damage Based on the Extent of Previous Exposure	31
4.1.3	Relative Rate of Damage over Time, Based on the Light Sensitivity of an Object	31
4.2	Damage Factor 2: The Concentration of Irradiance on The Surface of a Material	32
4.2.1	Illuminance	32
4.3	Damage Factor 3: Duration of Exposure and The Principle of Reciprocity	33
4.4	Damage Factor 4: The Spectral Power Distribution of Light Sources (UV, IR, and Visible)	34
4.4.1	Ultraviolet (UV) Radiation	34
4.4.2	Infrared (IR) Radiation and Thermal Management	35
4.4.3	Spectrum of Visible Radiation	36
4.4.4	Specific Susceptibility to Damage Based on Light Source Spectrum	37
4.5	Preservation of Light-Sensitive Materials: Summary	38
5.0	The Lighting Design Process	38
5.1	Lighting Concept: Pre-Design Phase	39
5.2	Schematic Design: Assessment Phase	40
5.3	Design Development: Defining Solutions Phase	41
5.4	Construction Documentation: Final Design Phase	41
5.5	Contract Administration: Commissioning and Installation Phase	41
5.6	Project Completion: Reflection on Design and Lessons Learned	42
6.0	Typical Lighting Solutions For Museum Exhibitions	42
6.1	Flat Objects On Vertical Surfaces	42
6.1.1	Wall Wash	43
6.1.2	Spotlights	44
6.2	Large-Scale Three-Dimensional Objects	44
6.2.1	Minimizing Glare	44
6.3	Exhibit Cases	45
6.3.1	Built-In Cases	45
6.3.2	Freestanding Cases: General Considerations	46
6.3.3	Freestanding Glass Cases: Four-Sided Plus Solid Top	46
6.3.4	Freestanding Glass Cases: Four-Sided Plus Glass Top (Five-Sided)	46
6.3.5	Grand Cases	47
6.3.6	Mini-cases	47
6.3.7	Table Cases with Flat Tops	47
6.3.8	Table Cases: Lectern Type	47
6.3.9	Wall Cases	47
6.3.10	Common Elements of Display Cases	47
6.3.11	Case Checklist	48
6.3.12	Case Reflections	49

6.4	Dioramas	52
6.4.1	Concealed Lighting Locations	53
6.4.2	Dual Lighting	53
6.5	Typical Lighting Solutions: Summary	53
7.0	Luminaires, Light Sources, and Accessories	53
7.1	Basic Types of Luminaires Used for Direct Lighting	54
7.1.1	Lamp-Based Performance Luminaires	54
7.1.2	Integrated Performance Luminaires	54
7.2	Incumbent Source vs. Replacement or Retrofit Source	55
7.3	Luminaire Construction And Safety	55
7.4	Efficacy, Efficiency, and Life	55
7.5	Flicker	56
7.5.1	Measurement of Flicker	57
7.6	Museum Lighting Applications and Techniques: Relationship to Luminaires	57
7.6.1	Special Effects Lighting	57
7.6.2	Safety and Security with Track Lighting	58
7.6.3	Picture Lights	59
7.7	Luminaire Accessories	59
7.7.1	Glass Spread Lenses and Beam Softeners	59
7.7.2	Dichroic Glass and Narrow B Filters	59
7.7.3	UV and IR Filtering	60
7.7.4	Filters, Color Filters, and Thin Film Diffusers	60
7.7.5	Glare Control	60
7.7.6	Beam Manipulation and Pattern Projection	61
7.8	Track Lighting	62
7.8.1	Codes and Safety Requirements for Track Lighting Systems	62
7.8.2	Track Systems	62
7.9	Fiberoptic Systems	64
8.0	Daylighting the Museum Environment	65
8.1	Daylight in Architectural Lighting Design	65
8.1.1	Sunlight	65
8.1.2	Sky Light	65
8.1.3	Reflected Light from Sun or Sky	66
8.2	Energy and Damage	66
8.2.1	Light and Ultraviolet (UV) Energy	66
8.2.2	Non-Visible Spectrum (IR)	67
8.3	Daylighting Design in Museums	67
8.3.1	Daylight as Object Illuminant	67
8.3.2	Daylight as Architectural Illuminant	67
8.3.3	View Provision	68
8.3.4	Visual Comfort	68
8.3.5	Energy Savings	68

8.4	Daylighting Techniques and Typologies	68
8.4.1	Sidelighting	68
8.4.2	Toplighting	69
8.4.3	Combinative Strategies	71
8.4.4	Shading Devices	71
8.5	Performance Metrics	71
8.5.1	Object Illuminance and Luminance	71
8.5.2	Values Used to Assess Damage or Risk: Maximum Instantaneous Value	72
8.5.3	Values Used to Assess Damage or Risk: Cumulative Value	72
8.5.4	Values Used to Assess Damage or Risk: SDF Curves	72
8.5.5	Recommended Ratios and Maximum Value	72
8.5.6	Glare	73
8.5.7	Damage Concerns	73
8.6	Color Metrics	73
8.6.1	SPD, Chromaticity, and Correlated Color Temperature (CCT)	73
8.6.2	Color Rendering Index (CRI)	73
8.7	Documentation and Testing	73
8.7.1	Daylighting Specifications	73
8.7.2	Programming and Verification	77
8.7.3	Commissioning	77
8.7.4	Operational Issues	77
9.0	Lighting Control Systems	78
9.1	The Lighting Design and Lighting Controls Team	78
9.1.1	The Lighting Designer	78
9.1.2	Lighting Control Systems Integrators	78
9.2	The Design and Engineering Process	78
9.2.1	Lighting Control Protocols	78
9.2.2	Developing System Specifications	79
9.2.3	Submittals	79
9.3	Types of Lighting Controls	79
9.3.1	Switches, Wall Box Dimmers, and Contactors	79
9.3.2	Circuit-Level Automated Controls	79
9.3.3	Integration of Lighting Controls with Other Systems	79
9.4	Control System Fundamentals and Hardware Elements	80
9.4.1	Sensors	80
9.4.2	User Interfaces with the Lighting Control System	80
9.4.3	Control Locations	81
9.5	Matching Power Control Equipment with Light Sources	81
9.5.1	Controlling Incandescent Lamps	81
9.5.2	Controlling Fluorescent Lamps	81
9.5.3	Controlling Metal Halide Lamps	81
9.5.4	Controlling LEDs	81

10.0 Lighting Design, Economics, and Maintenance	82
10.1 Designer's Insight	82
10.2 Maintenance	82
10.2.1 Maintenance Checklist	82
10.2.2 Access to Service Luminaires	82
10.3 Lighting Budgets and Economics	82
10.3.1 Factors Related to Direct Cost of Light	82
10.3.2 Initial Equipment Investment Analysis	83
10.3.3 Life Cost Cycle Benefit Analysis	83
11.0 Sustainable Lighting Design for Museums and Art Galleries	83
11.1 Environmental Impact	83
11.2 Human Health Impacts	83
11.3 Sustainable Design Process	84
11.3.1 Programming and Schematic Design	84
11.3.2 Design Development and Construction Documentation	84
11.3.3 Construction and Commissioning	84
11.4 Sustainable Lighting in Museums and Galleries	84
11.5 Strategies for Sustainability	84
11.5.1 Light Source Selection	84
11.5.2 Automated Controls	85
11.5.3 Life Cycle Analysis	85
11.5.4 Proper Disposal	85
11.6 Other Resources	85
Annex A – IES Recommended Illuminance Targets	86
Annex B – IES Illuminance Recommendations for Specific Applications	89
Annex C – Sensitivity of Colored Materials to Light and UV Energy	105
Annex D – Flow Chart for Managing Light-Sensitive Materials	107
Annex E – Control Protocols	108
Annex F – Light Measurement Tools and Techniques	110
Annex G – Lighting for Special Events in Museums and Art Galleries	111
Annex H – Fundamental Factors of Artifact Visibility	113
Annex I – Electric Light Source Considerations	114
Annex J – Sample Luminaire Schedules	119
Annex K – Lighting Calculations	120
Annex L – Museum Terms	124
Annex M – General Lighting Terms	125
End References	140

