
**Reciprocating internal combustion
engine driven alternating current
generating sets —**

**Part 1:
Application, ratings and performance**

*Groupes électrogènes à courant alternatif entraînés par moteurs
alternatifs à combustion interne —*

Partie 1: Application, caractéristiques et performances



Reference number
ISO 8528-1:2018(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	1
5 Other regulations and additional requirements	2
6 General description	2
6.1 Generating set.....	2
6.1.1 General.....	2
6.1.2 Prime movers.....	3
6.1.3 Electrical generators.....	3
6.1.4 Control and switchgear.....	3
6.1.5 Auxiliaries.....	4
6.2 Power station.....	4
7 Application criteria	4
7.1 Modes of operation.....	4
7.1.1 General.....	4
7.1.2 Continuous operation at constant load.....	4
7.1.3 Continuous operation at varying load.....	4
7.1.4 Limited time operation at constant load.....	4
7.1.5 Limited time operation at varying load.....	5
7.2 Site criteria.....	5
7.2.1 Land use.....	5
7.2.2 Marine use.....	5
7.3 Single and parallel operation.....	5
7.3.1 General.....	5
7.3.2 Generating set parallel operation.....	5
7.3.3 Generating set operation in parallel with a utility supply.....	5
7.4 Modes of start-up and control.....	5
7.4.1 General.....	5
7.4.2 Manual operation.....	6
7.4.3 Semi-automatic operation.....	6
7.4.4 Automatic operation.....	6
7.5 Start-up time.....	6
7.5.1 General.....	6
7.5.2 Generating set with no specified start-up time.....	6
7.5.3 Generating set with a specified start-up time.....	6
8 Performance classes	7
9 Installation features	7
9.1 General.....	7
9.2 Installation configurations.....	7
9.2.1 General.....	7
9.2.2 Fixed.....	7
9.2.3 Transportable.....	8
9.2.4 Mobile.....	8
9.3 Generating set configurations.....	8
9.4 Mounting types.....	8
9.5 Connection between the RIC engine and electrical generator.....	8
9.5.1 General.....	8
9.5.2 Coupling arrangements.....	8
9.5.3 Assembly arrangements.....	9

9.6	Additional installation features — Weather effects	9
9.6.1	Inside installation	9
9.6.2	Outside installation with protection from weather	9
9.6.3	Open-air installation	9
10	Emissions	9
11	Standard reference conditions	9
12	Site conditions	9
12.1	General	9
12.2	Ambient temperature	10
12.3	Altitude	10
12.4	Humidity	10
12.5	Air quality	10
12.6	Marine environment	10
12.7	Shock and imposed vibration	10
12.8	Chemical pollution	10
12.9	Radiation	10
12.10	Cooling water/liquid	10
13	Power adjustment for operating conditions	11
14	Power rating definitions	11
14.1	General	11
14.2	Power ratings	11
14.3	Power rating categories	11
14.3.1	General	11
14.3.2	Continuous power (COP)	12
14.3.3	Prime power (PRP)	12
14.3.4	Limited-time running power (LTP)	13
14.3.5	Emergency standby power (ESP)	14
14.3.6	Data centre power (DCP)	15
14.3.7	Maximum power for low-power generating sets (MAX)	15
15	Operating performance	16
15.1	Starting temperature	16
15.2	Load acceptance	16
15.3	Cyclic irregularity	16
15.4	Generator temperature rise	16
15.5	Fuel and lubricating oil characteristics and consumption	16
15.6	Minimum running hours	16
15.7	Regulation	16
15.7.1	Frequency regulation	16
15.7.2	Voltage regulation	17
15.8	Range of power factor	17
	Bibliography	18