# INTERNATIONAL STANDARD

ISO 11607-2

First edition 2006-04-15

# Packaging for terminally sterilized medical devices —

### Part 2:

Validation requirements for forming, sealing and assembly processes

Emballages des dispositifs médicaux stérilisés au stade terminal —

Partie 2: Exigences de validation pour les procédés de formage, scellage et assemblage



#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

#### © ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

## **Contents**

Page

Forev	vordiv
Intro	ductionv
1	Scope 1
2	Normative references 1
3	Terms and definitions1
4	General requirements4
4.1	Quality systems4
4.2	Sampling4
4.3	Test methods4
4.4	Documentation
5	Validation of packaging processes5
5.1	General
5.2	Installation qualification (IQ)
5.3	Operational qualification (OQ)
5.4	Performance qualification (PQ)
5.5	Formal approval of the process validation8
5.6	Process control and monitoring
5.7	Process changes and revalidation8
6	Packaging system assembly8
7	Use of reusable sterile barrier systems9
8	Sterile fluid-path packaging9
Anne	x A (informative) Process development10
Biblio	ography11

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11607-2 was prepared by Technical Committee ISO/TC 198, Sterilization of health care products.

ISO 11607-1 and ISO 11607-2 cancel and replace ISO 11607:2003, which has been technically revised.

ISO 11607 consists of the following parts, under the general title *Packaging for terminally sterilized medical devices*:

- Part 1: Requirements for materials, sterile barrier systems and packaging systems
- Part 2: Validation requirements for forming, sealing and assembly processes