



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 5659 : 2008

(JPMA/JSA)

**Long durable paints for steel
structures**

ICS 83.140.99; 87.040

Reference number : JIS K 5659 : 2008 (E)

Date of Establishment: 1992-11-01

Date of Revision: 2008-01-20

Date of Public Notice in Official Gazette: 2008-01-21

Investigated by: Japanese Industrial Standards Committee
Standards Board

Technical Committee on Chemical Products

JIS K 5659:2008, First English edition published in 2009-03

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KA/AT

Contents

	Page
1 Scope	1
2 Normative references	1
3 Terms and definitions	3
4 Types and classes	3
5 Quality	3
6 Reference sample	5
7 Test method	5
7.1 Sampling	5
7.2 Examination and preparation of sample for testing	5
7.3 General conditions for test	5
7.4 Condition inside container	6
7.5 Surface-drying property	6
7.6 Appearance of film	6
7.7 Pot life	7
7.8 Contrast ratio	7
7.9 Specular gloss (60°)	8
7.10 Overcoatability	8
7.11 Flexibility	8
7.12 Falling weight resistance	9
7.13 Adhesiveness between layers I (between under coat and intermediate coat)	9
7.14 Adhesiveness between layers II (between intermediate coat and top coat)	11
7.15 Alkali resistance	11
7.16 Acid resistance	12
7.17 Humidity and cool-heat cycling resistance	12
7.18 Non-volatile matter content in mixed paints	13
7.19 Accelerated weather resistance	13
7.20 Natural weathering resistance	15
8 Inspection	15
9 Marking	15
Annex A (normative) Natural weathering resistance	16
Annex B (informative) Test procedure for long durable paints for steel structures	18

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Paint Manufacturers Association (JPMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS K 5659**:2002 is replaced with this Standard. Moreover, **JIS K 5657**:2002 is withdrawn/integrated and replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.