



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS D 9115 : 2017

(JBPI/JSA)

Electric power assisted bicycles

ICS 43.150

Reference number : JIS D 9115 : 2017 (E)

Date of Establishment: 2009-09-24

Date of Revision: 2017-01-20

Date of Public Notice in Official Gazette: 2017-01-20

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Consumer Life Products

JIS D 9115:2017, First English edition published in 2018-05

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2018

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HT/AT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Construction and parts	4
5 Safety (including performance, construction, size and shape)	4
5.1 General	4
5.2 Brake	4
5.3 Steering	4
5.4 Frame	4
5.5 Front fork	4
5.6 Wheels (including integrated wheels)	4
5.7 Quick-release mechanism	4
5.8 Tyres and tubes	4
5.9 Drive system	4
5.10 Saddles	4
5.11 Protective device	4
5.12 Lighting system and reflectors	5
5.13 Horns	5
5.14 Locks	5
5.15 Stands	5
5.16 Static load strength of rear carriers and frames	5
5.17 Power assisting system	5
5.18 Secondary batteries	6
5.19 Battery charger	6
6 Requirements for product design	6
7 Appearance	6
8 Test method	6
8.1 Lighting duration and luminous intensity of battery lamps	6
8.2 Strength test of power assisting system	7
8.3 Vibration resistance test	7
9 Inspection	8
10 Marking	8
11 Instruction manual	8

Annex A (normative)	Criteria for motors to assist human power	9
Annex B (normative)	Items of criteria for motors and criteria for time responsiveness	10
Annex C (normative)	Requirements for product design	19
Annex D (normative)	Method for measurement and indication of travel distance per charge	23

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Bicycle Promotion Institute (JBPI)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently, **JIS D 9115**:2013 is replaced with this Standard, and **JIS D 9207**:2000 has been withdrawn and replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.