I

# NATIONAL BOARD INSPECTION CODE 2019 EDITION DATE OF ISSUE — JULY 1, 2019

This code was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory and Jurisdictional agencies, and the public-at-large.

The National Board does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

The National Board does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code.

The National Board accepts responsibility for only those interpretations issued in accordance with governing National Board procedures and policies that preclude the issuance of interpretations by individual committee members.











The above National Board symbols are registered with the US Patent Office.

"National Board" is the abbreviation for The National Board of Boiler and Pressure Vessel Inspectors.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

All charts, graphs, tables, and other criteria that have been reprinted from the *ASME Boiler and Pressure Vessel Code*, Sections I, IV, VIII, and X are used with the permission of the American Society of Mechanical Engineers. All Rights Reserved.

Library of Congress Catalog Card No. 52-44738 Printed in the United States of America All Rights Reserved

# www.nationalboard.org

Copyright © 2019 by
THE NATIONAL BOARD OF BOILER & PRESSURE VESSEL INSPECTORS
All rights reserved
Printed in U.S.A.

This is a preview. Click here to purchase the full publication.

# PART 3 — REPAIRS AND ALTERATIONS **TABLE OF CONTENTS**

Introduction Foreword		
Personnel		
rersonner		XVI
Section 1	General and Administrative Requirements	1
1.1	Scope	
1.2	Construction Standards for Pressure-Retaining Items	
1.3	Inspector	
1.3.1	Authorization	
1.3.2	Acceptance Inspection	
1.4	Accreditation	
1.4.1	Accreditation Process	
1.4.2	National Board "R" Symbol Stamp	
1.5	Quality System	
1.5.1	Outline of Requirements for a Quality System for Qualification for the National Board "R'	,
	Certificate of Authorization	3
1.6	"NR" Program Requirements	
1.6.1	Scope	
1.6.2	General	
1.6.2.1	Definitions	
1.6.3	Prerequisites for Issuing a National Board "NR" Certificate of Authorization	10
1.6.4	Obtaining or Renewing a National Board "NR" Certificate of Authorization	
1.6.5	Quality Assurance Program	
1.6.6	Quality Assurance Program Requirements for Category 1 Activities	12
1.6.6.1	Scope	12
1.6.6.2	Quality Program Elements	12
1.6.7	Quality Assurance Program Requirements for Category 2 Activities	19
1.6.7.1	Scope	
1.6.7.2	Quality Program Elements	19
1.6.8	Quality Assurance Program Requirements for Category 3 Activities	26
1.6.8.1	Scope	26
1.6.8.2	Quality Program Elements	27
1.6.9	Interface with the Owner's Repair/Replacement Program	
	(For Categories 1, 2, and 3 as Applicable)	31
Section 2	Welding and Heat Treatment	
2.1	Scope	
2.2	Welding, Brazing and Fusing	
2.2.1	Procedure Specifications	
2.2.2	Standard Welding Procedure Specifications	
2.2.3	Performance Qualification	
2.2.4	Qualification Records	
2.2.5	Qualified Personnel Identification	
2.2.6	Continuity of Qualified Personnel	
2.2.6.1	Process Continuity Records	
2.3	Standard Welding Procedure Specifications	
2.4	AWS Reference Standards	
2.5	Heat Treatment	
2.5.1	Preheating	
2.5.2	Postweld Heat Treatment (PWHT)	
2.5.3	Alternative Welding Methods Without Postweld Heat Treatment	
2.5.3.1	Welding Method 1	
2.5.3.2	Welding Method 2	47

2.5.3.3	Welding Method 3	48			
2.5.3.4	Welding Method 4	49			
2.5.3.5	Welding Method 5				
2.5.3.6	Welding Method 6				
Section 3	Requirements for Repairs and Alterations	53			
3.1	Scope				
3.2	General Requirements for Repairs and Alterations				
3.2.1	Material Requirements for Repairs and Alterations				
3.2.2	Replacement Parts				
3.2.3	Drawings				
3.2.4	Design Requirements for Repairs and Alterations				
3.2.5	Calculations				
3.2.6	Reference to Other Codes and Standards				
3.2.7	Change of Service				
3.3	Repairs to Pressure-Retaining Items				
3.3.1	Defect Repairs				
3.3.2	Routine Repairs				
3.3.3	Examples of Repairs				
3.3.4	Repair Methods				
3.3.4.1	Scope				
3.3.4.2	Defect Repairs				
3.3.4.3	Wasted Areas				
3.3.4.4	Seal Welding				
3.3.4.5	Re-Ending or Piecing Pipes or Tubes				
3.3.4.6	Patches				
3.3.4.7	Stays				
3.3.4.8	Repair of Pressure-Retaining Items Without Complete Removal of Defects				
3.3.4.9	Tube Plugging in Firetube Boilers				
3.3.5	Repair of ASME Section VIII, Division 2 or 3, Pressure Vessels				
3.3.5.1	Scope				
3.3.5.2	Repair Plan				
3.4	Alterations				
3.4.1	Re-Rating				
3.4.2	Alterations Based on Allowable Stress Values				
3.4.3	Encapsulation				
3.4.4	Examples of Alterations				
3.4.5	Alteration of ASME Code Section VIII, Division 2 or 3, Pressure Vessels				
3.4.5.1	Alteration Plan				
0 1 4	Enclosed and Encettor	7.0			
Section 4	Examination and Testing				
4.1	Scope				
4.2	Nondestructive Examination				
4.3	Pressure Gages, Measurement, Examination, and Test Equipment				
4.4	Examination and Test for Repairs and Alterations				
4.4.1	Test or Examination Methods Applicable to Repairs				
4.4.2	Test or Examination Methods Applicable to Alterations	/ 8			
Section 5	Certification/Documentation and Stamping				
5.1	Scope				
5.2	Documentation				
5.2.1	Preparation of Form R-1 (Report of Repair)				
5.2.2	Preparation of Form R-2 (Report of Alteration)	81			
5.2.3	Preparation of Form R-3 Report of Parts Fabricated by Welding				
5.2.4	Preparation of Form R-4 Report Supplement Sheet	82			
5.3	Distribution of Form R-1				
5.4	Distribution of Form R-2				
5.5	Registration of Forms – General				
5.5.1	Registration for Repairs	83			

S1.2.9.4	Thermic Syphons	131
S1.2.9.5	Circulators	
S1.2.9.6	Installation of Boiler Flues	
S1.2.9.7	Ferrules	
S1.2.10	Repairs and Alterations to Boiler Barrel Unstayed Areas	
S1.2.11	Repairs and Alterations to Boiler Barrel Stayed Area	
S1.2.11.1	Firebox Sheet Repair	
S1.2.11.2	Fireboxes and Other Stayed Area Patches	135
S1.2.11.2 S1.2.11.3	Repair of Stayed Firebox Sheets Grooved or Wasted at the Mudring	
S1.2.11.3 S1.2.11.4	Mudring Repairs	
S1.2.11.4 S1.2.11.5	Repair of Firebox, Wrapper, and Tubesheet Knuckles	
S1.2.11.5 S1.2.11.6		
S1.2.11.0 S1.2.12	Tubesheet Repairs	
S1.2.12.1	Caulking Riveted Seams and Rivet Heads	145
S1.2.12.2	Threaded Openings in Vessel Walls, Bushings, and Welded Nozzles	4.46
0.4.0.4.0	(Washout Plug Holes and Other Connections)	
S1.2.13	Fittings and Gages	
S1.2.13.1	Water Gage Connection	
S1.2.14	Throttle Pipes, Dry Pipes, Superheater Headers & Front End Steam Pipes	148
	2 Historical Boilers	
S2.1	Scope	
S2.2	Introduction	
S2.3	Responsibilities	
S2.4	Repairs and Alterations	
S2.5	Construction Standards	
S2.6	Accreditation	
S2.7	Materials	
S2.7.1	Material List for Historical Boiler Repairs	
S2.7.2	Replacement Parts	
S2.8	Welded Repair Inspection	
S2.9	Welding	151
S2.10	Heat Treatment	151
S2.11	Nondestructive Examination and Testing	152
S2.12	Documentation	152
S2.13	Repair Methods	152
S2.13.1	Repair of Threaded Staybolt Holes	152
S2.13.2	Installation of Threaded Staybolts	153
S2.13.3	Seal Welding of Threaded Staybolts	
S2.13.4	Installation of Welded Staybolts	
S2.13.5	Threaded Studs	
S2.13.6	Patch Bolts	156
S2.13.7	Flue and Tube Re-Ending	
S2.13.8	Flue and Tube Installation	
S2.13.9	Repairs and Alterations to Unstayed Areas	
S2.13.9.1	Weld Buildup of Wastage and Grooving in Unstayed Areas	
S2.13.9.2	Welded Repair of Cracks in Unstayed Areas	
S2.13.9.3	Welded Flush Patches in Unstayed Areas	
S2.13.9.4	Repair of Cracks, Grooving, and Wastage Using a Riveted Patch in Unstayed Areas	163
S2.13.9.5	Barrel Replacement	164
S2.13.10	Repairs and Alterations to Stayed Areas	
S2.13.10 S2.13.10.1	Weld Buildup of Wastage and Grooving in Stayed Areas	
S2.13.10.1 S2.13.10.2	Welded Repair of Cracks in Stayed Areas	
S2.13.10.2 S2.13.10.3	Welded Flush Patches in Stayed Areas	
S2.13.10.3 S2.13.10.4	Repair of Stayed Firebox Sheets Grooved or Wasted at the Mudring	
S2.13.10.4 S2.13.11	Repair of Stayed Firebox Sheets Glooved of Wasted at the Mudring	
S2.13.11 S2.13.11.1	Weld Buildup of Wastage and Grooving in Firebox and Tubesheet Knuckles	
S2.13.11.1 S2.13.11.2	Welded Repair of Cracks in Firebox and Tubesheet Knuckles	
S2.13.11.2 S2.13.11.3	Welded Flush Patches in Firebox and Tubesheet Knuckles	
UZ. IU. II.U	**EIUEU   1U311   ALUTE3	108

S2.13.12	Repair of Tubesheets	171
S2.13.12.1	Weld Buildup of Wastage and Grooving in Tubesheets	171
S2.13.12.2	Welded Repair of Cracks in Tubesheets	171
S2.13.12.3	Welded Flush Patches in Tubesheets	172
S2.13.13	Seams, Joints, and Rivets	173
S2.13.13.1	Caulking Riveted Seams and Rivet Heads	
S2.13.13.2	Rivet Holes	
S2.13.13.3	Assembly of Riveted Joints	
S2.13.13.4	Riveting	
S2.13.13.5	Seal Welding Seam, Joints, and Rivet Heads	
S2.13.14	Repair of Openings	
S2.13.14.1	Repair of Threaded Openings	
S2.13.14.1 S2.13.14.2	Repair of Handhole Openings	
S2.13.14.3	Repair of Fusible Plug Opening	
S2.13.14.4	Repair of Handhole Doors	181
	3 Repair and Alteration of Graphite Pressure Equipment	
S3.1	Scope	
S3.2	Repairs	
S3.3	Repairs of a Routine Nature	
S3.4	Alterations	
S3.5	Repair Guide for Impervious Graphite	
S3.5.1	Introduction	185
S3.5.2	Typical Graphite Fractures	189
S3.5.2.1	Major Fracture	189
S3.5.2.2	Intermediate Fracture	189
S3.5.2.3	Minor Fracture	190
S3.5.2.4	Finishing the Repair	191
S3.5.3	Graphite Repair by Plug Stitching	
S3.5.3.1	Plug Stitching Procedure	
S3.5.4	Plugging or Leaking of Damaged Tubes	
S3.5.5	Tube Replacement	
S3.5.6	Reimpregnation of Graphite Parts (Tubesheets, Heads, and Blocks)	
S3.5.6.1	Control of Impregnation Material	
Sunnlement	4 Repair and Alteration of Fiber-Reinforced Thermosetting Plastic	
Oupplement	Pressure Equipment	190
S4.1	Scope	
S4.2	Inspector Qualifications	
S4.3	Tools	
S4.4	Limitations	
S4.4 S4.5	Repair Limitations for Filament Wound Vessels	
S4.6	Vessels Fabricated Using Elevated Temperature Cured Resin Systems	
S4.7	Code of Construction	
	Materials	
S4.8		
S4.9	Replacement Parts	
S4.10	Secondary Bonding	
S4.10.1	Secondary Bonding Procedure Specifications	
S4.10.2	Performance Qualifications	
S4.10.3	Records	
S4.10.4	Secondary Bonder's Identification	
S4.10.5	Secondary Bonder's Continuity	
S4.11	Curing	
S4.12	Nondestructive Examination	
S4.13	Pressure and Acoustic Emission Tests	
S4.13.1	Pressure Gages, Measurement, and Examination and Test Equipment	
S4.14	Acceptance Inspection	
S4.14.1	Stamping	
S4 14 2	Documentation	207

S4.14.3	Registration of Documentation	207
S4.14.4	Distribution of Documentation	
S4.15	Pressure Testing For Repairs	
S4.16	Additional Requirements for Repairs	
S4.16.1	Scope	
S4.16.2	Drawings	
S4.16.3	Repair Plan	
S4.16.4	Routine Repairs	
S4.16.5	Repair Methods	
S4.17	Additional Requirements for Alterations	
S4.17.1	Scope	
S4.17.2	Design	
S4.17.3	Alteration Plan	
S4.17.4	Calculations	
S4.17.5	Re-Rating	
S4.17.6	Pressure Testing	
S4.18	Repair and Alteration Methods	212
S4.18.1	General Requirements	212
S4.18.2	Classification of Repairs	
S4.18.2.1	Type 1A – Repair of the Corrosion Barrier	
S4.18.2.2	Type 1B – Repair of the Corrosion Barrier for Vessels with Precision Bores	
S4.18.2.3	Type 2 – Corrosion Barrier and Internal Structural Layer Repairs	
S4.18.2.4	Type 3 – External Structural Layer Repairs	
S4.18.2.5	Type 4 – Alterations	
S4.18.2.6	Type 5 – Miscellaneous General External Repairs or Alterations	
S4.18.2.7		
	Type 6 – Thermoplastic Repairs	
S4.18.2.8	Type 7 – Gel Coat Repairs	18
Supplement	5 General Requirements for Repairs and Alterations to Yankee Dryers	220
S5.1		
	Scope	
S5.2	Examinations and Test Methods	
S5.3	Yankee Dryer Repair Methods	
S5.3.1	Replacement Parts for Yankee Dryers	
S5.4	Repair Guide for Yankee Dryers	
S5.5	Procedures That Do Not Require Stamping or Nameplate Attachment	
S5.6	Damage Repair	
S5.6.1	Repair of Local Thinning	
S5.6.2	Treatment of Crack-Like Flaws	
S5.6.3	Driven Plug Repair	223
S5.6.4	Threaded Plug Repair	223
S5.7	Alterations to Yankee Dryers	223
S5.7.1	Scope	
S5.7.2	Alteration Types	
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Supplement	t 6 Repair, Alteration, and Modification of DOT Transport Tanks	225
S6.1	Scope	225
S6.2	Definitions	
S6.3	Construction Standards	
S6.4	Accreditation and Registration	
S6.5	Materials	
S6.6	Replacement Parts	
S6.7	Authorization	
S6.8	Inspection	
S6.8.1	Inspector Duties for Repairs, Alterations, and Modifications	
S6.9	Welding	
S6.9.1	Welding Procedure Specification	227
S6.9.2		
	Standard Welding Procedure Specifications	227
S6.9.3 S6.9.4		227

S6.9.5	Welders' Identification	228
S6.9.6	Welders' Continuity	228
S6.10	Heat Treatment	
S6.10.1	Preheating	
S6.10.2	Postweld Heat Treatment	
S6.10.3	Alternatives to Postweld Heat Treatment	228
S6.11	Nondestructive Examination	
S6.12	Coatings and Linings	
S6.13	Measurement, Examination, and Test Equipment	
S6.14	Acceptance Inspection	229
S6.15	General Stamping Requirements	
S6.15.1	Specific "R" Stamping and Nameplate Requirements	
S6.15.2	Removal of Original Stamping or Nameplate	
S6.16	"R" Forms	230
S6.16.1	Documentation	230
S6.16.2	Preparation of "R" Forms	
S6.16.3	Distribution	
S6.16.4	Registration of Form R-1 and Form R-2	
S6.17	Additional Requirements for Repairs, Alterations, or Modifications	231
S6.17.1	Scope	
S6.17.2	Repairs of Defects	
S6.17.3	Modifications	231
S6.17.4	Drawings	231
S6.17.5	Authorization	
S6.18	Examination and Test	
S6.18.1	Methods	
S6.19	Repairs, Alterations, or Modification Reports	233
Supplemen	t 7 Repair and Alterations of Pressure Vessels in Liquified Petroleum Gas Service $ $	234
S7.1	Scope	
S7.2	General and Administrative Requirements	
S7.3	Welding	
S7.4	Requirements for Repairs and Alterations	234
S7.5	Requirements for Change of Service from Above Ground to Underground Service	234
S7.6	Examination and Testing	
S7.7	Certification/Documentation and Stamping	
S7.8	Inspection	
S7.9	Coatings	235
	·	
Supplemen	t 8 Weld and Post Repair Inspection of Creep Strength Enhanced Ferritic Steel	
	Pressure Equipment	236
C0 1		
S8.1	Scope	
S8.2	Weld Repair of Grade 91 Steel	236
S8.2.1	Weld Repair Options	236
S8.3	Application of Controlled Fill Welding Procedure	237
S8.4	Qualification of Controlled Fill Welding Procedure	
S8.5	Post Repair Inspection	242
Section 7	NBIC Policy for Metrication	243
7.1	General	243
7.2	Equivalent Rationale	
	·	
7.3	Procedure for Conversion	
7.4	Referencing Tables	244
Section 8	Preparation of Technical Inquiries to the National Board Inspection	
	Code Committee	249
8.1	Introduction	249
8.2	Inquiry Format	
8.3	Code Revisions or Additions	

8.4 8.5	Code Interpretations	
Section 9	Glossary of Terms	
	Definitions	
Section 10	NBIC Approved Interpretations	259
10.1	Scope	259
Section 11	Index	269

### INTRODUCTION

It is the purpose of the National Board Inspection Code (NBIC) to maintain the integrity of pressure-retaining items by providing rules for post-construction activities including installation, and after the items have been placed into service, by providing rules for inspection and repair and alteration, thereby ensuring that these items may continue to be safely used.

The NBIC is intended to provide rules, information, and guidance to manufacturers, Jurisdictions, inspectors, owner-users, installers, contractors, and other individuals and organizations performing or involved in post-construction activities, thereby encouraging the uniform administration of rules pertaining to pressure retaining items.

#### SCOPE

The NBIC recognizes three important areas of post-construction activities where information, understanding, and following specific requirements will promote public and personal safety. These areas include:

- Installation
- Inspection
- Repairs and Alterations

The NBIC provides rules, information, and guidance for post-construction activities, but does not provide details for all conditions involving pressure-retaining items. Where complete details are not provided in this code, the code user is advised to seek guidance from the Jurisdiction and from other technical sources.

The words shall, should, and may are used throughout the NBIC and have the following intent:

- Shall action that is mandatory and required.
- Should indicates a preferred but not mandatory means to accomplish the requirement unless specified by others such as the Jurisdiction.
- May permissive, not required or a means to accomplish the specified task.

### **ORGANIZATION**

The NBIC is organized into four parts to coincide with specific post-construction activities involving pressure- retaining items. Each part provides general and specific rules, information, and guidance within each applicable post-construction activity. Other NBIC parts or other published standards may contain additional information or requirements needed to meet the rules of the NBIC. Specific references are provided in each part to direct the user where to find this additional information. NBIC parts are identified as:

- Part 1, Installation This part provides requirements and guidance to ensure all types of pressure retaining items are installed and function properly. Installation includes meeting specific safety criteria for construction, materials, design, supports, safety devices, operation, testing, and maintenance.
- Part 2, Inspection This part provides information and guidance needed to perform and document inspections for all types of pressure-retaining items. This part includes information on personnel safety, non-destructive examination, tests, failure mechanisms, types of pressure equipment, fitness for service, risk-based assessments, and performance-based standards.
- Part 3. Repairs and Alterations This part provides requirements and guidance to perform, verify, and document acceptable repairs or alterations to pressure retaining items regardless of code of construction. Alternative methods for examination, testing, heat treatment, etc., are provided when the original code of construction requirements cannot be met. Specific acceptable and proven repair methods are also provided.
- Part 4, Pressure Relief Devices This part provides information and guidance to ensure pressure relief devices are installed properly, information and guidance needed to perform and document inspections for pressure relief devices, and information and guidance to perform, verify, and document acceptable repairs to pressure relief devices.

Each NBIC part is divided into major sections as outlined in the Table of Contents.

Tables, charts, and figures provide relevant illustrations or supporting information for text passages, and are designated with numbers corresponding to the paragraph they illustrate or support within each section. Multiple tables, charts, or figures referenced by the same paragraph will have additional letters reflecting the order of reference. Tables, charts, and figures are located in or after each major section within each NBIC part.

#### **TEXT IDENTIFICATION AND NUMBERING**

Each page in the text will be designated in the top header with the publication's name, part number, and part title. The numbering sequence for each section begins with the section number followed by a dot to further designate major sections (e.g., 1.1, 1.2, 1.3). Major sections are further subdivided using dots to designate subsections within that major section (e.g., 1.1.1, 1.2.1, 1.3.1). Subsections can further be divided as necessary. Paragraphs under sections or subsections shall be designated with small letters in parenthesis (e.g., a), b), c)) and further subdivided using numbers in parenthesis (e.g., 1), 2), 3)).

Subdivisions of paragraphs beyond this point will be designated using a hierarchical sequence of letters and numbers followed by a dot.

Example: 2.1 Major Section

2.1.1 Section

2.1.2 Section

2.1.2. Subsection

a) paragraph

b) paragraph

1) subparagraph

2) subparagraph

a. subdivisions

1. subdivisions

2. subdivisions

b. subdivisions

1. subdivisions

2. subdivisions

Tables and figures will be designated with the referencing section or subsection identification. When more than one table or figure is referenced in the same section or subsection, letters or numbers in sequential order will be used following each section or subsection identification.

#### **SUPPLEMENTS**

Supplements are contained in each part of the NBIC to provide requirements and guidance only pertaining to a specific type of pressure-retaining item (e.g., Locomotive Boilers, Historical Boilers, Graphite Pressure Vessels.) Supplements follow the same numbering system used for the main text only preceded by the Letter "S." Each page of the supplement will be tabbed to identify the supplement number.

#### **EDITIONS**

Editions, which include revisions and additions to this code, are published every two years. Editions are permissive on the date issued and become mandatory six months after the date of issue.

## **CODE STAMPING**

ASME Code "Stamping" referenced throughout the NBIC includes the ASME Boiler and Pressure Vessel Code Symbol Stamps used for conformity assessment prior to the 2010 edition/2011 addendum and the equivalent ASME Certification Mark with Designator required to meet the later editions of the ASME Boiler and Pressure Vessel Code Sections. When other construction codes or standards are utilized for repairs or alterations, stamping shall mean the identification symbol stamp required by that code or standard.