

NZS 4299:2020



New Zealand Standard

Earth buildings not requiring specific engineering design

Superseding NZS 4299:1998

NZS 4299:2020

This is a preview. [Click here to purchase the full publication.](#)

COMMITTEE REPRESENTATION

This standard was prepared by the P4297-99 Earth Buildings Committee. The membership of the committee was approved by the New Zealand Standards Approval Board and appointed by the New Zealand Standards Executive under the Standards and Accreditation Act 2015.

The committee consisted of representatives of the following nominating organisations:

Graeme North MNZM (chair)	New Zealand Institute of Architects
Liz Ashwin	Building Officials Institute of New Zealand
Phil Beck MBE	Tasman District Council
Alan Drayton	New Zealand Certified Builders Association
Thijs Drupsteen	Earth Building Association of New Zealand
Min Hall	Unitec Institute of Technology
Verena Maeder	National Association of Women in Construction NZ
Hugh Morris	Universities New Zealand
Peter Olorenshaw	Earth Building Association of New Zealand
Regan Potangaroa	Universities New Zealand
Grant Stevens	Structural Engineering Society New Zealand
Richard Walker	Engineering New Zealand

ACKNOWLEDGEMENT

Standards New Zealand gratefully acknowledges the contribution of time and expertise from all those involved in developing this standard.

COPYRIGHT

This document is Crown copyright administered by the New Zealand Standards Executive. You may not reproduce any part of it without prior written permission of the New Zealand Standards Executive, unless your actions are permitted by the Copyright Act 1994.

We will vigorously defend the copyright in this standard. Your unauthorised use may result in penalties being imposed under the Copyright Act 1994 including fines of up to \$10,000 for every infringing copy (up to a maximum of \$150,000 for the same transaction and for other specified offences) or imprisonment of up to 5 years. If the breach is serious, we may also seek additional damages from you as well as injunctive relief and/or an account of profits.

Published by Standards New Zealand, PO Box 1473, Wellington 6140.

Telephone: (03) 943 4259, Website: www.standards.govt.nz.

AMENDMENTS

<i>No.</i>	<i>Date of issue</i>	<i>Description</i>	<i>Entered by, and date</i>

NZS 4299:2020

New Zealand Standard

**Earth buildings not
requiring specific
engineering design**

Superseding NZS 4299:1998

ISBN (Print) 978-1-77686-036-4
ISBN (PDF) 978-1-77686-037-1

This is a preview. [Click here to purchase the full publication.](#)

NOTES

CONTENTS

Committee representation	IFC
Acknowledgement	IFC
Copyright	IFC
Related documents	xi
Latest revisions	xiii
Review of standards	xiii
Foreword.....	xiv
Outcome statement	xvi
Section	
1 SCOPE AND INTERPRETATION	1
1.1 Scope	1
1.2 Limitations.....	3
1.3 Building components.....	7
1.4 Interpretation.....	8
1.5 Definitions	9
1.6 Abbreviations	16
2 GENERAL.....	17
2.1 Materials.....	17
2.2 Methods of construction.....	18
2.3 Wind zones for weather protection.....	19
2.4 Wind zones for roof design.....	19
2.5 Snow loads	19
2.6 Durability	19
2.7 Weather protection	27
2.8 Energy efficiency.....	33
3 SITE REQUIREMENTS.....	36
3.1 Soil-bearing capacity.....	36
3.2 Soil types	39
3.3 Test method for soil bearing	39
3.4 Bearing.....	41
3.5 Site	42
4 BRACING DEMAND.....	43
4.1 General.....	43
4.2 Earthquake demand	43
4.3 Calculation of wind bracing demand.....	47
4.4 Calculation of design bracing demand.....	47
5 FOOTINGS AND CONCRETE SLAB ON GROUND	48
5.1 General.....	48
5.2 Footings	49
5.3 Reinforcement of footings	51

5.4	Cover to reinforcement	56
5.5	Vertical wall starter reinforcement.....	56
5.6	Concrete slab-on-ground floors.....	56
6	WALLS	59
6.1	General.....	59
6.2	Wall systems to resist vertical loads.....	60
6.3	Earth wall systems to resist horizontal loads	60
6.4	Reinforcement of earth walls	65
6.5	Reinforcement of rammed earth walls	67
6.6	Shear connections	71
6.7	Soffit-to-wall junction.....	73
6.8	Timber-framed gable wall	74
6.9	Reverse soffit eaves.....	75
7	STRUCTURAL DIAPHRAGMS	76
7.1	General.....	76
7.2	Roof and ceiling diaphragms.....	76
7.3	Openings in diaphragms.....	83
8	BOND BEAMS	84
8.1	General.....	84
8.2	Bond beams with structural diaphragms	84
8.3	Earth walls without structural diaphragms	85
8.4	Intersection of timber bond beams	91
8.5	Concrete bond beam details	92
8.6	Gable-shaped walls.....	94
8.7	Timber gable end walls above earth walls	94
9	LINTELS	95
9.1	General.....	95
9.2	Timber lintels.....	97
9.3	Concrete lintels	101
10	WALL OPENINGS AND FIXINGS.....	107
10.1	Windows.....	107
10.2	Fixings for timber-framed walls	118
10.3	Arches	120
10.4	Penetrations.....	121
11	CONTROL JOINTS.....	123
11.1	General.....	123
11.2	Control joints for rammed earth walls	123
11.3	Control joints for adobe and pressed brick walls.....	125
12	INTERNAL ADOBE BRICK VENEER	126
12.1	Scope	126
12.2	Foundation	126

12.3	Upstand.....	129
12.4	Damp-proof course	129
12.5	Timber Framing.....	130
12.6	Timber bottom plates.....	131
12.7	Cavities.....	133
12.8	Adobe veneer bricks.....	133
12.9	Wall ties.....	134
12.10	Horizontal reinforcing.....	134
12.11	Openings.....	135
12.12	Securing top bricks.....	135
12.13	Wall finishing	135
12.14	Wall bracing design	136
12.15	Additional wall bracing demand for adobe veneer walls	136
12.16	Additional requirements for wall bracing for adobe veneer walls	137
12.17	Joints in top plates.....	137
13	EARTH FLOORS	138
13.1	General.....	138
13.2	Scope.....	138
13.3	Performance criteria	138
13.4	Construction details.....	139
Appendix		
A	Basis of engineering design (Informative).....	144
A1	Design standards.....	144
A2	Design strengths, factors, and loads.....	145
A3	Structural concept for earth walls	145
A4	Bond beam span tables derivations.....	147
A5	Lintel span tables derivations	147
A6	Internal adobe veneer walls (section 12).....	147
A7	Seismic lateral force coefficients for adobe veneer walls.....	148
B	Worked examples (Informative).....	151
D	Light earth method or LEM (Informative)	154
D1	General.....	154
D2	Scope and exclusions.....	154
D3	Definitions	155
D4	Non-loadbearing LEM construction	155
D5	Structure	157
D6	Moisture	160
D7	Plaster	170
D8	Roofs.....	173
D9	Pipework and LEM walls.....	174
D10	Electrical services in LEM walls.....	174



D11	Thermal insulation.....	175
D12	Fire	176
D13	Diagrams.....	177
E	Straw-bale construction (Informative).....	181
E1	General.....	181
E2	Scope.....	182
E3	Definitions	183
E4	Materials.....	185
E5	Wall construction	187
E6	External and internal moisture control for straw bale	194
E7	Plaster	198
E8	Separation of bales from other materials	203
E9	Control of exterior and interior moisture	204
E10	Roof.....	207
E11	Pipework and straw-bale walls.....	208
E12	Electrical services in straw-bale walls.....	208
E13	Thermal insulation R value.....	209
E14	Durability	209
E15	Fire	209

Table

1.1	Importance levels of buildings.....	7
2.1	Screw sizes	18
2.2	Wind speed zone designations	19
2.3	Maximum erodibility index for earth walls.....	30
4.1	Earthquake zones	44
4.2	Site earthquake factor	46
6.1	Bracing capacity of reinforced earth walls – Heavy earth (1400 – 2200 kg/m ³).....	65
6.2	Spacing of vertical reinforcement in earth walls (earthquake zone 1)	65
6.3	Spacing of vertical reinforcement in earth walls (earthquake zone 2)	66
6.4	Spacing of vertical reinforcement in earth walls (earthquake zone 3)	66
6.5	Spacing of vertical D12 reinforcement in rammed earth walls without horizontal reinforcement (earthquake zone 1)	69
6.6	Spacing of vertical D12 reinforcement in rammed earth walls without horizontal reinforcement (earthquake zone 2)	69
6.7	Spacing of vertical D12 reinforcement in rammed earth walls without horizontal reinforcement (earthquake zone 3)	69
6.8	Spacing of shear connectors at base of earth walls	72
6.9	Spacing of shear connectors at top of earth walls	73
7.1	Connection of structural diaphragm to timber bond beam	81
8.1	Bond beams with structural diaphragms in earthquake zone 1	84

8.2	Bond beams with structural diaphragms in earthquake zones 2 and 3	85
8.3	Earthquake and subsoil class factor, K_{sz}	88
8.4	Bond beam width factor K_{cw}	89
8.5	Bond beam reference span L_{Ref} for earth side wall	89
8.6	Bond beam reference span L_{Ref} for earth gable end wall.....	90
8.7	Bond beam reference span L_{Ref} for timber gable end wall.....	90
8.8	Timber bond beam for wind resistance.....	91
8.9	Concrete bond beam for wind resistance	91
9.1	Horizontal top wall timber lintels with ground snow loads up to 2.0 kPa.....	100
9.2	Gable end timber lintels with ground snow loads up to 2.0 kPa.....	100
9.3	Concrete lintel details	103
9.4	Gable end concrete lintels with ground snow loads up to 2.0 kPa.....	104
9.5	Concrete side wall lintels with 1.0 kPa, 1.5 kPa or 2.0 kPa ground snow loads.....	104
10.1	Shrinkage allowance.....	118
12.1	Studs for adobe veneer walls less than or equal to 220 kg/m ² including plaster.....	130
12.2	Studs for adobe veneer walls less than or equal to 300 kg/m ² including plaster	130
12.3	Site earthquake factor for calculation of additional wall bracing demand for adobe veneer walls.....	136
A.1	Design strengths (MPa) for standard grade earth wall construction	145
A.2	Strength reduction factors.....	145
A.3	Basic load data	145
A.4	Site earthquake factor	146
B.1	Calculation of earthquake bracing demand example	152
B.2	Detailed wall bracing capacity calculations for example NZS 4299 B1 building.....	153
D.1	External moisture risk levels for straw bale and LEM	165
D.2	Suitable wall claddings	167
E.1	Suitable wall claddings for straw-bale walls in accordance with Table D.1	198

Figure

1.1	Height limitations	7
2.1	Durability design	21
2.2	Exposure zone map (North Island)	25
2.3	Exposure zone map (South Island).....	26
2.4	Definition of eaves height and eaves width	30
2.5	Eaves width for low wind	31
2.6	Eaves width for medium wind.....	31
2.7	Eaves width for high wind.....	32



2.8	Eaves width for very high wind	32
2.9	Protection for sheltered walls – Plan	33
2.10	Thermal conductivity values for earth walls	34
3.1	Relationship of foundation to nearby sloping ground surface	37
4.1	Earthquake zones (North Island) (see 4.2.2).....	45
4.2	Earthquake zones (South and Stewart Islands) (see 4.2.2).....	46
5.1	Foundation details at footing step	48
5.2	Footing height clearances	50
5.3	Footing reinforcement in earthquake zone 1.....	51
5.4	Footing reinforcement in earthquake zone 2 or 3	52
5.5	Reinforcement at footing or bond beam intersections	52
5.6	Footings – General details including shear key options.....	53
5.7	Footing – Insulated concrete floor	54
5.8	Footing – Insulated slab and footing	54
5.9	Footing – Insulated slab with brick facing	55
5.10	Footing – Insulated earth floor on slab.....	55
5.11	Footing – Earth floor	56
6.1	Bracing line support system and openings at external corners	62
6.2	Determining average wall height.....	64
6.3	Reinforcing and dowels for reinforced earth walls.....	68
6.4	Horizontal reinforcement cut from steel mesh	70
6.5	Horizontal reinforcement for earth walls	71
6.6	Soffit-to-wall junction.....	73
6.7	Sloping soffit-to-wall junction.....	74
6.8	Timber-framed gable to end wall.....	74
6.9	Reverse eaves soffit flashing	75
7.1	Diaphragm construction (see 7.1.2)	78
7.2	Sloping roof diaphragm	79
7.3	Sloping roof diaphragm – Ridge section.....	79
7.4	Connection of ceiling diaphragms to earth walls for sloping ceilings on underside of rafters.....	80
7.5	Horizontal ceiling diaphragms	81
7.6	Connection of diaphragms to walls with roof or ceiling diaphragm on top of rafters.....	82
7.7	Location of openings in diaphragm.....	83
8.1	Layout of earth walls with concrete bond beams and without a structural ceiling diaphragm	86
8.2	Connection between bond beams and roof without a structural ceiling diaphragm.....	87

8.3	Connection of timber bond beams or top plates with structural diaphragms (plan)	92
8.4	Connection of timber bond beams or top plates without structural diaphragms (plan)	92
8.5	Concrete bond beams	93
9.1	Load cases for lintels	96
9.2	Timber lintels supporting timber framing above	98
9.3	Timber lintels below bond beam level supporting earth gable end walls	99
9.4	Timber lintels at bond beam level supporting earth gable walls	99
9.5	Concrete lintel general arrangement where lintel forms bond beam	102
9.6	Concrete lintel supporting concrete bond beam and wall above	103
9.7	Concrete lintel sizes and reinforcement	105
9.8	Concrete lintel within and outside middle two-thirds of bond beam span	106
10.1	Anchors for door, window, and timber partition frames for earth walls	109
10.2	Window head – Timber joinery with timber-framed wall insert	110
10.3	Window head – Aluminium joinery with timber-framed wall insert	111
10.4	Window head – Timber joinery with timber lintel	112
10.5	Window head – Aluminium joinery with timber lintel	113
10.6	Window jamb – Timber joinery	114
10.7	Window jamb – Aluminium joinery	114
10.8	Timber joinery with brick or tile sill	115
10.9	Window sill – Aluminium joinery with brick or tile sill	116
10.10	Window sill – Timber joinery with concrete sill	117
10.11	Window sill – Aluminium joinery with concrete sill	118
10.12	Non-loadbearing internal wall fixing to allow for shrinkage	119
10.13	Arch at door, window, or opening	120
11.1	Control joint for rammed earth or cob walls	124
11.2	Horizontal construction joint for rammed earth walls	124
11.3	Control joint for adobe and pressed brick	125
12.1	Internal veneer details	128
12.2	Footing – Internal adobe veneer, concrete raft foundation	129
12.3	Fixing of bottom plates to slabs and cast-in anchors	132
B.1	Example building 1	151
D.1	Some diagrammatic only framing options for LEM	178
D.2	Drained vented cavity to LEM	179
D.3	Typical LEM wall – Diagram only showing some elements and options	179
D.4	LEM wall section	180

