



ANSI/TIA-568-C.2-2009
APPROVED: AUGUST 11, 2009

TIA STANDARD

Balanced Twisted-Pair Telecommunications Cabling and Components Standards

TIA-568-C.2

August 2009

TELECOMMUNICATIONS
INDUSTRY ASSOCIATION

tiaonline.org

This is a preview. [Click here to purchase the full publication.](#)

NOTICE

TIA Engineering Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for their particular need. The existence of such Standards and Publications shall not in any respect preclude any member or non-member of TIA from manufacturing or selling products not conforming to such Standards and Publications. Neither shall the existence of such Standards and Publications preclude their voluntary use by Non-TIA members, either domestically or internationally.

Standards and Publications are adopted by TIA in accordance with the American National Standards Institute (ANSI) patent policy. By such action, TIA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard or Publication.

This Standard does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this Standard to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

(From Standards Proposal No. 3-4426-RV3-B-2, formulated under the cognizance of the TIA TR-42 User Premises Telecommunications Cabling Infrastructure, TR-42.7 Subcommittee on Telecommunications Copper Cabling Systems.)

Published by

©TELECOMMUNICATIONS INDUSTRY ASSOCIATION
Standards and Technology Department
2500 Wilson Boulevard
Arlington, VA 22201 U.S.A.

**PRICE: Please refer to current Catalog of
TIA TELECOMMUNICATIONS INDUSTRY ASSOCIATION STANDARDS
AND ENGINEERING PUBLICATIONS
or call IHS, USA and Canada
(1-877-413-5187) International (303-397-2896)
or search online at <http://www.tiaonline.org/standards/catalog/>**

All rights reserved
Printed in U.S.A.

NOTICE OF COPYRIGHT

This document is copyrighted by the TIA.

Reproduction of these documents either in hard copy or soft copy (including posting on the web) is prohibited without copyright permission. For copyright permission to reproduce portions of this document, please contact TIA Standards Department or go to the TIA website (www.tiaonline.org) for details on how to request permission. Details are located at:

<http://www.tiaonline.org/standards/catalog/info.cfm#copyright>

OR

Telecommunications Industry Association
Standards & Technology Department
2500 Wilson Boulevard, Suite 300
Arlington, VA 22201 USA
+1(703)907-7700

Organizations may obtain permission to reproduce a limited number of copies by entering into a license agreement. For information, contact:

IHS
15 Inverness Way East
Englewood, CO 80112-5704 or call
U.S.A. and Canada (1-800-525-7052)
International (303-790-0600)

NOTICE OF DISCLAIMER AND LIMITATION OF LIABILITY

The document to which this Notice is affixed (the “Document”) has been prepared by one or more Engineering Committees or Formulating Groups of the Telecommunications Industry Association (“TIA”). TIA is not the author of the Document contents, but publishes and claims copyright to the Document pursuant to licenses and permission granted by the authors of the contents.

TIA Engineering Committees and Formulating Groups are expected to conduct their affairs in accordance with the TIA Engineering Manual (“Manual”), the current and predecessor versions of which are available at http://www.tiaonline.org/standards/sfg/engineering_manual.cfm. TIA’s function is to administer the process, but not the content, of document preparation in accordance with the Manual and, when appropriate, the policies and procedures of the American National Standards Institute (“ANSI”). TIA does not evaluate, test, verify or investigate the information, accuracy, soundness, or credibility of the contents of the Document. In publishing the Document, TIA disclaims any undertaking to perform any duty owed to or for anyone.

If the Document is identified or marked as a project number (PN) document, or as a standards proposal (SP) document, persons or parties reading or in any way interested in the Document are cautioned that: (a) the Document is a proposal; (b) there is no assurance that the Document will be approved by any Committee of TIA or any other body in its present or any other form; (c) the Document may be amended, modified or changed in the standards development or any editing process.

The use or practice of contents of this Document may involve the use of intellectual property rights (“IPR”), including pending or issued patents, or copyrights, owned by one or more parties. TIA makes no search or investigation for IPR. When IPR consisting of patents and published pending patent applications are claimed and called to TIA’s attention, a statement from the holder thereof is requested, all in accordance with the Manual. TIA takes no position with reference to, and disclaims any obligation to investigate or inquire into, the scope or validity of any claims of IPR. TIA will neither be a party to discussions of any licensing terms or conditions, which are instead left to the parties involved, nor will TIA opine or judge whether proposed licensing terms or conditions are reasonable or non-discriminatory. TIA does not warrant or represent that procedures or practices suggested or provided in the Manual have been complied with as respects the Document or its contents.

TIA does not enforce or monitor compliance with the contents of the Document. TIA does not certify, inspect, test or otherwise investigate products, designs or services or any claims of compliance with the contents of the Document.

ALL WARRANTIES, EXPRESS OR IMPLIED, ARE DISCLAIMED, INCLUDING WITHOUT LIMITATION, ANY AND ALL WARRANTIES CONCERNING THE ACCURACY OF THE CONTENTS, ITS FITNESS OR APPROPRIATENESS FOR A PARTICULAR PURPOSE OR USE, ITS MERCHANTABILITY AND ITS NON-INFRINGEMENT OF ANY THIRD PARTY’S INTELLECTUAL PROPERTY RIGHTS. TIA EXPRESSLY DISCLAIMS ANY AND ALL RESPONSIBILITIES FOR THE ACCURACY OF THE CONTENTS AND MAKES NO REPRESENTATIONS OR WARRANTIES REGARDING THE CONTENT’S COMPLIANCE WITH ANY APPLICABLE STATUTE, RULE OR REGULATION, OR THE SAFETY OR HEALTH EFFECTS OF THE CONTENTS OR ANY PRODUCT OR SERVICE REFERRED TO IN THE DOCUMENT OR PRODUCED OR RENDERED TO COMPLY WITH THE CONTENTS.

TIA SHALL NOT BE LIABLE FOR ANY AND ALL DAMAGES, DIRECT OR INDIRECT, ARISING FROM OR RELATING TO ANY USE OF THE CONTENTS CONTAINED HEREIN, INCLUDING WITHOUT LIMITATION ANY AND ALL INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF BUSINESS, LOSS OF PROFITS, LITIGATION, OR THE LIKE), WHETHER BASED UPON BREACH OF CONTRACT, BREACH OF WARRANTY, TORT (INCLUDING NEGLIGENCE), PRODUCT LIABILITY OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THE FOREGOING NEGATION OF DAMAGES IS A FUNDAMENTAL ELEMENT OF THE USE OF THE CONTENTS HEREOF, AND THESE CONTENTS WOULD NOT BE PUBLISHED BY TIA WITHOUT SUCH LIMITATIONS

NOTICE

{TIA staff to insert applicable text here.}

Balanced Twisted-Pair Telecommunications Cabling and Components Standard

TABLE OF CONTENTS

1	SCOPE	1
2	NORMATIVE AND INFORMATIVE REFERENCES	1
3	DEFINITIONS, ABBREVIATIONS AND ACRONYMS, UNITS OF MEASURE	3
3.1	General	3
3.2	Definitions	3
3.3	Acronyms and abbreviations.....	5
3.4	Units of measure	5
3.5	Variables	6
4	GENERAL.....	7
4.1	Backward compatibility and interoperability.....	7
4.2	Recognized categories.....	7
5	MECHANICAL REQUIREMENTS	8
5.1	Channel mechanical performance	8
5.2	Permanent link mechanical performance.....	8
5.3	Horizontal cable mechanical performance.....	8
5.3.1	Insulated conductor.....	8
5.3.2	Pair assembly	8
5.3.3	Insulated conductor color code.....	8
5.3.4	Cable diameter.....	9
5.3.5	Breaking strength.....	9
5.3.6	Cold bend radius.....	9
5.3.7	Performance marking	9
5.3.8	Core wrap	9
5.3.9	Core shield (screened only).....	9
5.3.10	Dielectric strength (screened only)	9
5.4	Bundled and hybrid cable mechanical performance.....	9
5.5	Cord cable mechanical performance	10
5.5.1	General	10
5.5.2	Cord cable flex life (screened only)	10
5.6	Backbone cable mechanical performance.....	10
5.6.1	Insulated conductor.....	10
5.6.2	Pair assembly	10
5.6.3	Insulated conductor color code.....	10
5.6.4	Core assembly	11
5.6.5	Core shield.....	11
5.6.6	Jacket.....	11
5.6.7	Performance marking	11
5.6.8	Dielectric strength (screened only)	11
5.6.9	Core shield resistance	11
5.7	Connecting hardware mechanical performance	11
5.7.1	Environmental compatibility	11
5.7.2	Mounting	11
5.7.3	Mechanical termination density	12
5.7.4	Design.....	12
5.7.5	Work area telecommunications outlet/connector.....	13
5.7.6	Performance marking	14

5.7.7	Reliability.....	14
5.7.8	Shield mating interface (screened only).....	14
5.7.9	Shield continuity (screened only).....	15
5.8	Cords and jumpers mechanical performance.....	15
5.8.1	Insulated conductor.....	15
5.8.2	Insulated conductor color codes.....	15
6	TRANSMISSION REQUIREMENTS.....	16
6.1	General.....	16
6.1.1	Return loss.....	16
6.1.2	Insertion loss.....	16
6.1.3	NEXT loss.....	16
6.1.4	PSNEXT loss.....	16
6.1.5	FEXT loss.....	16
6.1.6	ACRF.....	17
6.1.7	PSACRF.....	17
6.1.8	TCL.....	17
6.1.9	ELTCTL.....	18
6.1.10	Coupling attenuation.....	18
6.1.11	Propagation delay.....	18
6.1.12	Propagation delay skew.....	18
6.1.13	PSANEXT loss.....	19
6.1.14	Average PSANEXT loss.....	19
6.1.15	PSAFEXT loss (connecting hardware only).....	20
6.1.16	PSAACRF.....	20
6.1.17	Average PSAACRF.....	21
6.2	Channel transmission performance.....	22
6.2.1	DC loop resistance.....	22
6.2.2	DC resistance unbalance.....	22
6.2.3	Mutual capacitance.....	22
6.2.4	Capacitance unbalance: pair-to-ground.....	22
6.2.5	Characteristic impedance and structural return loss (SRL).....	23
6.2.6	Return loss.....	23
6.2.7	Insertion loss.....	24
6.2.8	NEXT loss.....	26
6.2.9	PSNEXT loss.....	28
6.2.10	FEXT loss.....	29
6.2.11	ACRF.....	29
6.2.12	PSFEXT loss.....	30
6.2.13	PSACRF.....	30
6.2.14	TCL.....	31
6.2.15	TCTL.....	32
6.2.16	ELTCTL.....	32
6.2.17	Coupling attenuation (screened only).....	32
6.2.18	Propagation delay.....	33
6.2.19	Propagation delay skew.....	33
6.2.20	ANEXT loss.....	33
6.2.21	PSANEXT loss.....	34
6.2.22	Average PSANEXT loss.....	36
6.2.23	AFEXT loss.....	37
6.2.24	PSAFEXT loss.....	37
6.2.25	PSAACRF.....	38
6.2.26	Average PSAACRF.....	39
6.3	Permanent link transmission performance.....	40
6.3.1	DC loop resistance.....	40
6.3.2	DC resistance unbalance.....	40

6.3.3	Mutual capacitance	40
6.3.4	Capacitance unbalance: pair-to-ground	40
6.3.5	Characteristic impedance and structural return loss (SRL)	40
6.3.6	Return loss	41
6.3.7	Insertion loss	42
6.3.8	NEXT loss	44
6.3.9	PSNEXT loss	46
6.3.10	FEXT loss	47
6.3.11	ACRF	48
6.3.12	PSFEXT loss	49
6.3.13	PSACRF	49
6.3.14	TCL	50
6.3.15	TCTL	50
6.3.16	ELTCTL	50
6.3.17	Coupling attenuation (screened only)	50
6.3.18	Propagation delay	50
6.3.19	Propagation delay skew	51
6.3.20	ANEXT loss	52
6.3.21	PSANEXT loss	52
6.3.22	Average PSANEXT Loss	54
6.3.23	AFEXT loss	55
6.3.24	PSAFEXT loss	55
6.3.25	PSAACRF	56
6.3.26	Average PSAACRF loss	57
6.4	Horizontal cable transmission performance	58
6.4.1	DC resistance	58
6.4.2	DC resistance unbalance	58
6.4.3	Mutual capacitance	58
6.4.4	Capacitance unbalance: pair-to-ground	58
6.4.5	Characteristic impedance and structural return loss (SRL)	58
6.4.6	Return loss	60
6.4.7	Insertion loss	61
6.4.8	NEXT loss	63
6.4.9	PSNEXT loss	64
6.4.10	FEXT loss	65
6.4.11	ACRF	65
6.4.12	PSFEXT loss	66
6.4.13	PSACRF	66
6.4.14	TCL	67
6.4.15	TCTL	68
6.4.16	ELTCTL	68
6.4.17	Coupling attenuation (screened only)	69
6.4.18	Propagation delay	70
6.4.19	Propagation delay skew	70
6.4.20	Surface transfer impedance (screened only)	71
6.4.21	ANEXT loss	71
6.4.22	PSANEXT loss	71
6.4.23	Average PSANEXT loss	72
6.4.24	AFEXT loss	72
6.4.25	PSAFEXT loss	72
6.4.26	PSAACRF	72
6.4.27	Average PSAACRF	73
6.5	Bundled and hybrid cable transmission performance	73
6.5.1	PSNEXT loss	73
6.5.2	PSNEXT loss from internal and external pairs (category 6 cables only)	73

6.6	Cord cable	74
6.6.1	DC resistance	74
6.6.2	Return loss	74
6.6.3	Insertion loss	75
6.7	Backbone cable transmission performance	76
6.7.1	Insertion loss	76
6.7.2	NEXT loss	76
6.7.3	PSNEXT loss	78
6.7.4	ACRF	79
6.7.5	PSACRF	81
6.7.6	Propagation delay	82
6.7.7	Propagation delay skew	82
6.8	Connecting hardware transmission performance	83
6.8.1	DC resistance	83
6.8.2	DC resistance unbalance	84
6.8.3	Mutual capacitance	84
6.8.4	Capacitance unbalance: pair-to-ground	84
6.8.5	Characteristic impedance and structural return loss (SRL)	84
6.8.6	Return loss	85
6.8.7	Insertion loss	86
6.8.8	NEXT loss	87
6.8.9	PSNEXT loss	88
6.8.10	FEXT loss	89
6.8.11	ACRF	90
6.8.12	PSFEXT loss	90
6.8.13	PSACRF	90
6.8.14	TCL	91
6.8.15	TCTL	92
6.8.16	ELTCTL	92
6.8.17	Coupling attenuation (screened only)	93
6.8.18	Propagation delay	93
6.8.19	Propagation delay skew	93
6.8.20	Shield transfer impedance (screened only)	93
6.8.21	ANEXT loss	94
6.8.22	PSANEXT loss	94
6.8.23	Average PSANEXT loss	94
6.8.24	AFEXT loss	94
6.8.25	PSAFEXT loss	95
6.8.26	PSAACRF	95
6.8.27	Average PSAACRF	95
6.9	Cords and jumpers transmission performance	95
6.9.1	Return loss	96
6.9.2	NEXT loss	97
Annex A	(normative) - Reliability testing of connecting hardware	100
A.1	General	100
A.2	Solderless connections	100
A.3	Modular plugs and jacks	101
A.4	Other connecting hardware	102
A.5	Informative examples of referenced test schedules	103
A.5.1	General	103
A.5.2	Non-accessible IDC, IEC 60352-3	104
A.5.3	Modular plug and jack, IEC 60603-7 series	105
Annex B	(normative) - Measurement requirements	106

B.1	General test configuration	106
B.2	Balun requirements	106
B.3	Ground plane requirements	108
B.4	Network analyzer requirements	109
B.5	Measurement points and spacing	109
B.6	Impedance matching terminations	109
B.6.1	Balun terminations	109
B.6.2	Resistor terminations	109
B.6.3	Termination performance at the calibration plane	110
B.7	General calibration plane	110
B.7.1	Calibration references	111
B.7.1.1	100 Ω reference load measurement procedure	111
B.7.1.2	100 Ω reference load return loss requirement	112
B.7.2	Typical test equipment performance parameters	112
Annex C	(normative) - Cabling and component test procedures	113
C.1	Measurement test setup and apparatus	113
C.1.1	Interconnections between the device under test (DUT) and the calibration plane	113
C.1.1.1	Impedance matched test leads	113
C.1.1.1.1	Individual twisted-pair test leads	114
C.1.1.1.2	Test leads as part of cables	114
C.1.1.2	Interconnection return loss requirements	114
C.1.2	Calibration methods	114
C.1.2.1	Two-port calibration of the test system	114
C.1.2.2	One-port calibration of the test system	114
C.2	Testing of cabling	115
C.2.1	Cabling DC resistance	115
C.2.2	Return loss of channels and permanent links	115
C.2.2.1	Test configuration of channel and permanent link return loss	115
C.2.2.2	Measurement of channel and permanent link return loss	116
C.2.3	Insertion loss of channels and permanent links	116
C.2.3.1	Test configuration of channel and permanent link insertion loss	116
C.2.3.2	Calibration of channel and permanent link insertion loss	116
C.2.3.3	Measurement of channel and permanent link insertion loss	117
C.2.4	NEXT loss of channels and permanent links	117
C.2.4.1	Test configuration of channel and permanent link NEXT loss	117
C.2.4.2	Calibration of channel and permanent link NEXT loss	117
C.2.4.3	Measurement of channel and permanent link NEXT loss	117
C.2.5	FEXT loss of channels and permanent links	117
C.2.5.1	Test configuration of channel and permanent link FEXT loss	117
C.2.5.2	Calibration of channel and permanent link FEXT loss	117
C.2.5.3	Measurement of channel and permanent link FEXT loss	118
C.2.6	Cabling ANEXT loss and AFEXT loss laboratory measurement procedures	118
C.2.6.1	Test configuration of channel and permanent link ANEXT loss	118
C.2.6.1.1	Termination of pairs	118
C.2.6.1.2	Cabling construction	118
C.2.6.1.3	Determining number of disturbing components	119
C.2.6.2	Calibration of channel and permanent link ANEXT loss or AFEXT loss	119
C.2.6.3	Measurement of channel and permanent link ANEXT loss or AFEXT loss	120
C.2.7	ACRF and FEXT loss of channels and permanent links	121
C.2.7.1	Test configuration of channel and permanent link FEXT loss	121
C.2.7.2	Calibration of channel and permanent link FEXT loss	121
C.2.7.3	Measurement of channel and permanent link FEXT loss	121
C.2.8	TCL of channels	122